

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY050720\
 Data File : VY002630.D
 Acq On : 07 May 2020 14:44
 Operator : SY/MD
 Sample : L2546-01
 Misc : 5.06G/5ML/MSVOA Y/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BP-VPB180-GW-918-920

Quant Time: May 08 02:37:21 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
 Quant Title : SW846 8260
 QLast Update : Mon May 04 12:22:08 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	345800	50.00	ug/l	-0.01
34) 1,4-Difluorobenzene	8.69	114	546386	50.00	ug/l	-0.01
63) Chlorobenzene-d5	11.49	117	493059	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	238789	50.00	ug/l	-0.01
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	168611	57.99	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	115.98%	
35) Dibromofluoromethane	7.72	113	166903	53.41	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	106.82%	
50) Toluene-d8	10.18	98	635749	52.10	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	104.20%	
62) 4-Bromofluorobenzene	12.48	95	212858	51.41	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	102.82%	
Target Compounds						
					Qvalue	
2) Dichlorodifluoromethane	1.91	85	214	1.857	ug/l	97
11) Tert butyl alcohol	4.97	59	1714	5.730	ug/l #	74
16) Acetone	3.96	43	3098	5.163	ug/l #	87
25) 2-Butanone	6.99	43	2513	2.558	ug/l #	45
31) Cyclohexane	7.80	56	5711	1.093	ug/l #	1
36) 1,1-Dichloropropene	7.80	75	21677	4.733	ug/l #	49
37) Ethyl Acetate	6.99	43	2513	1.068	ug/l #	17
38) Carbon Tetrachloride	7.80	117	31080	6.215	ug/l #	16
51) 4-Methyl-2-Pentanone	10.08	43	4068	1.789	ug/l	99
76) 1,2,3-Trichloropropane	12.48	75	102391	48.251	ug/l #	100
77) Bromobenzene	12.69	156	8199	2.121	ug/l #	1
81) trans-1,4-Dichloro-2-buten	12.48	75	102391	96.753	ug/l #	16
95) Naphthalene	15.24	128	8709	1.007	ug/l #	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY050720\
Data File : VY002630.D
Acq On : 07 May 2020 14:44
Operator : SY/MD
Sample : L2546-01
Misc : 5.06G/5ML/MSVOA Y/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BP-VPB180-GW-918-920

Quant Time: May 08 02:37:21 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y043020S.M
Quant Title : SW846 8260
QLast Update : Mon May 04 12:22:08 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. -0.01 min

Lab File: VY002630.D

Acq: 07 May 2020 14:44

Instrument :

MSVOA_Y

ClientSampleId :


BP-VPB180-GW-918-920

Tot Ion:168 Resp: 345800

Ion Ratio Lower Upper

168 100

99 49.9 39.2 58.8



Abundance Ion 167.90 (167.60 to 168.60): VY002513.D (-985) (-)

Ion 98.90 (98.60 to 99.60): VY002513.D (-985) (-)

7.80



150000

100000

50000

0

Time-->



#2

Dichlorodifluoromethane

Concen: 1.857 ug/l

RT: 1.91 min Scan# 28

Delta R.T. 0.00 min

Lab File: VY002630.D


Acq: 07 May 2020 14:44

Tgt Ion: 85 Resp: 214

Ion Ratio Lower Upper

85 100

87 33.5 15.8 47.4



Abundance Ion 84.90 (84.60 to 85.60): VY002513.D (-22) (-)

Ion 86.90 (86.60 to 87.60): VY002513.D (-22) (-)

1.91

200


150


100

50

0

Time-->









#11

Tert butyl alcohol
 Concen: 5.730 ug/l
 RT: 4.97 min Scan# 530
 Delta R.T. -0.01 min
 Lab File: VY002630.D
 Acq: 07 May 2020 14:44

Instrument :
 MSVOA_Y
 ClientSampleId :
 BP-VPB180-GW-918-920




Tot Ion: 59 Resp: 1714
 Ion Ratio Lower Upper
 59 100
 57 0.0 7.8 11.6#




#16

Acetone
 Concen: 5.163 ug/l
 RT: 3.96 min Scan# 365
 Delta R.T. -0.00 min
 Lab File: VY002630.D
 Acq: 07 May 2020 14:44

Tgt Ion: 43 Resp: 3098
 Ion Ratio Lower Upper
 43 100
 58 41.2 26.9 40.3#









#25
2-Butanone
Concen: 2.558 ug/l
RT: 6.99 min Scan# 862
Delta R.T. -0.02 min
Lab File: VY002630.D
Acq: 07 May 2020 14:44




Instrument :
MSVOA_Y
ClientSampleId :
BP-VPB180-GW-918-920


Tot Ion: 43 Resp: 2513
Ion Ratio Lower Upper
43 100
72 0.0 24.1 36.1#



#31
Cyclohexane
Concen: 1.093 ug/l
RT: 7.80 min Scan# 994
Delta R.T. -0.01 min
Lab File: VY002630.D
Acq: 07 May 2020 14:44

Tgt Ion: 56 Resp: 5711
Ion Ratio Lower Upper
56 100
69 187.7 27.6 41.4#
84 195.1 77.7 116.5#





#33

1,2-Dichloroethane-d4

Concen: 57.991 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. -0.01 min

Lab File: VY002630.D

Acq: 07 May 2020 14:44

Instrument :

MSVOA_Y

ClientSampleId :


BP-VPB180-GW-918-920

Tot Ion: 65 Resp: 168611

Ion Ratio Lower Upper




65 100

67 54.0 0.0 107.2



Abundance Ion 64.90 (64.60 to 65.60): VY0

Ion 66.90 (66.60 to 67.60): VY0



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. -0.01 min

Lab File: VY002630.D

Acq: 07 May 2020 14:44


Tgt Ion: 114 Resp: 546386

Ion Ratio Lower Upper

114 100

63 17.9 0.0 36.4



88 13.9 0.0 29.6




Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0





#35

Dibromofluoromethane

Concen: 53.412 ug/l

RT: 7.72 min Scan# 982

Delta R.T. -0.01 min

Lab File: VY002630.D

Acq: 07 May 2020 14:44

Instrument :

MSVOA_Y

ClientSampleId :

BP-VPB180-GW-918-920


Tot Ion:113 Resp: 166903

Ion Ratio Lower Upper

113 100

111 101.7 81.8 122.6




192 22.2 18.2 27.4



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#36

1,1-Dichloropropene

Concen: 4.733 ug/l

RT: 7.80 min Scan# 994

Delta R.T. -0.14 min

Lab File: VY002630.D

Acq: 07 May 2020 14:44


Tgt Ion: 75 Resp: 21677

Ion Ratio Lower Upper

75 100

110 9.8 19.1 57.3#



77 0.0 24.6 37.0#




Abundance Ion 74.90 (74.60 to 75.60): VY0

Ion 109.90 (109.60 to 110.60): V

Ion 76.90 (76.60 to 77.60): VY0









#37
Ethyl Acetate
Concen: 1.068 ug/l
RT: 6.99 min Scan# 862
Delta R.T. -0.10 min
Lab File: VY002630.D
Acq: 07 May 2020 14:44




Instrument :
MSVOA_Y
ClientSampleId :
BP-VPB180-GW-918-920


Tot Ion: 43 Resp: 2513
Ion Ratio Lower Upper
43 100
61 65.4 11.6 17.4#
70 0.0 9.0 13.6#



#38
Carbon Tetrachloride
Concen: 6.215 ug/l
RT: 7.80 min Scan# 994
Delta R.T. -0.12 min
Lab File: VY002630.D
Acq: 07 May 2020 14:44

Tgt Ion: 117 Resp: 31080
Ion Ratio Lower Upper
117 100
119 5.0 77.1 115.7#
121 0.0 25.2 37.8#





#50

Toluene-d8

Concen: 52.099 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.01 min

Lab File: VY002630.D

Acq: 07 May 2020 14:44

Instrument :

MSVOA_Y

ClientSampleId :


BP-VPB180-GW-918-920

Tot Ion: 98 Resp: 635749

Ion Ratio Lower Upper




98 100

100 64.7 52.2 78.2



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY0



#51

4-Methyl-2-Pentanone

Concen: 1.789 ug/l

RT: 10.08 min Scan# 1368

Delta R.T. -0.01 min

Lab File: VY002630.D


Acq: 07 May 2020 14:44

Tgt Ion: 43 Resp: 4068

Ion Ratio Lower Upper



43 100


58 41.1 33.2 49.8



Abundance Ion 43.00 (42.70 to 43.70): VY0

Ion 58.00 (57.70 to 58.70): VY0






#62
4-Bromofluorobenzene
Concen: 51.406 ug/l
RT: 12.48 min Scan# 1762
Delta R.T. -0.01 min
Lab File: VY002630.D
Acq: 07 May 2020 14:44

Instrument :
MSVOA_Y
ClientSampleId :
BP-VPB180-GW-918-920




Tot Ion	Ratio	Lower	Upper
95	100		
174	92.5	0.0	188.8
176	88.9	0.0	183.2



Abundance Ion 94.90 (94.60 to 95.60): VY002513.D (-1755) (-)


Ion 173.80 (173.50 to 174.50): VY002513.D (-1755) (-)

Ion 175.80 (175.50 to 176.50): VY002513.D (-1755) (-)



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.01 min
Lab File: VY002630.D
Acq: 07 May 2020 14:44



Tgt Ion	Ratio	Lower	Upper
117	100		
82	51.1	41.3	61.9
119	31.3	26.0	39.0




Abundance Ion 116.90 (116.60 to 117.60): VY002513.D (-1592) (-)

Ion 82.00 (81.70 to 82.70): VY002513.D (-1592) (-)

Ion 118.90 (118.60 to 119.60): VY002513.D (-1592) (-)









#72

1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.01 min
Lab File: VY002630.D
Acq: 07 May 2020 14:44

Instrument :
MSVOA_Y
ClientSampleId :
BP-VPB180-GW-918-920




Tot Ion:152 Resp: 238789
Ion Ratio Lower Upper
152 100
115 54.7 27.5 82.4
150 156.9 0.0 346.4




#76

1,2,3-Trichloropropane
Concen: 48.251 ug/l
RT: 12.48 min Scan# 1762
Delta R.T. -0.16 min
Lab File: VY002630.D
Acq: 07 May 2020 14:44

Tgt Ion: 75 Resp: 102391
Ion Ratio Lower Upper
75 100
77 1.8 0.0 0.0#





#77

Bromobenzene

Concen: 2.121 ug/l

RT: 12.69 min Scan# 1797

Delta R.T. 0.08 min

Lab File: VY002630.D

Acq: 07 May 2020 14:44

Instrument :

MSVOA_Y

ClientSampleId :

BP-VPB180-GW-918-920


Tot Ion:156 Resp: 8199

Ion Ratio Lower Upper

156 100

77 2.0 82.0 245.8#




158 0.0 48.5 145.6#



Abundance Ion 155.80 (155.50 to 156.50): V

Ion 77.00 (76.70 to 77.70): VY0

Ion 157.80 (157.50 to 158.50): V



#81

trans-1,4-Dichloro-2-butene

Concen: 96.753 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. 0.09 min

Lab File: VY002630.D

Acq: 07 May 2020 14:44


Tgt Ion: 75 Resp: 102391

Ion Ratio Lower Upper

75 100

53 0.1 67.4 101.0#



89 0.7 37.4 56.0#




Abundance Ion 74.90 (74.60 to 75.60): VY0

Ion 53.00 (52.70 to 53.70): VY0

Ion 88.90 (88.60 to 89.60): VY0





#95
Naphthalene
Concen: 1.007 ug/l
RT: 15.24 min Scan# 2215
Delta R.T. -0.01 min
Lab File: VY002630.D
Acq: 07 May 2020 14:44

Instrument :
MSVOA_Y
ClientSampleId :
BP-VPB180-GW-918-920

Tot Ion	Ratio	Lower	Upper
128	100		
127	17.6	10.5	15.7#
129	12.0	8.8	13.2

