

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051123\
 Data File : VY013704.D
 Acq On : 11 May 2023 09:20
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: May 12 04:37:06 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042423S.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 25 02:39:58 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	0.475	0.487	-2.5	89	0.00
3 P	Chloromethane	0.637	0.567	11.0	81	0.00
4 C	Vinyl Chloride	0.634	0.581	8.4#	84	0.00
5 T	Bromomethane	0.506	0.437	13.6	83	0.00
6 T	Chloroethane	0.438	0.375	14.4	81	0.00
7 T	Trichlorofluoromethane	0.961	1.033	-7.5	97	0.00
8 T	Diethyl Ether	0.327	0.316	3.4	85	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.539	0.546	-1.3	94	0.00
10 T	Methyl Iodide	0.677	0.622	8.1	76	0.00
11 T	Tert butyl alcohol	0.066	0.071	-7.6	110	-0.02
12 CM	1,1-Dichloroethene	0.520	0.488	6.2#	83	0.00
13 T	Acrolein	0.054	0.035	35.2#	70	0.00
14 T	Allyl chloride	0.964	0.886	8.1	81	0.00
15 T	Acrylonitrile	0.183	0.180	1.6	85	0.00
16 T	Acetone	0.216	0.223	-3.2	84	0.00
17 T	Carbon Disulfide	1.688	1.434	15.0	74	0.00
18 T	Methyl Acetate	0.713	0.665	6.7	82	0.00
19 T	Methyl tert-butyl Ether	1.500	1.482	1.2	85	0.00
20 T	Methylene Chloride	0.924	0.636	31.2#	86	0.00
21 T	trans-1,2-Dichloroethene	0.568	0.561	1.2	86	0.00
22 T	Diisopropyl ether	1.885	1.928	-2.3	90	0.00
23 T	Vinyl Acetate	1.067	1.163	-9.0	93	0.00
24 P	1,1-Dichloroethane	1.050	1.082	-3.0	92	0.00
25 T	2-Butanone	0.274	0.274	0.0	85	0.00
26 T	2,2-Dichloropropane	0.905	0.995	-9.9	98	0.00
27 T	cis-1,2-Dichloroethene	0.628	0.656	-4.5	93	0.00
28 T	Bromochloromethane	0.373	0.396	-6.2	96	0.00
29 T	Tetrahydrofuran	0.170	0.156	8.2	79	0.00
30 C	Chloroform	1.044	1.142	-9.4#	98	0.00
31 T	Cyclohexane	0.981	0.887	9.6	84	0.00
32 T	1,1,1-Trichloroethane	0.932	1.035	-11.1	99	0.00
33 S	1,2-Dichloroethane-d4	0.548	0.578	-5.5	99	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	84	0.00
35 S	Dibromofluoromethane	0.314	0.356	-13.4	101	0.00
36 T	1,1-Dichloropropene	0.522	0.566	-8.4	92	0.00
37 T	Ethyl Acetate	0.393	0.366	6.9	75	0.00
38 T	Carbon Tetrachloride	0.547	0.643	-17.6	98	0.00
39 T	Methylcyclohexane	0.615	0.640	-4.1	86	0.00
40 TM	Benzene	1.470	1.615	-9.9	92	0.00
41 T	Methacrylonitrile	0.183	0.199	-8.7	89	0.00
42 TM	1,2-Dichloroethane	0.481	0.549	-14.1	94	0.00
43 T	Isopropyl Acetate	0.663	0.664	-0.2	82	0.00
44 TM	Trichloroethene	0.391	0.430	-10.0	92	0.00
45 C	1,2-Dichloropropane	0.384	0.427	-11.2#	93	0.00
46 T	Dibromomethane	0.230	0.250	-8.7	91	0.00
47 T	Bromodichloromethane	0.515	0.604	-17.3	98	0.00
48 T	Methyl methacrylate	0.304	0.310	-2.0	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051123\
 Data File : VY013704.D
 Acq On : 11 May 2023 09:20
 Operator : KP/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: May 12 04:37:06 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042423S.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 25 02:39:58 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	83	0.00
50 S	Toluene-d8	1.119	1.186	-6.0	95	0.00
51 T	4-Methyl-2-Pentanone	0.369	0.384	-4.1	83	0.00
52 CM	Toluene	0.885	1.001	-13.1#	94	0.00
53 T	t-1,3-Dichloropropene	0.545	0.613	-12.5	92	0.00
54 T	cis-1,3-Dichloropropene	0.613	0.677	-10.4	92	0.00
55 T	1,1,2-Trichloroethane	0.305	0.339	-11.1	93	0.00
56 T	Ethyl methacrylate	0.423	0.460	-8.7	86	0.00
57 T	1,3-Dichloropropane	0.516	0.588	-14.0	95	0.00
58 T	2-Chloroethyl Vinyl ether	0.158	0.162	-2.5	92	0.00
59 T	2-Hexanone	0.269	0.291	-8.2	84	0.00
60 T	Dibromochloromethane	0.370	0.429	-15.9	95	0.00
61 T	1,2-Dibromoethane	0.299	0.327	-9.4	90	0.00
62 S	4-Bromofluorobenzene	0.377	0.441	-17.0	106	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.380	0.418	-10.0	96	0.00
65 PM	Chlorobenzene	1.089	1.196	-9.8	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.407	0.482	-18.4	104	0.00
67 C	Ethyl Benzene	1.913	2.163	-13.1#	97	0.00
68 T	m/p-Xylenes	0.727	0.824	-13.3	97	0.00
69 T	o-Xylene	0.688	0.777	-12.9	96	0.00
70 T	Styrene	1.150	1.344	-16.9	99	0.00
71 P	Bromoform	0.285	0.322	-13.0	97	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	96	0.00
73 T	Isopropylbenzene	3.782	4.021	-6.3	99	0.00
74 T	N-amyl acetate	1.346	1.263	6.2	83	0.00
75 P	1,1,2,2-Tetrachloroethane	0.924	0.924	0.0	93	0.00
76 T	1,2,3-Trichloropropane	0.674	0.693	-2.8	94	0.00
77 T	Bromobenzene	0.916	0.996	-8.7	101	0.00
78 T	n-propylbenzene	4.658	5.004	-7.4	99	0.00
79 T	2-Chlorotoluene	2.601	2.752	-5.8	98	0.00
80 T	1,3,5-Trimethylbenzene	3.087	3.367	-9.1	100	0.00
81 T	trans-1,4-Dichloro-2-butene	0.330	0.320	3.0	86	0.00
82 T	4-Chlorotoluene	2.711	2.905	-7.2	100	0.00
83 T	tert-Butylbenzene	2.674	2.909	-8.8	100	0.00
84 T	1,2,4-Trimethylbenzene	3.001	3.330	-11.0	101	0.00
85 T	sec-Butylbenzene	4.014	4.349	-8.3	101	0.00
86 T	p-Isopropyltoluene	3.228	3.580	-10.9	103	0.00
87 T	1,3-Dichlorobenzene	1.746	1.914	-9.6	103	0.00
88 T	1,4-Dichlorobenzene	1.764	1.887	-7.0	102	0.00
89 T	n-Butylbenzene	3.150	3.420	-8.6	101	0.00
90 T	Hexachloroethane	0.679	0.725	-6.8	102	0.00
91 T	1,2-Dichlorobenzene	1.577	1.726	-9.4	102	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.163	0.159	2.5	93	0.00
93 T	1,2,4-Trichlorobenzene	0.940	1.054	-12.1	106	0.00
94 T	Hexachlorobutadiene	0.547	0.660	-20.7	117	0.00
95 T	Naphthalene	2.039	2.144	-5.1	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051123\
Data File : VY013704.D
Acq On : 11 May 2023 09:20
Operator : KP/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: May 12 04:37:06 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y042423S.M
Quant Title : SW846 8260
QLast Update : Tue Apr 25 02:39:58 2023
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.838	0.944	-12.6	105	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6