

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051221\
 Data File : VY004757.D
 Acq On : 12 May 2021 16:37
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA_Y/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: May 13 00:56:59 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051021S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 11 04:13:44 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	98	0.00
2 T	Dichlorodifluoromethane	0.458	0.427	6.8	90	0.00
3 P	Chloromethane	0.742	0.659	11.2	90	0.00
4 C	Vinyl Chloride	0.759	0.683	10.0#	91	0.00
5 T	Bromomethane	0.387	0.379	2.1	96	0.00
6 T	Chloroethane	0.448	0.432	3.6	93	0.00
7 T	Trichlorofluoromethane	0.901	0.891	1.1	95	0.00
8 T	Diethyl Ether	0.318	0.305	4.1	96	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.511	0.505	1.2	97	0.00
10 T	Methyl Iodide	0.547	0.563	-2.9	97	0.00
11 T	Tert butyl alcohol	0.060	0.056	6.7	104	0.00
12 CM	1,1-Dichloroethene	0.494	0.492	0.4#	96	0.00
13 T	Acrolein	0.070	0.067	4.3	97	0.00
14 T	Allyl chloride	0.966	0.949	1.8	95	0.00
15 T	Acrylonitrile	0.160	0.154	3.8	96	0.01
16 T	Acetone	0.134	0.130	3.0	99	0.00
17 T	Carbon Disulfide	1.509	1.530	-1.4	97	0.00
18 T	Methyl Acetate	0.426	0.411	3.5	99	0.01
19 T	Methyl tert-butyl Ether	1.359	1.361	-0.1	98	0.00
20 T	Methylene Chloride	0.857	0.665	22.4	104	0.01
21 T	trans-1,2-Dichloroethene	0.562	0.568	-1.1	96	0.00
22 T	Diisopropyl ether	1.858	1.901	-2.3	98	0.00
23 T	Vinyl Acetate	1.395	1.410	-1.1	97	0.00
24 P	1,1-Dichloroethane	1.045	1.053	-0.8	97	0.00
25 T	2-Butanone	0.237	0.234	1.3	99	0.00
26 T	2,2-Dichloropropane	0.913	0.930	-1.9	98	0.00
27 T	cis-1,2-Dichloroethene	0.624	0.637	-2.1	99	0.00
28 T	Bromochloromethane	0.511	0.532	-4.1	99	0.00
29 T	Tetrahydrofuran	0.151	0.148	2.0	97	0.00
30 C	Chloroform	1.030	1.035	-0.5#	97	0.00
31 T	Cyclohexane	0.963	0.911	5.4	94	0.00
32 T	1,1,1-Trichloroethane	0.923	0.935	-1.3	97	0.00
33 S	1,2-Dichloroethane-d4	0.595	0.618	-3.9	101	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	98	0.00
35 S	Dibromofluoromethane	0.274	0.312	-13.9	104	0.00
36 T	1,1-Dichloropropene	0.512	0.519	-1.4	96	0.00
37 T	Ethyl Acetate	0.351	0.348	0.9	100	0.00
38 T	Carbon Tetrachloride	0.461	0.486	-5.4	97	0.00
39 T	Methylcyclohexane	0.559	0.571	-2.1	94	0.00
40 TM	Benzene	1.449	1.485	-2.5	97	0.00
41 T	Methacrylonitrile	0.192	0.195	-1.6	90	0.00
42 TM	1,2-Dichloroethane	0.457	0.462	-1.1	97	0.00
43 T	Isopropyl Acetate	0.652	0.659	-1.1	97	0.00
44 TM	Trichloroethene	0.389	0.394	-1.3	95	0.00
45 C	1,2-Dichloropropane	0.379	0.391	-3.2#	98	0.00
46 T	Dibromomethane	0.211	0.215	-1.9	98	0.00
47 T	Bromodichloromethane	0.500	0.515	-3.0	98	0.00
48 T	Methyl methacrylate	0.297	0.300	-1.0	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051221\
 Data File : VY004757.D
 Acq On : 12 May 2021 16:37
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA_Y/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: May 13 00:56:59 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051021S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 11 04:13:44 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.003	-50.0#	101	0.00
50 S	Toluene-d8	1.237	1.346	-8.8	101	0.00
51 T	4-Methyl-2-Pentanone	0.351	0.358	-2.0	99	0.00
52 CM	Toluene	0.915	0.946	-3.4#	97	0.00
53 T	t-1,3-Dichloropropene	0.554	0.565	-2.0	96	0.00
54 T	cis-1,3-Dichloropropene	0.616	0.627	-1.8	96	0.00
55 T	1,1,2-Trichloroethane	0.290	0.297	-2.4	99	0.00
56 T	Ethyl methacrylate	0.419	0.437	-4.3	98	0.00
57 T	1,3-Dichloropropane	0.516	0.528	-2.3	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.217	0.212	2.3	99	0.00
59 T	2-Hexanone	0.238	0.245	-2.9	98	0.00
60 T	Dibromochloromethane	0.345	0.350	-1.4	98	0.00
61 T	1,2-Dibromoethane	0.280	0.285	-1.8	96	0.00
62 S	4-Bromofluorobenzene	0.417	0.450	-7.9	101	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	98	0.00
64 T	Tetrachloroethene	0.452	0.446	1.3	93	0.00
65 PM	Chlorobenzene	1.029	1.053	-2.3	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.374	0.382	-2.1	96	0.00
67 C	Ethyl Benzene	1.912	1.982	-3.7#	96	0.00
68 T	m/p-Xylenes	0.718	0.748	-4.2	96	0.00
69 T	o-Xylene	0.671	0.697	-3.9	96	0.00
70 T	Styrene	1.126	1.196	-6.2	96	0.00
71 P	Bromoform	0.227	0.232	-2.2	97	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	98	0.00
73 T	Isopropylbenzene	3.772	3.873	-2.7	95	0.00
74 T	N-amyl acetate	1.334	1.349	-1.1	95	0.00
75 P	1,1,2,2-Tetrachloroethane	0.753	0.758	-0.7	97	0.00
76 T	1,2,3-Trichloropropane	0.531	0.587	-10.5	107	0.00
77 T	Bromobenzene	0.852	0.868	-1.9	98	0.00
78 T	n-propylbenzene	4.603	4.749	-3.2	95	0.00
79 T	2-Chlorotoluene	2.526	2.553	-1.1	94	0.00
80 T	1,3,5-Trimethylbenzene	3.133	3.248	-3.7	95	0.00
81 T	trans-1,4-Dichloro-2-butene	0.306	0.299	2.3	94	0.00
82 T	4-Chlorotoluene	2.623	2.692	-2.6	95	0.00
83 T	tert-Butylbenzene	2.674	2.758	-3.1	93	0.00
84 T	1,2,4-Trimethylbenzene	3.135	3.214	-2.5	94	0.00
85 T	sec-Butylbenzene	3.888	4.025	-3.5	94	0.00
86 T	p-Isopropyltoluene	3.370	3.490	-3.6	94	0.00
87 T	1,3-Dichlorobenzene	1.671	1.670	0.1	95	0.00
88 T	1,4-Dichlorobenzene	1.646	1.653	-0.4	95	0.00
89 T	n-Butylbenzene	3.295	3.361	-2.0	91	0.00
90 T	Hexachloroethane	0.475	0.486	-2.3	94	0.00
91 T	1,2-Dichlorobenzene	1.474	1.482	-0.5	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.141	0.126	10.6	92	0.00
93 T	1,2,4-Trichlorobenzene	0.949	0.918	3.3	90	0.00
94 T	Hexachlorobutadiene	0.514	0.513	0.2	91	0.00
95 T	Naphthalene	2.054	2.027	1.3	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051221\
Data File : VY004757.D
Acq On : 12 May 2021 16:37
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA_Y/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: May 13 00:56:59 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051021S.M
Quant Title : SW846 8260
QLast Update : Tue May 11 04:13:44 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.840	0.815	3.0	91	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6