

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051424\
 Data File : VY018253.D
 Acq On : 14 May 2024 12:45
 Operator : SY/MD
 Sample : VY0514SBS01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0514SBS01

Quant Time: May 15 04:13:01 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y050724S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 08 01:40:14 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024
 Supervised By :Semsettin Yesilyurt 05/15/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	210277	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	359434	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	305060	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	135004	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.137	65	89111	57.605	ug/l	0.00
Spiked Amount 50.000	Range 50	- 163	Recovery	=	115.200%	
35) Dibromofluoromethane	7.710	113	101416	53.688	ug/l	0.00
Spiked Amount 50.000	Range 54	- 147	Recovery	=	107.380%	
50) Toluene-d8	10.179	98	406321	54.585	ug/l	0.00
Spiked Amount 50.000	Range 58	- 134	Recovery	=	109.180%	
62) 4-Bromofluorobenzene	12.483	95	124966	51.984	ug/l	0.00
Spiked Amount 50.000	Range 30	- 143	Recovery	=	103.960%	
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.900	85	35782	21.457	ug/l	95
3) Chloromethane	2.107	50	52403	23.475	ug/l	97
4) Vinyl Chloride	2.247	62	62798	23.207	ug/l	96
5) Bromomethane	2.638	94	43382	23.084	ug/l	99
6) Chloroethane	2.784	64	38724	22.549	ug/l	98
7) Trichlorofluoromethane	3.119	101	66088	20.850	ug/l	92
8) Diethyl Ether	3.515	74	21837	20.928	ug/l	99
9) 1,1,2-Trichlorotrifluo...	3.887	101	41244	20.417	ug/l	99
10) Methyl Iodide	4.082	142	45090	19.115	ug/l	100
11) Tert butyl alcohol	4.948	59	18856	133.151	ug/l #	85
12) 1,1-Dichloroethene	3.863	96	43203	21.245	ug/l	96
13) Acrolein	3.723	56	21952	143.277	ug/l	96
14) Allyl chloride	4.473	41	53805	20.798	ug/l	98
15) Acrylonitrile	5.149	53	42159	105.066	ug/l	97
16) Acetone	3.942	43	31739	102.812	ug/l	89
17) Carbon Disulfide	4.180	76	126965	22.934	ug/l	98
18) Methyl Acetate	4.466	43	19512	22.188	ug/l	98
19) Methyl tert-butyl Ether	5.216	73	94845	20.937	ug/l	100
20) Methylene Chloride	4.698	84	58540	26.829	ug/l	98
21) trans-1,2-Dichloroethene	5.204	96	45678	21.190	ug/l	93
22) Diisopropyl ether	6.112	45	114006	20.774	ug/l	98
23) Vinyl Acetate	6.052	43	346782	103.966	ug/l	99
24) 1,1-Dichloroethane	6.009	63	70829	20.955	ug/l	98
25) 2-Butanone	6.978	43	50343	102.019	ug/l	98
26) 2,2-Dichloropropane	6.972	77	64993	21.245	ug/l	100
27) cis-1,2-Dichloroethene	6.978	96	52774	20.716	ug/l	97
28) Bromochloromethane	7.326	49	24437	18.088	ug/l	94
29) Tetrahydrofuran	7.344	42	33699	103.456	ug/l	98
30) Chloroform	7.496	83	73773	20.907	ug/l	100
31) Cyclohexane	7.777	56	69652	21.935	ug/l #	89
32) 1,1,1-Trichloroethane	7.698	97	65442	20.692	ug/l	98
36) 1,1-Dichloropropene	7.911	75	56599	20.901	ug/l	98
37) Ethyl Acetate	7.057	43	23017	20.194	ug/l	94
38) Carbon Tetrachloride	7.899	117	57666	19.489	ug/l	96
39) Methylcyclohexane	9.179	83	78860	20.186	ug/l	98
40) Benzene	8.155	78	176387	20.250	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051424\
 Data File : VY018253.D
 Acq On : 14 May 2024 12:45
 Operator : SY/MD
 Sample : VY0514SBS01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0514SBS01

Quant Time: May 15 04:13:01 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y050724S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 08 01:40:14 2024
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024
 Supervised By :Semsettin Yesilyurt 05/15/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.301	41	12761	19.389	ug/l #	89
42) 1,2-Dichloroethane	8.234	62	38960	20.557	ug/l	96
43) Isopropyl Acetate	8.265	43	46310	19.823	ug/l	95
44) Trichloroethene	8.935	130	46361	19.551	ug/l	96
45) 1,2-Dichloropropane	9.216	63	38430	20.180	ug/l	99
46) Dibromomethane	9.301	93	22363	20.427	ug/l	98
47) Bromodichloromethane	9.490	83	52955	19.566	ug/l	99
48) Methyl methacrylate	9.289	41	20577	19.218	ug/l	95
49) 1,4-Dioxane	9.289	88	5297	364.509	ug/l #	100
51) 4-Methyl-2-Pentanone	10.069	43	116354	99.092	ug/l	96
52) Toluene	10.240	92	113694	20.275	ug/l	96
53) t-1,3-Dichloropropene	10.465	75	49394	19.539	ug/l	98
54) cis-1,3-Dichloropropene	9.923	75	60378	19.539	ug/l #	91
55) 1,1,2-Trichloroethane	10.642	97	29952	19.916	ug/l	97
56) Ethyl methacrylate	10.508	69	39856	19.513	ug/l #	90
57) 1,3-Dichloropropane	10.788	76	48193	19.689	ug/l	99
58) 2-Chloroethyl Vinyl ether	9.783	63	88974	91.226	ug/l	96
59) 2-Hexanone	10.831	43	78794	95.972	ug/l	95
60) Dibromochloromethane	10.984	129	37302	19.117	ug/l	99
61) 1,2-Dibromoethane	11.087	107	27450	19.378	ug/l	96
64) Tetrachloroethene	10.721	164	39985	19.686	ug/l	94
65) Chlorobenzene	11.514	112	121339	19.530	ug/l	97
66) 1,1,1,2-Tetrachloroethane	11.587	131	38710	19.261	ug/l	99
67) Ethyl Benzene	11.593	91	211091	20.122	ug/l	96
68) m/p-Xylenes	11.703	106	167713	40.428	ug/l	96
69) o-Xylene	12.026	106	77138	19.376	ug/l	99
70) Styrene	12.044	104	126981	19.099	ug/l	99
71) Bromoform	12.209	173	19898	17.894	ug/l #	96
73) Isopropylbenzene	12.331	105	200731	19.831	ug/l	98
74) N-amyl acetate	12.142	43	40166	19.116	ug/l	96
75) 1,1,2,2-Tetrachloroethane	12.581	83	31807	19.699	ug/l	97
76) 1,2,3-Trichloropropane	12.630	75	21398m	19.802	ug/l	
77) Bromobenzene	12.605	156	45084	19.388	ug/l	94
78) n-propylbenzene	12.672	91	235156	19.973	ug/l	97
79) 2-Chlorotoluene	12.758	91	128974	19.714	ug/l	99
80) 1,3,5-Trimethylbenzene	12.813	105	158901	19.909	ug/l	99
81) trans-1,4-Dichloro-2-b...	12.374	75	10853	19.350	ug/l	99
82) 4-Chlorotoluene	12.855	91	129239	19.666	ug/l	98
83) tert-Butylbenzene	13.075	119	145514	19.765	ug/l	98
84) 1,2,4-Trimethylbenzene	13.117	105	155145	19.843	ug/l	99
85) sec-Butylbenzene	13.251	105	214766	19.888	ug/l	99
86) p-Isopropyltoluene	13.367	119	174186	19.607	ug/l	98
87) 1,3-Dichlorobenzene	13.367	146	86389	19.237	ug/l	99
88) 1,4-Dichlorobenzene	13.447	146	85129	19.445	ug/l	98
89) n-Butylbenzene	13.697	91	160079	19.911	ug/l	99
90) Hexachloroethane	13.959	117	32618	18.715	ug/l	95
91) 1,2-Dichlorobenzene	13.739	146	76425	19.800	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.355	75	4330	19.694	ug/l	96
93) 1,2,4-Trichlorobenzene	15.007	180	40337	18.589	ug/l	98
94) Hexachlorobutadiene	15.111	225	21068	17.597	ug/l	98
95) Naphthalene	15.233	128	74678	18.781	ug/l	99
96) 1,2,3-Trichlorobenzene	15.422	180	32874	18.460	ug/l	97

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY051424\
Data File : VY018253.D
Acq On : 14 May 2024 12:45
Operator : SY/MD
Sample : VY0514SBS01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01


Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024

Quant Time: May 15 04:13:01 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y050724S.M
Quant Title : SW846 8260
QLast Update : Wed May 08 01:40:14 2024
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

(#) = qualifier out of range (m) = manual integration (+) = signals summed







#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.783 min Scan# 97
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion:168 Resp: 210277
Ion Ratio Lower Upper
168 100
99 50.9 39.1 58.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#2
Dichlorodifluoromethane
Concen: 21.457 ug/l
RT: 1.900 min Scan# 13
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45


Tgt Ion: 85 Resp: 35782
Ion Ratio Lower Upper
85 100
87 29.5 16.0 48.0





#3
Chloromethane
Concen: 23.475 ug/l
RT: 2.107 min Scan# 47
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45




Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01



Tgt Ion: 50 Resp: 52403
Ion Ratio Lower Upper
50 100
52 33.8 25.6 38.4




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#4
Vinyl Chloride
Concen: 23.207 ug/l
RT: 2.247 min Scan# 70
Delta R.T. 0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion: 62 Resp: 62798
Ion Ratio Lower Upper
62 100
64 30.1 26.1 39.1









#5
Bromomethane
Concen: 23.084 ug/l
RT: 2.638 min Scan# 135
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion: 94 Resp: 43382
Ion Ratio Lower Upper
94 100
96 93.1 74.1 111.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#6
Chloroethane
Concen: 22.549 ug/l
RT: 2.784 min Scan# 158
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45


Tgt Ion: 64 Resp: 38724
Ion Ratio Lower Upper
64 100
66 33.5 26.1 39.1





#7
 Trichlorofluoromethane
 Concen: 20.850 ug/l
 RT: 3.119 min Scan# 213
 Delta R.T. 0.000 min
 Lab File: VY018253.D
 Acq: 14 May 2024 12:45




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0514SBS01




Tgt Ion: 101 Resp: 66088
 Ion Ratio Lower Upper
 101 100
 103 67.6 49.3 73.9

Manual Integrations
 APPROVED



Reviewed By : Mahesh Dadoda 05/15/2024
 Supervised By : Semsettin Yesilyurt 05/15/2024




#8
 Diethyl Ether
 Concen: 20.928 ug/l
 RT: 3.515 min Scan# 278
 Delta R.T. 0.000 min
 Lab File: VY018253.D
 Acq: 14 May 2024 12:45




Tgt Ion: 74 Resp: 21837
 Ion Ratio Lower Upper
 74 100
 45 82.2 41.3 124.1





#9
1,1,2-Trichlorotrifluoroethane
Concen: 20.417 ug/l
RT: 3.887 min Scan# 339
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45




Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01



Tgt Ion:101 Resp: 41244
Ion Ratio Lower Upper
101 100
85 44.4 34.5 51.7
151 76.5 61.7 92.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#10
Methyl Iodide
Concen: 19.115 ug/l
RT: 4.082 min Scan# 371
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion:142 Resp: 45090
Ion Ratio Lower Upper
142 100
127 41.0 32.8 49.2
141 13.9 11.4 17.2









#11
Tert butyl alcohol
Concen: 133.151 ug/l
RT: 4.948 min Scan# 513
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion: 59 Resp: 18856
Ion Ratio Lower Upper
59 100
57 8.9 3.0 4.6#




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#12
1,1-Dichloroethene
Concen: 21.245 ug/l
RT: 3.863 min Scan# 335
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion: 96 Resp: 43203
Ion Ratio Lower Upper
96 100
61 137.1 114.6 171.8
98 62.8 50.8 76.2









#13
Acrolein
Concen: 143.277 ug/l
RT: 3.723 min Scan# 311
Delta R.T. 0.007 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion: 56 Resp: 21952
Ion Ratio Lower Upper
56 100
55 66.0 55.7 83.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#14
Allyl chloride
Concen: 20.798 ug/l
RT: 4.473 min Scan# 435
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion: 41 Resp: 53805
Ion Ratio Lower Upper
41 100
39 74.6 58.3 87.5
76 46.9 39.0 58.6









#15
Acrylonitrile
Concen: 105.066 ug/l
RT: 5.149 min Scan# 546
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion	Ratio	Lower	Upper
53	100		
52	78.7	64.7	97.1
51	37.1	28.4	42.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#16
Acetone
Concen: 102.812 ug/l
RT: 3.942 min Scan# 348
Delta R.T. 0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion	Ratio	Lower	Upper
43	100		
58	33.1	31.7	47.5









#17
Carbon Disulfide
Concen: 22.934 ug/l
RT: 4.180 min Scan# 38
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion: 76 Resp: 126965
Ion Ratio Lower Upper
76 100
78 9.2 6.8 10.2




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#18
Methyl Acetate
Concen: 22.188 ug/l
RT: 4.466 min Scan# 434
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion: 43 Resp: 19512
Ion Ratio Lower Upper
43 100
74 27.9 23.3 34.9









#19
Methyl tert-butyl Ether
Concen: 20.937 ug/l
RT: 5.216 min Scan# 556
Delta R.T. 0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion: 73 Resp: 94845
Ion Ratio Lower Upper
73 100
57 21.5 17.3 25.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#20
Methylene Chloride
Concen: 26.829 ug/l
RT: 4.698 min Scan# 472
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion: 84 Resp: 58540
Ion Ratio Lower Upper
84 100
49 107.0 84.4 126.6
51 32.4 26.0 39.0
86 59.6 49.5 74.3









#21
trans-1,2-Dichloroethene
Concen: 21.190 ug/l
RT: 5.204 min Scan# 556
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion	Ratio	Lower	Upper
96	100		
61	113.6	97.5	146.3
98	59.3	50.5	75.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#22
Diisopropyl ether
Concen: 20.774 ug/l
RT: 6.112 min Scan# 704
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45


Tgt Ion	Ratio	Lower	Upper
45	100		
43	52.3	42.2	63.2
87	29.4	25.0	37.6
59	12.1	10.5	15.7





#23
 Vinyl Acetate
 Concen: 103.966 ug/l
 RT: 6.052 min Scan# 694
 Delta R.T. 0.000 min
 Lab File: VY018253.D
 Acq: 14 May 2024 12:45




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0514SBS01




Tgt Ion: 43 Resp: 346782
 Ion Ratio Lower Upper
 43 100
 86 13.6 10.6 16.0

Manual Integrations
 APPROVED



Reviewed By :Mahesh Dadoda 05/15/2024
 Supervised By :Semsettin Yesilyurt 05/15/2024




#24
 1,1-Dichloroethane
 Concen: 20.955 ug/l
 RT: 6.009 min Scan# 687
 Delta R.T. 0.000 min
 Lab File: VY018253.D
 Acq: 14 May 2024 12:45




Tgt Ion: 63 Resp: 70829
 Ion Ratio Lower Upper
 63 100
 98 9.1 4.0 12.2
 100 4.7 2.6 8.0





#25
2-Butanone
Concen: 102.019 ug/l
RT: 6.978 min Scan# 846
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45




Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01




Tgt Ion: 43 Resp: 50343
Ion Ratio Lower Upper
43 100
72 33.0 27.3 40.9

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024




#26
2,2-Dichloropropane
Concen: 21.245 ug/l
RT: 6.972 min Scan# 845
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45




Tgt Ion: 77 Resp: 64993
Ion Ratio Lower Upper
77 100
97 23.9 12.0 36.1





#27
cis-1,2-Dichloroethene
Concen: 20.716 ug/l
RT: 6.978 min Scan# 846
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45




Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01




Tgt Ion: 96 Resp: 52774
Ion Ratio Lower Upper
96 100
61 125.3 0.0 256.2
98 62.1 0.0 130.0

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024




#28
Bromochloromethane
Concen: 18.088 ug/l
RT: 7.326 min Scan# 903
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45



Tgt Ion: 49 Resp: 24437
Ion Ratio Lower Upper
49 100
129 2.7 0.0 4.6
130 85.4 72.7 109.1









#29
Tetrahydrofuran
Concen: 103.456 ug/l
RT: 7.344 min Scan# 905
Delta R.T. 0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion	Ratio	Lower	Upper
42	100		
72	53.5	43.0	64.4
71	47.9	40.8	61.2




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#30
Chloroform
Concen: 20.907 ug/l
RT: 7.496 min Scan# 931
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion	Ratio	Lower	Upper
83	100		
85	65.6	52.2	78.4









#31
Cyclohexane
Concen: 21.935 ug/l
RT: 7.777 min Scan# 978
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion	Ratio	Lower	Upper
56	100		
69	44.3	28.7	43.1
84	107.2	77.7	116.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#32
1,1,1-Trichloroethane
Concen: 20.692 ug/l
RT: 7.698 min Scan# 964
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion	Ratio	Lower	Upper
97	100		
99	64.3	50.3	75.5
61	41.9	32.6	48.8





#33
 1,2-Dichloroethane-d4
 Concen: 57.605 ug/l
 RT: 8.137 min Scan# 1036
 Delta R.T. 0.000 min
 Lab File: VY018253.D
 Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y





ClientSampleId :

VY0514SBS01

Tgt Ion:	65	Resp:	89111
Ion	Ratio	Lower	Upper
65	100		
67	55.0	0.0	109.6




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
 Supervised By :Semsettin Yesilyurt 05/15/2024



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.685 min Scan# 1126
 Delta R.T. 0.000 min
 Lab File: VY018253.D
 Acq: 14 May 2024 12:45

Tgt Ion:	114	Resp:	359434
Ion	Ratio	Lower	Upper
114	100		
63	17.4	0.0	35.0
88	14.4	0.0	27.2









#35
Dibromofluoromethane
Concen: 53.688 ug/l
RT: 7.710 min Scan# 967
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion:	113	Resp:	101416
Ion	Ratio	Lower	Upper
113	100		
111	103.0	82.2	123.4
192	19.0	15.9	23.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#36
1,1-Dichloropropene
Concen: 20.901 ug/l
RT: 7.911 min Scan# 999
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45


Tgt Ion:	75	Resp:	56599
Ion	Ratio	Lower	Upper
75	100		
110	39.2	19.0	57.0
77	30.8	25.3	37.9





#37
Ethyl Acetate
Concen: 20.194 ug/l
RT: 7.057 min Scan# 85
Delta R.T. -0.012 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45




Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01



Tgt Ion: 43 Resp: 23017
Ion Ratio Lower Upper
43 100
61 12.8 12.6 19.0
70 11.2 7.8 11.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#38
Carbon Tetrachloride
Concen: 19.489 ug/l
RT: 7.899 min Scan# 997
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion:117 Resp: 57666
Ion Ratio Lower Upper
117 100
119 99.9 75.8 113.6
121 30.5 24.0 36.0









#39
Methylcyclohexane
Concen: 20.186 ug/l
RT: 9.179 min Scan# 1207
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion	Ratio	Lower	Upper
83	100		
55	61.9	51.5	77.3
98	51.5	40.5	60.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#40
Benzene
Concen: 20.250 ug/l
RT: 8.155 min Scan# 1039
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion	Ratio	Lower	Upper
78	100		
77	25.0	19.5	29.3









#41
Methacrylonitrile
Concen: 19.389 ug/l
RT: 7.301 min Scan# 899
Delta R.T. -0.012 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion:	41	Resp:	12761
Ion	Ratio	Lower	Upper
41	100		
39	41.6	48.0	72.0
67	88.4	75.1	112.7
52	34.9	29.8	44.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#42
1,2-Dichloroethane
Concen: 20.557 ug/l
RT: 8.234 min Scan# 1052
Delta R.T. 0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion:	62	Resp:	38960
Ion	Ratio	Lower	Upper
62	100		
98	12.5	0.0	22.0









#43
Isopropyl Acetate
Concen: 19.823 ug/l
RT: 8.265 min Scan# 1057
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument : MSVOA_Y
ClientSampleId : VY0514SBS01

Tgt Ion	Ratio	Lower	Upper
43	100		
61	31.4	27.9	41.9
87	15.2	13.1	19.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#44
Trichloroethene
Concen: 19.551 ug/l
RT: 8.935 min Scan# 1167
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion	Ratio	Lower	Upper
130	100		
95	98.1	0.0	188.0





#45

1,2-Dichloropropane

Concen: 20.180 ug/l

RT: 9.216 min Scan# 1213

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y

ClientSampleId :

VY0514SBS01

Tgt Ion: 63 Resp: 38430

Ion Ratio Lower Upper

63 100





65 32.1 25.4 38.2

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024

Supervised By :Semsettin Yesilyurt 05/15/2024



#46

Dibromomethane

Concen: 20.427 ug/l

RT: 9.301 min Scan# 1227

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45




Tgt Ion: 93 Resp: 22363


Ion Ratio Lower Upper

93 100

95 82.2 66.2 99.4

174 98.2 80.9 121.3









#47
Bromodichloromethane
Concen: 19.566 ug/l
RT: 9.490 min Scan# 1258
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion: 83	Resp: 52955
Ion Ratio	Lower Upper
83 100	
85 62.0	50.1 75.1
127 9.5	7.4 11.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#48
Methyl methacrylate
Concen: 19.218 ug/l
RT: 9.289 min Scan# 1225
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion: 41	Resp: 20577
Ion Ratio	Lower Upper
41 100	
69 99.0	84.1 126.1
39 57.7	43.6 65.4









#49
1,4-Dioxane
Concen: 364.509 ug/l
RT: 9.289 min Scan# 1225
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion: 88 Resp: 5297
Ion Ratio Lower Upper
88 100
43 26.3 0.0 0.0#
58 61.7 49.3 73.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#50
Toluene-d8
Concen: 54.585 ug/l
RT: 10.179 min Scan# 1371
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion: 98 Resp: 406321
Ion Ratio Lower Upper
98 100
100 65.7 52.0 78.0









#51
4-Methyl-2-Pentanone
Concen: 99.092 ug/l
RT: 10.069 min Scan# 1353
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion: 43 Resp: 116354
Ion Ratio Lower Upper
43 100
58 41.9 35.7 53.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#52
Toluene
Concen: 20.275 ug/l
RT: 10.240 min Scan# 1381
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion: 92 Resp: 113694
Ion Ratio Lower Upper
92 100
91 168.5 139.0 208.6









#53
t-1,3-Dichloropropene
Concen: 19.539 ug/l
RT: 10.465 min Scan# 1418
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion: 75 Resp: 49394
Ion Ratio Lower Upper
75 100
77 31.4 24.1 36.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#54
cis-1,3-Dichloropropene
Concen: 19.539 ug/l
RT: 9.923 min Scan# 1329
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion: 75 Resp: 60378
Ion Ratio Lower Upper
75 100
77 31.0 25.4 38.0
39 46.1 29.8 44.6#





#55

1,1,2-Trichloroethane

Concen: 19.916 ug/l

RT: 10.642 min Scan# 1447

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y

ClientSampleId :

VY0514SBS01

Tgt Ion: 97 Resp: 29952

Ion Ratio Lower Upper

97 100

83 84.5 67.5 101.3

85 49.4 42.9 64.3





99 61.3 46.6 70.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024

Supervised By :Semsettin Yesilyurt 05/15/2024



#56

Ethyl methacrylate

Concen: 19.513 ug/l

RT: 10.508 min Scan# 1425

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45




Tgt Ion: 69 Resp: 39856


Ion Ratio Lower Upper

69 100

41 57.8 42.3 63.5


39 36.4 22.9 34.3#





#57
1,3-Dichloropropane
Concen: 19.689 ug/l
RT: 10.788 min Scan# 1471
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45




Instrument : MSVOA_Y
ClientSampleId : VY0514SBS01



Tgt Ion: 76 Resp: 48193
Ion Ratio Lower Upper
76 100
78 33.3 26.2 39.4




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#58
2-Chloroethyl Vinyl ether
Concen: 91.226 ug/l
RT: 9.783 min Scan# 1306
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45


Tgt Ion: 63 Resp: 88974
Ion Ratio Lower Upper
63 100
106 31.7 23.7 35.5





#59
2-Hexanone
Concen: 95.972 ug/l
RT: 10.831 min Scan# 1478
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45




Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01



Tgt Ion: 43 Resp: 78794
Ion Ratio Lower Upper
43 100
58 58.6 31.4 94.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#60
Dibromochloromethane
Concen: 19.117 ug/l
RT: 10.984 min Scan# 1503
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45


Tgt Ion:129 Resp: 37302
Ion Ratio Lower Upper
129 100
127 76.8 39.0 117.0





#61
1,2-Dibromoethane
Concen: 19.378 ug/l
RT: 11.087 min Scan# 1520
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45




Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01




Tgt Ion: 107 Resp: 27456
Ion Ratio Lower Upper
107 100
109 91.5 75.9 113.9

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024




#62
4-Bromofluorobenzene
Concen: 51.984 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45



Tgt Ion: 95 Resp: 124966
Ion Ratio Lower Upper
95 100
174 88.1 0.0 175.6
176 84.1 0.0 171.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.490 min Scan# 1586
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion:	117	Resp:	305060
Ion	Ratio	Lower	Upper
117	100		
82	49.3	42.4	63.6
119	31.7	25.9	38.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#64
Tetrachloroethene
Concen: 19.686 ug/l
RT: 10.721 min Scan# 1460
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion:	164	Resp:	39985
Ion	Ratio	Lower	Upper
164	100		
166	114.9	102.6	154.0
129	90.7	72.0	108.0
131	83.5	70.0	105.0









#65
Chlorobenzene
Concen: 19.530 ug/l
RT: 11.514 min Scan# 1590
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion:112 Resp: 121339
Ion Ratio Lower Upper
112 100
114 31.6 26.4 39.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#66
1,1,1,2-Tetrachloroethane
Concen: 19.261 ug/l
RT: 11.587 min Scan# 1602
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion:131 Resp: 38710
Ion Ratio Lower Upper
131 100
133 96.6 47.8 143.3
119 66.6 34.1 102.2





#67

Ethyl Benzene

Concen: 20.122 ug/l

RT: 11.593 min Scan# 1603

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y

ClientSampleId :

VY0514SBS01

Tgt Ion: 91 Resp: 211091

Ion Ratio Lower Upper

91 100





106 32.9 24.5 36.7

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024

Supervised By :Semsettin Yesilyurt 05/15/2024



#68

m/p-Xylenes

Concen: 40.428 ug/l

RT: 11.703 min Scan# 1621

Delta R.T. 0.000 min

Lab File: VY018253.D




Acq: 14 May 2024 12:45


Tgt Ion:106 Resp: 167713

Ion Ratio Lower Upper

106 100

91 188.4 156.0 234.0





#69

o-Xylene

Concen: 19.376 ug/l

RT: 12.026 min Scan# 1674

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y

ClientSampleId :

VY0514SBS01

Tgt Ion:106 Resp: 77138

Ion Ratio Lower Upper

106 100





91 205.4 103.6 310.8

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024

Supervised By :Semsettin Yesilyurt 05/15/2024



#70

Styrene

Concen: 19.099 ug/l

RT: 12.044 min Scan# 1677

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45




Tgt Ion:104 Resp: 126981


Ion Ratio Lower Upper

104 100

78 45.0 37.0 55.4

103 55.3 44.2 66.2





#71

Bromoform

Concen: 17.894 ug/l

RT: 12.209 min Scan# 1704

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y

ClientSampleId :





VY0514SBS01

Tgt Ion:	173	Resp:	19898
Ion Ratio	Lower	Upper	
173	100		
175	47.6	25.1	75.3
254	0.0	0.0	0.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l




RT: 13.422 min Scan# 1903


Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Tgt Ion:	152	Resp:	135004
Ion Ratio	Lower	Upper	
152	100		
115	57.9	28.2	84.7
150	166.6	0.0	345.6









#73
Isopropylbenzene
Concen: 19.831 ug/l
RT: 12.331 min Scan# 1724
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion: 105 Resp: 200731
Ion Ratio Lower Upper
105 100
120 27.6 13.4 40.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#74
N-ethyl acetate
Concen: 19.116 ug/l
RT: 12.142 min Scan# 1693
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion: 43 Resp: 40166
Ion Ratio Lower Upper
43 100
70 48.9 41.4 62.2
55 25.0 23.3 34.9
61 27.8 22.6 33.8





#75

1,1,2,2-Tetrachloroethane

Concen: 19.699 ug/l

RT: 12.581 min Scan# 1765

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y

ClientSampleId :





VY0514SBS01

Tgt Ion:	83	Resp:	31807
Ion	Ratio	Lower	Upper
83	100		
131	10.9	5.0	14.9
85	61.7	32.0	96.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#76

1,2,3-Trichloropropane

Concen: 19.802 ug/l m




RT: 12.630 min Scan# 1773


Delta R.T. -0.006 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Tgt Ion:	75	Resp:	21398
Ion	Ratio	Lower	Upper
75	100		
77	0.0	0.0	0.0









#77
Bromobenzene
Concen: 19.388 ug/l
RT: 12.605 min Scan# 1769
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion	Ratio	Lower	Upper
156	100		
77	161.8	87.1	261.3
158	98.0	48.6	145.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#78
n-propylbenzene
Concen: 19.973 ug/l
RT: 12.672 min Scan# 1780
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion	Ratio	Lower	Upper
91	100		
120	24.2	11.5	34.4





#79

2-Chlorotoluene

Concen: 19.714 ug/l

RT: 12.758 min Scan# 1794

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y

ClientSampleId :

VY0514SBS01

Tgt Ion: 91 Resp: 128974

Ion Ratio Lower Upper

91 100





126 36.5 17.8 53.5

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024

Supervised By :Semsettin Yesilyurt 05/15/2024



#80

1,3,5-Trimethylbenzene

Concen: 19.909 ug/l

RT: 12.813 min Scan# 1803

Delta R.T. 0.000 min

Lab File: VY018253.D




Acq: 14 May 2024 12:45


Tgt Ion:105 Resp: 158901

Ion Ratio Lower Upper

105 100

120 51.0 25.1 75.2









#81
trans-1,4-Dichloro-2-butene
Concen: 19.350 ug/l
RT: 12.374 min Scan# 1731
Delta R.T. -0.006 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01

Tgt Ion	Ratio	Lower	Upper
75	100		
53	85.5	66.8	100.2
89	44.7	35.8	53.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#82
4-Chlorotoluene
Concen: 19.666 ug/l
RT: 12.855 min Scan# 1810
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion	Ratio	Lower	Upper
91	100		
126	36.4	17.6	52.9





#83

tert-Butylbenzene

Concen: 19.765 ug/l

RT: 13.075 min Scan# 1846

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y

ClientSampleId :





VY0514SBS01

Tgt Ion:	119	Resp:	145514
Ion Ratio	Lower	Upper	
119	100		
91	60.2	31.3	93.8
134	27.3	13.4	40.1

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#84

1,2,4-Trimethylbenzene

Concen: 19.843 ug/l




RT: 13.117 min Scan# 1853


Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45


Tgt Ion:	105	Resp:	155145
Ion Ratio	Lower	Upper	
105	100		
120	46.9	23.2	69.6





#85
sec-Butylbenzene
Concen: 19.888 ug/l
RT: 13.251 min Scan# 1875
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45




Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01




Tgt Ion:105 Resp: 214766
Ion Ratio Lower Upper
105 100
134 20.4 10.1 30.1

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024




#86
p-Isopropyltoluene
Concen: 19.607 ug/l
RT: 13.367 min Scan# 1894
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45



Tgt Ion:119 Resp: 174186
Ion Ratio Lower Upper
119 100
134 27.4 13.1 39.3
91 22.1 10.7 32.1





#87

1,3-Dichlorobenzene

Concen: 19.237 ug/l

RT: 13.367 min Scan# 1894

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y

ClientSampleId :

VY0514SBS01

Tgt Ion:146 Resp: 86389

Ion Ratio Lower Upper

146 100

111 38.3 19.0 57.0





148 63.9 31.7 95.1

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024

Supervised By :Semsettin Yesilyurt 05/15/2024



#88

1,4-Dichlorobenzene

Concen: 19.445 ug/l

RT: 13.447 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45




Tgt Ion:146 Resp: 85129


Ion Ratio Lower Upper

146 100

111 39.2 18.4 55.4

148 64.0 32.4 97.2





#89

n-Butylbenzene

Concen: 19.911 ug/l

RT: 13.697 min Scan# 1948

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y





ClientSampleId :

VY0514SBS01

Tgt Ion:	91	Resp:	160079
Ion	Ratio	Lower	Upper
91	100		
92	53.5	26.6	79.7
134	27.1	12.9	38.7

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#90

Hexachloroethane

Concen: 18.715 ug/l




RT: 13.959 min Scan# 1991


Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45


Tgt Ion:	117	Resp:	32618
Ion	Ratio	Lower	Upper
117	100		
201	70.9	37.4	112.2





#91
1,2-Dichlorobenzene
Concen: 19.800 ug/l
RT: 13.739 min Scan# 1955
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45




Instrument :
MSVOA_Y
ClientSampleId :
VY0514SBS01



Tgt Ion	Ratio	Lower	Upper
146	100		
111	39.2	19.9	59.7
148	62.7	31.8	95.4




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#92
1,2-Dibromo-3-Chloropropane
Concen: 19.694 ug/l
RT: 14.355 min Scan# 2056
Delta R.T. 0.000 min
Lab File: VY018253.D
Acq: 14 May 2024 12:45

Tgt Ion	Ratio	Lower	Upper
75	100		
155	93.9	48.6	145.8
157	119.6	62.7	188.2





#93

1,2,4-Trichlorobenzene

Concen: 18.589 ug/l

RT: 15.007 min Scan# 2163

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y





ClientSampleId :

VY0514SBS01

Tgt Ion:	180	Resp:	40337
Ion Ratio	Lower	Upper	
180	100		
182	95.1	47.9	143.8
145	30.8	14.2	42.6

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#94

Hexachlorobutadiene

Concen: 17.597 ug/l




RT: 15.111 min Scan# 2180


Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Tgt Ion:	225	Resp:	21068
Ion Ratio	Lower	Upper	
225	100		
223	62.1	30.4	91.2
227	65.5	31.9	95.9





#95

Naphthalene

Concen: 18.781 ug/l

RT: 15.233 min Scan# 2200

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Instrument :

MSVOA_Y

ClientSampleId :





VY0514SBS01

Tgt Ion:	128	Resp:	74678
Ion Ratio	Lower	Upper	
128	100		
127	12.4	10.6	16.0
129	11.0	8.6	13.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 05/15/2024
Supervised By :Semsettin Yesilyurt 05/15/2024



#96

1,2,3-Trichlorobenzene

Concen: 18.460 ug/l

RT: 15.422 min Scan# 2231

Delta R.T. 0.000 min

Lab File: VY018253.D

Acq: 14 May 2024 12:45

Tgt Ion:	180	Resp:	32874
Ion Ratio	Lower	Upper	
180	100		
182	96.3	47.6	142.9
145	35.7	15.4	46.1

