

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY052020\
 Data File : VY002720.D
 Acq On : 20 May 2020 10:42
 Operator : SY/MD
 Sample : VY0520SBL01
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0520SBL01

Quant Time: May 21 03:21:30 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y051520S.M
 Quant Title : SW846 8260
 QLast Update : Sat May 16 04:52:36 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	372736	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	583011	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	524091	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	261135	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.14	65	165503	56.77	ug/l	0.00
Spiked Amount	50.000		Recovery	=	113.54%	
35) Dibromofluoromethane	7.72	113	176335	54.80	ug/l	0.00
Spiked Amount	50.000		Recovery	=	109.60%	
50) Toluene-d8	10.18	98	678822	52.40	ug/l	0.00
Spiked Amount	50.000		Recovery	=	104.80%	
62) 4-Bromofluorobenzene	12.48	95	230235	51.71	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.42%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY052020\
Data File : VY002720.D
Acq On : 20 May 2020 10:42
Operator : SY/MD
Sample : VY0520SBL01
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0520SBL01

Quant Time: May 21 03:21:30 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y051520S.M
Quant Title : SW846 8260
QLast Update : Sat May 16 04:52:36 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. -0.00 min

Lab File: VY002720.D

Acq: 20 May 2020 10:42

Instrument :

MSVOA_Y

ClientSampleId :


VY0520SBL01

Tot Ion:168 Resp: 372736

Ion Ratio Lower Upper

168 100

99 47.4 39.2 58.8



Abundance Ion 167.90 (167.60 to 168.60): VY002720.D (-945) (-)

Ion 98.90 (98.60 to 99.60): VY002720.D (-945) (-)

7.80



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 56.765 ug/l

RT: 8.14 min Scan# 1051

Delta R.T. -0.01 min

Lab File: VY002720.D


Acq: 20 May 2020 10:42

Tgt Ion: 65 Resp: 165503

Ion Ratio Lower Upper

65 100

67 54.8 0.0 109.0



Abundance Ion 64.90 (64.60 to 65.60): VY002720.D (-1003) (-)

Ion 66.90 (66.60 to 67.60): VY002720.D (-1003) (-)

8.14

80000


60000


40000

20000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. -0.00 min

Lab File: VY002720.D

Acq: 20 May 2020 10:42

Instrument :

MSVOA_Y

ClientSampleId :

VY0520SBL01


Tot Ion:114 Resp: 583011

Ion Ratio Lower Upper

114 100

63 17.5 0.0 35.4




88 14.4 0.0 29.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 54.805 ug/l

RT: 7.72 min Scan# 982

Delta R.T. -0.00 min

Lab File: VY002720.D

Acq: 20 May 2020 10:42


Tgt Ion:113 Resp: 176335

Ion Ratio Lower Upper

113 100

111 102.5 81.9 122.9



192 22.9 18.6 27.8




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.403 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.00 min

Lab File: VY002720.D

Acq: 20 May 2020 10:42

Instrument :

MSVOA_Y

ClientSampleId :


VY0520SBL01

Tot Ion: 98 Resp: 678822

Ion Ratio Lower Upper




98 100

100 65.3 52.3 78.5



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY



#62

4-Bromofluorobenzene

Concen: 51.711 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.00 min

Lab File: VY002720.D

Acq: 20 May 2020 10:42


Tgt Ion: 95 Resp: 230235

Ion Ratio Lower Upper

95 100

174 92.8 0.0 191.4



176 91.1 0.0 186.0




Abundance Ion 94.90 (94.60 to 95.60): VY0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.00 min
Lab File: VY002720.D
Acq: 20 May 2020 10:42

Instrument :
MSVOA_Y
ClientSampleId :
VY0520SBL01

Tot Ion:117 Resp: 524091
Ion Ratio Lower Upper
117 100
82 51.0 40.3 60.5
119 32.6 26.2 39.4



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.00 min
Lab File: VY002720.D
Acq: 20 May 2020 10:42

Tgt Ion:152 Resp: 261135
Ion Ratio Lower Upper
152 100
115 54.8 27.2 81.6
150 157.0 0.0 343.8

