

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052025\
 Data File : VY022346.D
 Acq On : 20 May 2025 16:32
 Operator : SY/MD
 Sample : Q2084-02
 Misc : 3.43g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 OR-640-VOC-66

Quant Time: May 21 01:52:03 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 16 01:42:09 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.707	168	243512	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.615	114	439514	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	346988	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	128057	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	125774	47.259	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	94.520%
35) Dibromofluoromethane	7.634	113	128784	49.093	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	98.180%
50) Toluene-d8	10.109	98	518526	48.263	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.520%
62) 4-Bromofluorobenzene	12.407	95	132333	38.860	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	77.720%
Target Compounds						Qvalue
16) Acetone	3.872	43	1569	3.144	ug/l #	79
31) Cyclohexane	7.707	56	6634	1.232	ug/l #	45
36) 1,1-Dichloropropene	7.707	75	21751	5.034	ug/l #	51
38) Carbon Tetrachloride	7.707	117	24979	5.585	ug/l #	17
76) 1,2,3-Trichloropropane	12.401	75	77166	59.480	ug/l #	100
81) trans-1,4-Dichloro-2-b...	12.401	75	77166	120.491	ug/l #	12


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052025\
Data File : VY022346.D
Acq On : 20 May 2025 16:32
Operator : SY/MD
Sample : Q2084-02
Misc : 3.43g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
OR-640-VOC-66

Quant Time: May 21 01:52:03 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
Quant Title : SW846 8260
QLast Update : Fri May 16 01:42:09 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 982
Delta R.T. 0.000 min
Lab File: VY022346.D
Acq: 20 May 2025 16:32




Instrument :
MSVOA_Y
ClientSampleId :
OR-640-VOC-66


Tgt Ion:168 Resp: 243512
Ion Ratio Lower Upper
168 100
99 56.3 44.2 66.4



#16
Acetone
Concen: 3.144 ug/l
RT: 3.872 min Scan# 353
Delta R.T. -0.000 min
Lab File: VY022346.D
Acq: 20 May 2025 16:32

Tgt Ion: 43 Resp: 1569
Ion Ratio Lower Upper
43 100
58 40.8 23.6 35.4#









#31
Cyclohexane
Concen: 1.232 ug/l
RT: 7.707 min Scan# 981
Delta R.T. 0.006 min
Lab File: VY022346.D
Acq: 20 May 2025 16:32




Instrument :
MSVOA_Y
ClientSampleId :
OR-640-VOC-66


Tgt Ion: 56 Resp: 6634
Ion Ratio Lower Upper
56 100
69 123.0 27.4 41.2#
84 102.3 70.0 105.0



#33
1,2-Dichloroethane-d4
Concen: 47.259 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. -0.000 min
Lab File: VY022346.D
Acq: 20 May 2025 16:32

Tgt Ion: 65 Resp: 125774
Ion Ratio Lower Upper
65 100
67 52.5 0.0 104.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.615 min Scan# 1131

Delta R.T. -0.000 min

Lab File: VY022346.D

Acq: 20 May 2025 16:32

Instrument :

MSVOA_Y

ClientSampleId :

OR-640-VOC-66





Tgt Ion:114 Resp: 439514

Ion Ratio Lower Upper

114 100

63 19.6 0.0 41.0

88 14.1 0.0 29.4



#35

Dibromofluoromethane

Concen: 49.093 ug/l

RT: 7.634 min Scan# 970

Delta R.T. -0.000 min

Lab File: VY022346.D

Acq: 20 May 2025 16:32




Tgt Ion:113 Resp: 128784


Ion Ratio Lower Upper

113 100

111 102.5 82.6 123.8

192 18.4 15.2 22.8









#36
1,1-Dichloropropene
Concen: 5.034 ug/l
RT: 7.707 min Scan# 91
Delta R.T. -0.128 min
Lab File: VY022346.D
Acq: 20 May 2025 16:32




Instrument :
MSVOA_Y
ClientSampleId :
OR-640-VOC-66


Tgt Ion: 75 Resp: 21751
Ion Ratio Lower Upper
75 100
110 9.2 16.6 49.8#
77 0.0 24.6 37.0#



#38
Carbon Tetrachloride
Concen: 5.585 ug/l
RT: 7.707 min Scan# 982
Delta R.T. -0.110 min
Lab File: VY022346.D
Acq: 20 May 2025 16:32

Tgt Ion: 117 Resp: 24979
Ion Ratio Lower Upper
117 100
119 6.0 75.3 112.9#
121 0.0 24.7 37.1#









#50
Toluene-d8
Concen: 48.263 ug/l
RT: 10.109 min Scan# 1375
Delta R.T. 0.006 min
Lab File: VY022346.D
Acq: 20 May 2025 16:32




Instrument :
MSVOA_Y
ClientSampleId :
OR-640-VOC-66


Tgt Ion: 98 Resp: 518526
Ion Ratio Lower Upper
98 100
100 64.7 51.8 77.8



#62
4-Bromofluorobenzene
Concen: 38.860 ug/l
RT: 12.407 min Scan# 1753
Delta R.T. -0.000 min
Lab File: VY022346.D
Acq: 20 May 2025 16:32

Tgt Ion: 95 Resp: 132333
Ion Ratio Lower Upper
95 100
174 86.4 0.0 166.8
176 81.7 0.0 160.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 117
Delta R.T. -0.000 min
Lab File: VY022346.D
Acq: 20 May 2025 16:32




Instrument :
MSVOA_Y
ClientSampleId :
OR-640-VOC-66


Tgt Ion:117 Resp: 346988
Ion Ratio Lower Upper
117 100
82 57.7 46.6 70.0
119 32.3 25.8 38.6



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.346 min Scan# 1907
Delta R.T. -0.000 min
Lab File: VY022346.D
Acq: 20 May 2025 16:32

Tgt Ion:152 Resp: 128057
Ion Ratio Lower Upper
152 100
115 56.0 29.4 88.2
150 157.5 0.0 353.8









#76
1,2,3-Trichloropropane
Concen: 59.480 ug/l
RT: 12.401 min Scan# 1752
Delta R.T. -0.153 min
Lab File: VY022346.D
Acq: 20 May 2025 16:32

Instrument :
MSVOA_Y
ClientSampleId :
OR-640-VOC-66

Tgt Ion: 75 Resp: 77166
Ion Ratio Lower Upper
75 100
77 1.6 0.0 0.0#



#81
trans-1,4-Dichloro-2-butene
Concen: 120.491 ug/l
RT: 12.401 min Scan# 1752
Delta R.T. 0.097 min
Lab File: VY022346.D
Acq: 20 May 2025 16:32

Tgt Ion: 75 Resp: 77166
Ion Ratio Lower Upper
75 100
53 0.0 75.8 113.8#
89 0.0 36.2 54.2#

