

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052025\
 Data File : VY022338.D
 Acq On : 20 May 2025 13:25
 Operator : SY/MD
 Sample : Q2056-04
 Misc : 6.57g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 GVD14

Quant Time: May 21 01:48:01 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 16 01:42:09 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	240752	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	423261	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	327850	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	112421	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	129742	49.309	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	98.620%
35) Dibromofluoromethane	7.634	113	127362	50.415	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.840%
50) Toluene-d8	10.103	98	509429	49.237	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	98.480%
62) 4-Bromofluorobenzene	12.408	95	121193	36.955	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	73.900%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052025\
Data File : VY022338.D
Acq On : 20 May 2025 13:25
Operator : SY/MD
Sample : Q2056-04
Misc : 6.57g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
GVD14

Quant Time: May 21 01:48:01 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
Quant Title : SW846 8260
QLast Update : Fri May 16 01:42:09 2025
Response via : Initial Calibration

