

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052025\
 Data File : VY022339.D
 Acq On : 20 May 2025 13:48
 Operator : SY/MD
 Sample : Q2056-05
 Misc : 6.20g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 GVD15

Quant Time: May 21 01:48:24 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 16 01:42:09 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	237706	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	367943	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	226654	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	56614	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	102893	39.606	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	79.220%
35) Dibromofluoromethane	7.634	113	103910	47.316	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	94.640%
50) Toluene-d8	10.103	98	415289	46.173	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	92.340%
62) 4-Bromofluorobenzene	12.402	95	71596	25.114	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	50.220%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052025\
Data File : VY022339.D
Acq On : 20 May 2025 13:48
Operator : SY/MD
Sample : Q2056-05
Misc : 6.20g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
GVD15

Quant Time: May 21 01:48:24 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y051525S.M
Quant Title : SW846 8260
QLast Update : Fri May 16 01:42:09 2025
Response via : Initial Calibration

