

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv052120\
 Data File : VY002732.D
 Acq On : 21 May 2020 10:39
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: May 21 13:35:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y051520S.M
 Quant Title : SW846 8260
 QLast Update : Sat May 16 04:52:36 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	114	0.00
2 T	Dichlorodifluoromethane	0.358	0.338	5.6	113	0.00
3 P	Chloromethane	0.410	0.387	5.6	112	0.00
4 C	Vinyl Chloride	0.428	0.425	0.7#	115	0.00
5 T	Bromomethane	0.317	0.294	7.3	108	0.00
6 T	Chloroethane	0.273	0.263	3.7	110	0.00
7 T	Trichlorofluoromethane	0.721	0.690	4.3	110	0.00
8 T	Diethyl Ether	0.245	0.247	-0.8	109	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.437	0.429	1.8	113	0.00
10 T	Methyl Iodide	0.601	0.590	1.8	103	0.00
11 T	Tert butyl alcohol	0.040	0.043	-7.5	123	0.00
12 CM	1,1-Dichloroethene	0.439	0.431	1.8#	112	0.00
13 T	Acrolein	0.047	0.052	-10.6	126	0.00
14 T	Allyl chloride	0.630	0.637	-1.1	114	0.00
15 T	Acrylonitrile	0.111	0.119	-7.2	115	0.00
16 T	Acetone	0.081	0.091	-12.3	120	0.00
17 T	Carbon Disulfide	1.376	1.330	3.3	109	0.00
18 T	Methyl Acetate	0.230	0.244	-6.1	115	0.00
19 T	Methyl tert-butyl Ether	1.088	1.117	-2.7	112	0.00
20 T	Methylene Chloride	0.487	0.462	5.1	110	0.00
21 T	trans-1,2-Dichloroethene	0.488	0.478	2.0	111	0.00
22 T	Diisopropyl ether	1.249	1.267	-1.4	112	0.00
23 T	Vinyl Acetate	0.800	0.845	-5.6	114	0.00
24 P	1,1-Dichloroethane	0.746	0.746	0.0	112	0.00
25 T	2-Butanone	0.133	0.146	-9.8	120	0.00
26 T	2,2-Dichloropropane	0.695	0.671	3.5	113	0.00
27 T	cis-1,2-Dichloroethene	0.527	0.527	0.0	112	0.00
28 T	Bromochloromethane	0.295	0.306	-3.7	120	0.00
29 T	Tetrahydrofuran	0.091	0.100	-9.9	118	0.00
30 C	Chloroform	0.775	0.759	2.1#	109	0.00
31 T	Cyclohexane	0.757	0.720	4.9	112	0.00
32 T	1,1,1-Trichloroethane	0.716	0.703	1.8	110	0.00
33 S	1,2-Dichloroethane-d4	0.391	0.384	1.8	108	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	111	0.00
35 S	Dibromofluoromethane	0.276	0.281	-1.8	110	0.00
36 T	1,1-Dichloropropene	0.423	0.425	-0.5	112	0.00
37 T	Ethyl Acetate	0.208	0.228	-9.6	115	0.00
38 T	Carbon Tetrachloride	0.455	0.447	1.8	107	0.00
39 T	Methylcyclohexane	0.569	0.567	0.4	110	0.00
40 TM	Benzene	1.235	1.232	0.2	110	0.00
41 T	Methacrylonitrile	0.125	0.143	-14.4	119	0.00
42 TM	1,2-Dichloroethane	0.326	0.326	0.0	109	0.00
43 T	Isopropyl Acetate	0.387	0.425	-9.8	115	0.00
44 TM	Trichloroethene	0.394	0.395	-0.3	110	0.00
45 C	1,2-Dichloropropane	0.293	0.299	-2.0#	113	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv052120\
 Data File : VY002732.D
 Acq On : 21 May 2020 10:39
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: May 21 13:35:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y051520S.M
 Quant Title : SW846 8260
 QLast Update : Sat May 16 04:52:36 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.165	0.168	-1.8	109	0.00
47 T	Bromodichloromethane	0.402	0.411	-2.2	110	0.00
48 T	Methyl methacrylate	0.178	0.192	-7.9	113	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	119	0.00
50 S	Toluene-d8	1.111	1.107	0.4	109	0.00
51 T	4-Methyl-2-Pentanone	0.200	0.223	-11.5	117	0.00
52 CM	Toluene	0.799	0.800	-0.1#	110	0.00
53 T	t-1,3-Dichloropropene	0.429	0.442	-3.0	111	0.00
54 T	cis-1,3-Dichloropropene	0.497	0.510	-2.6	111	0.00
55 T	1,1,2-Trichloroethane	0.245	0.253	-3.3	112	0.00
56 T	Ethyl methacrylate	0.326	0.357	-9.5	115	0.00
57 T	1,3-Dichloropropane	0.411	0.426	-3.6	111	0.00
58 T	2-Chloroethyl Vinyl ether	0.161	0.174	-8.1	115	0.00
59 T	2-Hexanone	0.139	0.158	-13.7	118	0.00
60 T	Dibromochloromethane	0.313	0.325	-3.8	110	0.00
61 T	1,2-Dibromoethane	0.242	0.253	-4.5	112	0.00
62 S	4-Bromofluorobenzene	0.382	0.377	1.3	110	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	111	0.00
64 T	Tetrachloroethene	0.475	0.462	2.7	107	0.00
65 PM	Chlorobenzene	0.966	0.958	0.8	110	0.00
66 T	1,1,1,2-Tetrachloroethane	0.359	0.356	0.8	109	0.00
67 C	Ethyl Benzene	1.696	1.671	1.5#	109	0.00
68 T	m/p-Xylenes	0.660	0.649	1.7	109	0.00
69 T	o-Xylene	0.619	0.608	1.8	108	0.00
70 T	Styrene	1.064	1.062	0.2	109	0.00
71 P	Bromoform	0.222	0.230	-3.6	110	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	107	0.00
73 T	Isopropylbenzene	3.267	3.303	-1.1	109	0.00
74 T	N-amyl acetate	0.767	0.842	-9.8	113	0.00
75 P	1,1,2,2-Tetrachloroethane	0.481	0.529	-10.0	116	0.00
76 T	1,2,3-Trichloropropane	0.411	0.451	-9.7	113	0.00
77 T	Bromobenzene	0.817	0.828	-1.3	109	0.00
78 T	n-propylbenzene	3.801	3.816	-0.4	108	0.00
79 T	2-Chlorotoluene	2.108	2.101	0.3	108	0.00
80 T	1,3,5-Trimethylbenzene	2.745	2.744	0.0	107	0.00
81 T	trans-1,4-Dichloro-2-butene	0.217	0.239	-10.1	116	0.00
82 T	4-Chlorotoluene	2.208	2.199	0.4	108	0.00
83 T	tert-Butylbenzene	2.430	2.418	0.5	108	0.00
84 T	1,2,4-Trimethylbenzene	2.744	2.724	0.7	107	0.00
85 T	sec-Butylbenzene	3.353	3.322	0.9	107	0.00
86 T	p-Isopropyltoluene	3.138	3.111	0.9	106	0.00
87 T	1,3-Dichlorobenzene	1.575	1.556	1.2	108	0.00
88 T	1,4-Dichlorobenzene	1.568	1.540	1.8	107	0.00
89 T	n-Butylbenzene	2.882	2.833	1.7	107	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv052120\
Data File : VY002732.D
Acq On : 21 May 2020 10:39
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: May 21 13:35:01 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y051520S.M
Quant Title : SW846 8260
QLast Update : Sat May 16 04:52:36 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.581	0.574	1.2	106	0.00
91 T	1,2-Dichlorobenzene	1.412	1.394	1.3	107	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.092	0.098	-6.5	113	0.00
93 T	1,2,4-Trichlorobenzene	1.093	1.033	5.5	107	0.00
94 T	Hexachlorobutadiene	0.662	0.602	9.1	104	0.00
95 T	Naphthalene	1.945	1.917	1.4	108	0.00
96 T	1,2,3-Trichlorobenzene	0.947	0.862	9.0	106	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6