

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY052120\
 Data File : VY002737.D
 Acq On : 21 May 2020 13:02
 Operator : SY/MD
 Sample : L2728-01
 Misc : 5.77G/5ML/MSVOA Y/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 239994

Quant Time: May 21 13:50:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y051520S.M
 Quant Title : SW846 8260
 QLast Update : Sat May 16 04:52:36 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	327079	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	524779	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	475960	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	237299	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.15	65	146349	57.20	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	114.40%	
35) Dibromofluoromethane	7.73	113	153618	53.04	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	106.08%	
50) Toluene-d8	10.18	98	611783	52.47	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	104.94%	
62) 4-Bromofluorobenzene	12.48	95	202302	50.48	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	100.96%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY052120\
Data File : VY002737.D
Acq On : 21 May 2020 13:02
Operator : SY/MD
Sample : L2728-01
Misc : 5.77G/5ML/MSVOA Y/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
239994

Quant Time: May 21 13:50:46 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y051520S.M
Quant Title : SW846 8260
QLast Update : Sat May 16 04:52:36 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. 0.00 min

Lab File: VY002737.D

Acq: 21 May 2020 13:02

Instrument :

MSVOA_Y

ClientSampleId :


239994

Tot Ion:168 Resp: 327079

Ion Ratio Lower Upper

168 100

99 48.6 39.2 58.8



Abundance Ion 167.90 (167.60 to 168.60): VY002737.D (-945) (-)

Ion 98.90 (98.60 to 99.60): VY002737.D (-945) (-)

7.80

150000



100000

50000

0

7.70 7.80 7.90

Time-->



#33

1,2-Dichloroethane-d4

Concen: 57.202 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. 0.00 min

Lab File: VY002737.D


Acq: 21 May 2020 13:02

Tgt Ion: 65 Resp: 146349

Ion Ratio Lower Upper

65 100

67 54.4 0.0 109.0



Abundance Ion 64.90 (64.60 to 65.60): VY002737.D (-1003) (-)

Ion 66.90 (66.60 to 67.60): VY002737.D (-1003) (-)

8.15

80000

60000


40000


20000

0

8.10 8.20

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. 0.00 min

Lab File: VY002737.D

Acq: 21 May 2020 13:02

Instrument :

MSVOA_Y

ClientSampleId :

239994


Tot Ion:114 Resp: 524779

Ion Ratio Lower Upper

114 100

63 18.2 0.0 35.4




88 14.5 0.0 29.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 53.042 ug/l

RT: 7.73 min Scan# 983

Delta R.T. 0.01 min

Lab File: VY002737.D

Acq: 21 May 2020 13:02


Tgt Ion:113 Resp: 153618

Ion Ratio Lower Upper

113 100

111 103.2 81.9 122.9



192 23.4 18.6 27.8




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.468 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. 0.00 min

Lab File: VY002737.D

Acq: 21 May 2020 13:02

Instrument :

MSVOA_Y

ClientSampleId :


239994

Tot Ion: 98 Resp: 611783

Ion Ratio Lower Upper

98 100

100 64.2 52.3 78.5



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY0

10.18

400000



300000

200000

100000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 50.479 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. 0.00 min

Lab File: VY002737.D

Acq: 21 May 2020 13:02


Tgt Ion: 95 Resp: 202302

Ion Ratio Lower Upper

95 100

174 94.9 0.0 191.4

176 91.3 0.0 186.0



Abundance Ion 94.90 (94.60 to 95.60): VY0

Ion 173.80 (173.50 to 174.50): VY0

Ion 175.80 (175.50 to 176.50): VY0

12.48


150000


100000

50000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. 0.00 min
Lab File: VY002737.D
Acq: 21 May 2020 13:02

Instrument :
MSVOA_Y
ClientSampleId :
239994

Tot Ion	Ratio	Lower	Upper
117	100		
82	49.5	40.3	60.5
119	32.4	26.2	39.4




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. 0.00 min
Lab File: VY002737.D
Acq: 21 May 2020 13:02

Tgt Ion	Ratio	Lower	Upper
152	100		
115	54.1	27.2	81.6
150	157.4	0.0	343.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

