

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY052220\
 Data File : VY002748.D
 Acq On : 22 May 2020 10:32
 Operator : SY/MD
 Sample : VY0522SBL01
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0522SBL01

Quant Time: May 22 16:42:19 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y051520S.M
 Quant Title : SW846 8260
 QLast Update : Sat May 16 04:52:36 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	272798	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	434836	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	409394	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	201308	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.15	65	123881	58.06	ug/l	0.00
Spiked Amount						
			Recovery	=	116.12%	
35) Dibromofluoromethane	7.72	113	130993	54.59	ug/l	0.00
Spiked Amount						
			Recovery	=	109.18%	
50) Toluene-d8	10.18	98	507472	52.52	ug/l	0.00
Spiked Amount						
			Recovery	=	105.04%	
62) 4-Bromofluorobenzene	12.48	95	169478	51.04	ug/l	0.00
Spiked Amount						
			Recovery	=	102.08%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY052220\
Data File : VY002748.D
Acq On : 22 May 2020 10:32
Operator : SY/MD
Sample : VY0522SBL01
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0522SBL01

Quant Time: May 22 16:42:19 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y051520S.M
Quant Title : SW846 8260
QLast Update : Sat May 16 04:52:36 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. -0.00 min

Lab File: VY002748.D

Acq: 22 May 2020 10:32

Instrument :

MSVOA_Y

ClientSampleId :


VY0522SBL01

Tot Ion:168 Resp: 272798

Ion Ratio Lower Upper

168 100

99 49.8 39.2 58.8



Abundance Ion 167.90 (167.60 to 168.60): VY002748.D (-945) (-)

Ion 98.90 (98.60 to 99.60): VY002748.D (-945) (-)



7.80

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 58.055 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. -0.00 min

Lab File: VY002748.D


Acq: 22 May 2020 10:32

Tgt Ion: 65 Resp: 123881

Ion Ratio Lower Upper

65 100

67 54.9 0.0 109.0



Abundance Ion 64.90 (64.60 to 65.60): VY002748.D (-1003) (-)

Ion 66.90 (66.60 to 67.60): VY002748.D (-1003) (-)

8.15

60000

50000

40000


30000


20000

10000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. -0.00 min

Lab File: VY002748.D

Acq: 22 May 2020 10:32

Instrument :

MSVOA_Y

ClientSampleId :

VY0522SBL01


Tot Ion:114 Resp: 434836

Ion Ratio Lower Upper

114 100

63 17.9 0.0 35.4




88 14.5 0.0 29.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 54.586 ug/l

RT: 7.72 min Scan# 982

Delta R.T. -0.00 min

Lab File: VY002748.D

Acq: 22 May 2020 10:32


Tgt Ion:113 Resp: 130993

Ion Ratio Lower Upper

113 100

111 102.2 81.9 122.9



192 23.3 18.6 27.8




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 52.524 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.00 min

Lab File: VY002748.D

Acq: 22 May 2020 10:32

Instrument :

MSVOA_Y

ClientSampleId :


VY0522SBL01

Tot Ion: 98 Resp: 507472

Ion Ratio Lower Upper




98 100

100 64.7 52.3 78.5



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY



#62

4-Bromofluorobenzene

Concen: 51.036 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.00 min

Lab File: VY002748.D

Acq: 22 May 2020 10:32


Tgt Ion: 95 Resp: 169478

Ion Ratio Lower Upper

95 100

174 95.6 0.0 191.4



176 93.7 0.0 186.0




Abundance Ion 94.90 (94.60 to 95.60): VY0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.00 min
Lab File: VY002748.D
Acq: 22 May 2020 10:32

Instrument :
MSVOA_Y
ClientSampleId :
VY0522SBL01

Tot Ion:117 Resp: 409394
Ion Ratio Lower Upper
117 100
82 50.6 40.3 60.5
119 32.4 26.2 39.4




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.00 min
Lab File: VY002748.D
Acq: 22 May 2020 10:32

Tgt Ion:152 Resp: 201308
Ion Ratio Lower Upper
152 100
115 53.2 27.2 81.6
150 157.5 0.0 343.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

