

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052422\
 Data File : VY009057.D
 Acq On : 24 May 2022 13:24
 Operator : KP/MD
 Sample : N2982-10
 Misc : 5.01g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 P-10

Quant Time: May 25 02:51:34 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052022S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 20 23:50:52 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	27573	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	44098	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	37436	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	12904	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.142	65	14974	52.767	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	105.540%
35) Dibromofluoromethane	7.716	113	14475	52.786	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.580%
50) Toluene-d8	10.179	98	52632	52.027	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	104.060%
62) 4-Bromofluorobenzene	12.483	95	11681	28.624	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	57.240%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052422\
Data File : VY009057.D
Acq On : 24 May 2022 13:24
Operator : KP/MD
Sample : N2982-10
Misc : 5.01g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
P-10

Quant Time: May 25 02:51:34 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052022S.M
Quant Title : SW846 8260
QLast Update : Fri May 20 23:50:52 2022
Response via : Initial Calibration

