

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052424\
 Data File : VY018371.D
 Acq On : 24 May 2024 17:52
 Operator : SY/MD
 Sample : P2615-01
 Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RBR251686

Quant Time: May 25 03:26:47 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052224S.M
 Quant Title : SW846 8260
 QLast Update : Thu May 23 01:40:36 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.777	168	95201	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.685	114	188376	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.483	117	169556	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	62868	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	57435	63.679	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 127.360%	
35) Dibromofluoromethane	7.710	113	58462	53.219	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 106.440%	
50) Toluene-d8	10.173	98	219958	51.357	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 102.720%	
62) 4-Bromofluorobenzene	12.477	95	69048	52.175	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 104.360%	
Target Compounds						
					Qvalue	
20) Methylene Chloride	4.698	84	15867	11.088	ug/l	# 93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY052424\
Data File : VY018371.D
Acq On : 24 May 2024 17:52
Operator : SY/MD
Sample : P2615-01
Misc : 5.05g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RBR251686

Quant Time: May 25 03:26:47 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052224S.M
Quant Title : SW846 8260
QLast Update : Thu May 23 01:40:36 2024
Response via : Initial Calibration

