

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY052720\
 Data File : VY002774.D
 Acq On : 27 May 2020 19:16
 Operator : SY/MD
 Sample : L2771-12
 Misc : 5.90G/5ML/MSVOA Y/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RAMP-B-INFELD-2

Quant Time: May 28 06:22:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 27 13:13:33 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	284307	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	451901	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	406319	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	185464	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.14	65	133567	54.11	ug/l	0.00
Spiked Amount	50.000		Recovery	=	108.22%	
35) Dibromofluoromethane	7.72	113	137125	51.78	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.56%	
50) Toluene-d8	10.18	98	532728	49.75	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.50%	
62) 4-Bromofluorobenzene	12.48	95	166846	45.59	ug/l	0.00
Spiked Amount	50.000		Recovery	=	91.18%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY052720\
Data File : VY002774.D
Acq On : 27 May 2020 19:16
Operator : SY/MD
Sample : L2771-12
Misc : 5.90G/5ML/MSVOA Y/SOIL
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RAMP-B-INFIELD-2

Quant Time: May 28 06:22:51 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
Quant Title : SW846 8260
QLast Update : Wed May 27 13:13:33 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. 0.00 min

Lab File: VY002774.D

Acq: 27 May 2020 19:16

Instrument :

MSVOA_Y

ClientSampleId :


RAMP-B-INFIELD-2

Tot Ion:168 Resp: 284307

Ion Ratio Lower Upper

168 100

99 48.0 39.0 58.4



Abundance Ion 167.90 (167.60 to 168.60): VY002758.D (-983) (-)

Ion 98.90 (98.60 to 99.60): VY002758.D (-983) (-)



7.80

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 54.107 ug/l

RT: 8.14 min Scan# 1051

Delta R.T. -0.01 min

Lab File: VY002774.D


Acq: 27 May 2020 19:16

Tgt Ion: 65 Resp: 133567

Ion Ratio Lower Upper

65 100

67 54.7 0.0 111.0



Abundance Ion 64.90 (64.60 to 65.60): VY002758.D (-1041) (-)

Ion 66.90 (66.60 to 67.60): VY002758.D (-1041) (-)

8.14


60000


40000

20000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. 0.00 min

Lab File: VY002774.D

Acq: 27 May 2020 19:16

Instrument :

MSVOA_Y

ClientSampleId :

RAMP-B-INFIELD-2


Tot Ion:114 Resp: 451901

Ion Ratio Lower Upper

114 100

63 17.2 0.0 35.2




88 14.4 0.0 29.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 51.777 ug/l

RT: 7.72 min Scan# 982

Delta R.T. -0.01 min

Lab File: VY002774.D

Acq: 27 May 2020 19:16


Tgt Ion:113 Resp: 137125

Ion Ratio Lower Upper

113 100

111 102.4 82.0 123.0



192 22.8 18.9 28.3




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.750 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. 0.00 min

Lab File: VY002774.D

Acq: 27 May 2020 19:16

Instrument :

MSVOA_Y

ClientSampleId :





RAMP-B-INFIELD-2

Tot Ion: 98 Resp: 532728

Ion Ratio Lower Upper

98 100

100 64.8 52.2 78.2



#62

4-Bromofluorobenzene

Concen: 45.593 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. 0.00 min

Lab File: VY002774.D

Acq: 27 May 2020 19:16




Tgt Ion: 95 Resp: 166846


Ion Ratio Lower Upper

95 100

174 96.4 0.0 191.2

176 91.8 0.0 188.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. 0.00 min
Lab File: VY002774.D
Acq: 27 May 2020 19:16

Instrument :
MSVOA_Y
ClientSampleId :
RAMP-B-INFIELD-2

Tot Ion	Ratio	Lower	Upper
117	100		
82	49.4	40.2	60.4
119	32.5	25.8	38.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. 0.00 min
Lab File: VY002774.D
Acq: 27 May 2020 19:16

Tgt Ion	Ratio	Lower	Upper
152	100		
115	54.3	27.0	81.0
150	158.0	0.0	344.8

