

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY052820\
 Data File : VY002787.D
 Acq On : 28 May 2020 12:57
 Operator : SY/MD
 Sample : L2790-06
 Misc : 7.51G/5ML/MSVOA Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-1-D2

Quant Time: May 28 17:02:12 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 27 13:13:33 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	247499	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	397437	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	369871	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	188594	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	122509	57.01	ug/l	0.00
Spiked Amount 50.000			Recovery	=	114.02%	
35) Dibromofluoromethane	7.72	113	121636	52.22	ug/l	0.00
Spiked Amount 50.000			Recovery	=	104.44%	
50) Toluene-d8	10.18	98	467667	49.66	ug/l	0.00
Spiked Amount 50.000			Recovery	=	99.32%	
62) 4-Bromofluorobenzene	12.48	95	155204	48.22	ug/l	0.00
Spiked Amount 50.000			Recovery	=	96.44%	
Target Compounds						
20) Methylene Chloride	4.73	84	5067	2.058	ug/l	Qvalue 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY052820\
Data File : VY002787.D
Acq On : 28 May 2020 12:57
Operator : SY/MD
Sample : L2790-06
Misc : 7.51G/5ML/MSVOA Y/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB-1-D2

Quant Time: May 28 17:02:12 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
Quant Title : SW846 8260
QLast Update : Wed May 27 13:13:33 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. 0.00 min

Lab File: VY002787.D

Acq: 28 May 2020 12:57

Instrument :

MSVOA_Y

ClientSampleId :


SB-1-D2

Tot Ion:168 Resp: 247499

Ion Ratio Lower Upper

168 100

99 46.9 39.0 58.4



Abundance Ion 167.90 (167.60 to 168.60): VY002758.D (-983) (-)

Ion 98.90 (98.60 to 99.60): VY002758.D (-983) (-)

7.80

120000

100000

80000



60000

40000

20000

0

Time-->



#20

Methylene Chloride

Concen: 2.058 ug/l

RT: 4.73 min Scan# 491

Delta R.T. 0.01 min

Lab File: VY002787.D

Acq: 28 May 2020 12:57

Tgt Ion: 84 Resp: 5067


Ion Ratio Lower Upper

84 100

49 105.2 88.5 132.7

51 32.1 26.8 40.2

86 75.8 50.6 75.8



Abundance Ion 83.90 (83.60 to 84.60): VY002758.D (-476) (-)

Ion 48.90 (48.60 to 49.60): VY002758.D (-476) (-)

Ion 50.90 (50.60 to 51.60): VY002758.D (-476) (-)

Ion 85.90 (85.60 to 86.60): VY002758.D (-476) (-)

4.73

3000

2500

2000


1500


1000

500

0

Time-->









#33
 1,2-Dichloroethane-d4
 Concen: 57.008 ug/l
 RT: 8.15 min Scan# 1052
 Delta R.T. 0.00 min
 Lab File: VY002787.D
 Acq: 28 May 2020 12:57




Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-1-D2


Tot Ion: 65 Resp: 122509
 Ion Ratio Lower Upper
 65 100
 67 53.4 0.0 111.0



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.69 min Scan# 1141
 Delta R.T. 0.00 min
 Lab File: VY002787.D
 Acq: 28 May 2020 12:57

Tgt Ion: 114 Resp: 397437
 Ion Ratio Lower Upper
 114 100
 63 17.0 0.0 35.2
 88 14.5 0.0 29.2









#35
 Dibromofluoromethane
 Concen: 52.223 ug/l
 RT: 7.72 min Scan# 982
 Delta R.T. -0.01 min
 Lab File: VY002787.D
 Acq: 28 May 2020 12:57




Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-1-D2


Tot Ion	Ratio	Lower	Upper
113	100		
111	100.9	82.0	123.0
192	23.2	18.9	28.3



#50
 Toluene-d8
 Concen: 49.659 ug/l
 RT: 10.18 min Scan# 1385
 Delta R.T. 0.00 min
 Lab File: VY002787.D
 Acq: 28 May 2020 12:57

Tgt Ion	Ratio	Lower	Upper
98	100		
100	64.7	52.2	78.2









#62
4-Bromofluorobenzene
Concen: 48.223 ug/l
RT: 12.48 min Scan# 1762
Delta R.T. 0.00 min
Lab File: VY002787.D
Acq: 28 May 2020 12:57




Instrument :
MSVOA_Y
ClientSampled :
SB-1-D2


Tot Ion: 95 Resp: 155204
Ion Ratio Lower Upper
95 100
174 96.3 0.0 191.2
176 94.9 0.0 188.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. 0.00 min
Lab File: VY002787.D
Acq: 28 May 2020 12:57

Tgt Ion: 117 Resp: 369871
Ion Ratio Lower Upper
117 100
82 50.5 40.2 60.4
119 31.6 25.8 38.8





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.42 min Scan# 1917

Delta R.T. 0.00 min

Lab File: VY002787.D

Acq: 28 May 2020 12:57

Instrument :

MSVOA_Y

ClientSampleId :

SB-1-D2


Tot Ion:152 Resp: 188594

Ion Ratio Lower Upper

152 100

115 53.6 27.0 81.0

150 158.3 0.0 344.8



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

