

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060225\
 Data File : VY022499.D
 Acq On : 02 Jun 2025 16:00
 Operator : SY/MD
 Sample : VY0602SBL02
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0602SBL02

Quant Time: Jun 03 04:06:08 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 03 03:22:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	309051	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	557091	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	442919	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.347	152	162489	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	183940	53.215	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	106.420%
35) Dibromofluoromethane	7.634	113	169603	51.006	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.020%
50) Toluene-d8	10.109	98	667368	49.671	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.340%
62) 4-Bromofluorobenzene	12.408	95	171494	42.839	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	85.680%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060225\
Data File : VY022499.D
Acq On : 02 Jun 2025 16:00
Operator : SY/MD
Sample : VY0602SBL02
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0602SBL02

Quant Time: Jun 03 04:06:08 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 03 03:22:04 2025
Response via : Initial Calibration

