

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060225\
 Data File : VY022507.D
 Acq On : 02 Jun 2025 19:08
 Operator : SY/MD
 Sample : Q2150-05RE
 Misc : 7.48g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-47RE

Quant Time: Jun 03 04:10:19 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 03 03:22:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	60813	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	105433	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	78237	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	24479	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	37335	54.892	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	109.780%
35) Dibromofluoromethane	7.640	113	33266	52.861	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.720%
50) Toluene-d8	10.109	98	119467	46.982	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	93.960%
62) 4-Bromofluorobenzene	12.408	95	26331	34.755	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	69.500%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060225\
Data File : VY022507.D
Acq On : 02 Jun 2025 19:08
Operator : SY/MD
Sample : Q2150-05RE
Misc : 7.48g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-47RE

Quant Time: Jun 03 04:10:19 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 03 03:22:04 2025
Response via : Initial Calibration

