

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060722\
 Data File : VY009169.D
 Acq On : 07 Jun 2022 17:15
 Operator : KP/MD
 Sample : N3194-04
 Misc : 5.86g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TP-3

Quant Time: Jun 08 07:58:41 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052022S.M
 Quant Title : SW846 8260
 QLast Update : Fri May 20 23:50:52 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	96153	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	168498	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	151083	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	65549	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.137	65	60259	60.893	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 121.780%	
35) Dibromofluoromethane	7.710	113	52406	50.016	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 100.040%	
50) Toluene-d8	10.179	98	203749	52.710	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 105.420%	
62) 4-Bromofluorobenzene	12.483	95	61244	39.277	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 78.560%	
Target Compounds						
18) Methyl Acetate	4.466	43	3355	5.230	ug/l	Qvalue # 75

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060722\
Data File : VY009169.D
Acq On : 07 Jun 2022 17:15
Operator : KP/MD
Sample : N3194-04
Misc : 5.86g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TP-3

Quant Time: Jun 08 07:58:41 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y052022S.M
Quant Title : SW846 8260
QLast Update : Fri May 20 23:50:52 2022
Response via : Initial Calibration

