

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060821\
 Data File : VY005025.D
 Acq On : 08 Jun 2021 16:12
 Operator : SY/MD
 Sample : M2625-16
 Misc : 13.29G/5ML/MSVOA_Y/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 18-B12(198-202)

Quant Time: Jun 09 03:51:01 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060221S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 03 04:43:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	156881	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	288799	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	279618	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	128271	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	102901	62.044	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	124.080%
35) Dibromofluoromethane	7.728	113	90958	58.540	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	117.080%
50) Toluene-d8	10.185	98	365577	56.652	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	113.300%
62) 4-Bromofluorobenzene	12.483	95	122114	55.024	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	110.040%


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY060821\
Data File : VY005025.D
Acq On : 08 Jun 2021 16:12
Operator : SY/MD
Sample : M2625-16
Misc : 13.29G/5ML/MSVOA_Y/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
18-B12(198-202)

Quant Time: Jun 09 03:51:01 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060221S.M
Quant Title : SW846 8260
QLast Update : Thu Jun 03 04:43:33 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.801 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY005025.D
Acq: 08 Jun 2021 16:12




Instrument :
MSVOA_Y
ClientSampleId :
18-B12(198-202)


Tgt Ion:168 Resp: 156881
Ion Ratio Lower Upper
168 100
99 56.3 43.9 65.9



#33
1,2-Dichloroethane-d4
Concen: 62.044 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. -0.000 min
Lab File: VY005025.D
Acq: 08 Jun 2021 16:12

Tgt Ion: 65 Resp: 102901
Ion Ratio Lower Upper
65 100
67 55.0 0.0 110.6









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. -0.000 min
Lab File: VY005025.D
Acq: 08 Jun 2021 16:12

Instrument :
MSVOA_Y
ClientSampleId :
18-B12(198-202)

Tgt Ion:114 Resp: 288799




Ion	Ratio	Lower	Upper
114	100		
63	19.7	0.0	41.0
88	15.3	0.0	30.6




#35
Dibromofluoromethane
Concen: 58.540 ug/l
RT: 7.728 min Scan# 969
Delta R.T. -0.000 min
Lab File: VY005025.D
Acq: 08 Jun 2021 16:12

Tgt Ion:113 Resp: 90958

Ion	Ratio	Lower	Upper
113	100		
111	102.5	81.8	122.8
192	18.3	15.3	22.9









#50
Toluene-d8
Concen: 56.652 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. -0.000 min
Lab File: VY005025.D
Acq: 08 Jun 2021 16:12




Instrument :
MSVOA_Y
ClientSampleId :
18-B12(198-202)


Tgt Ion: 98 Resp: 365577
Ion Ratio Lower Upper
98 100
100 63.9 51.8 77.6



#62
4-Bromofluorobenzene
Concen: 55.024 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY005025.D
Acq: 08 Jun 2021 16:12

Tgt Ion: 95 Resp: 122114
Ion Ratio Lower Upper
95 100
174 80.9 0.0 160.8
176 78.3 0.0 155.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. -0.000 min
Lab File: VY005025.D
Acq: 08 Jun 2021 16:12

Instrument :
MSVOA_Y
ClientSampleId :
18-B12(198-202)

Tgt Ion:117 Resp: 279618

Ion	Ratio	Lower	Upper
117	100		
82	53.7	44.8	67.2
119	31.6	25.2	37.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. -0.000 min
Lab File: VY005025.D
Acq: 08 Jun 2021 16:12

Tgt Ion:152 Resp: 128271

Ion	Ratio	Lower	Upper
152	100		
115	59.5	29.9	89.7
150	158.8	0.0	347.8

