

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv061020\
 Data File : VY002872.D
 Acq On : 10 Jun 2020 10:08
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 11 02:10:45 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 27 13:13:33 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	88	0.00
2 T	Dichlorodifluoromethane	0.344	0.306	11.0	85	0.00
3 P	Chloromethane	0.381	0.336	11.8	85	0.00
4 C	Vinyl Chloride	0.402	0.384	4.5#	89	0.00
5 T	Bromomethane	0.301	0.265	12.0	83	0.00
6 T	Chloroethane	0.261	0.240	8.0	85	0.00
7 T	Trichlorofluoromethane	0.712	0.665	6.6	85	0.00
8 T	Diethyl Ether	0.278	0.247	11.2	83	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.423	0.409	3.3	85	0.00
10 T	Methyl Iodide	0.592	0.547	7.6	78	0.00
11 T	Tert butyl alcohol	0.054	0.043	20.4	83	0.00
12 CM	1,1-Dichloroethene	0.425	0.401	5.6#	85	0.00
13 T	Acrolein	0.051	0.043	15.7	79	0.00
14 T	Allyl chloride	0.610	0.578	5.2	83	0.00
15 T	Acrylonitrile	0.125	0.123	1.6	87	0.00
16 T	Acetone	0.102	0.118	-15.7	99	0.00
17 T	Carbon Disulfide	1.285	1.100	14.4	77	0.00
18 T	Methyl Acetate	0.276	0.254	8.0	88	0.00
19 T	Methyl tert-butyl Ether	1.174	1.131	3.7	86	0.00
20 T	Methylene Chloride	0.497	0.459	7.6	87	0.00
21 T	trans-1,2-Dichloroethene	0.478	0.444	7.1	84	0.00
22 T	Diisopropyl ether	1.268	1.222	3.6	85	-0.01
23 T	Vinyl Acetate	0.837	0.830	0.8	85	0.00
24 P	1,1-Dichloroethane	0.742	0.712	4.0	85	0.00
25 T	2-Butanone	0.159	0.163	-2.5	90	0.00
26 T	2,2-Dichloropropane	0.711	0.680	4.4	88	0.00
27 T	cis-1,2-Dichloroethene	0.536	0.503	6.2	84	0.00
28 T	Bromochloromethane	0.304	0.294	3.3	86	0.00
29 T	Tetrahydrofuran	0.103	0.099	3.9	84	0.00
30 C	Chloroform	0.787	0.772	1.9#	87	0.00
31 T	Cyclohexane	0.736	0.641	12.9	81	0.00
32 T	1,1,1-Trichloroethane	0.733	0.709	3.3	86	0.00
33 S	1,2-Dichloroethane-d4	0.434	0.448	-3.2	92	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	86	0.00
35 S	Dibromofluoromethane	0.293	0.313	-6.8	91	0.00
36 T	1,1-Dichloropropene	0.421	0.406	3.6	85	0.00
37 T	Ethyl Acetate	0.229	0.228	0.4	86	0.00
38 T	Carbon Tetrachloride	0.468	0.459	1.9	87	0.00
39 T	Methylcyclohexane	0.555	0.514	7.4	83	0.00
40 TM	Benzene	1.245	1.195	4.0	85	0.00
41 T	Methacrylonitrile	0.123	0.147	-19.5	109	0.00
42 TM	1,2-Dichloroethane	0.349	0.339	2.9	86	0.00
43 T	Isopropyl Acetate	0.434	0.427	1.6	85	0.00
44 TM	Trichloroethene	0.393	0.373	5.1	84	0.00
45 C	1,2-Dichloropropane	0.298	0.289	3.0#	85	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv061020\
 Data File : VY002872.D
 Acq On : 10 Jun 2020 10:08
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 11 02:10:45 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 27 13:13:33 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.177	0.172	2.8	85	0.00
47 T	Bromodichloromethane	0.418	0.418	0.0	87	0.00
48 T	Methyl methacrylate	0.196	0.196	0.0	87	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	81	0.00
50 S	Toluene-d8	1.185	1.220	-3.0	90	0.00
51 T	4-Methyl-2-Pentanone	0.230	0.235	-2.2	89	0.00
52 CM	Toluene	0.814	0.789	3.1#	85	0.00
53 T	t-1,3-Dichloropropene	0.456	0.453	0.7	86	0.00
54 T	cis-1,3-Dichloropropene	0.517	0.512	1.0	86	0.00
55 T	1,1,2-Trichloroethane	0.271	0.263	3.0	85	0.00
56 T	Ethyl methacrylate	0.363	0.363	0.0	86	0.00
57 T	1,3-Dichloropropane	0.446	0.439	1.6	87	0.00
58 T	2-Chloroethyl Vinyl ether	0.178	0.188	-5.6	94	0.00
59 T	2-Hexanone	0.163	0.168	-3.1	88	0.00
60 T	Dibromochloromethane	0.344	0.346	-0.6	88	0.00
61 T	1,2-Dibromoethane	0.268	0.260	3.0	84	0.00
62 S	4-Bromofluorobenzene	0.405	0.427	-5.4	91	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	86	0.00
64 T	Tetrachloroethene	0.454	0.417	8.1	81	0.00
65 PM	Chlorobenzene	0.988	0.963	2.5	86	0.00
66 T	1,1,1,2-Tetrachloroethane	0.372	0.377	-1.3	87	0.00
67 C	Ethyl Benzene	1.713	1.683	1.8#	87	0.00
68 T	m/p-Xylenes	0.664	0.659	0.8	87	0.00
69 T	o-Xylene	0.627	0.617	1.6	85	0.00
70 T	Styrene	1.087	1.088	-0.1	87	0.00
71 P	Bromoform	0.249	0.254	-2.0	88	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	88	0.00
73 T	Isopropylbenzene	3.204	3.108	3.0	87	0.00
74 T	N-amyl acetate	0.822	0.818	0.5	86	0.00
75 P	1,1,2,2-Tetrachloroethane	0.562	0.584	-3.9	92	0.00
76 T	1,2,3-Trichloropropane	0.451	0.462	-2.4	91	0.00
77 T	Bromobenzene	0.834	0.796	4.6	86	0.00
78 T	n-propylbenzene	3.701	3.623	2.1	87	0.00
79 T	2-Chlorotoluene	2.076	2.016	2.9	87	0.00
80 T	1,3,5-Trimethylbenzene	2.675	2.637	1.4	88	0.00
81 T	trans-1,4-Dichloro-2-butene	0.239	0.240	-0.4	87	0.00
82 T	4-Chlorotoluene	2.175	2.108	3.1	86	0.00
83 T	tert-Butylbenzene	2.386	2.319	2.8	86	0.00
84 T	1,2,4-Trimethylbenzene	2.690	2.634	2.1	87	0.00
85 T	sec-Butylbenzene	3.263	3.193	2.1	88	0.00
86 T	p-Isopropyltoluene	3.036	2.994	1.4	88	0.00
87 T	1,3-Dichlorobenzene	1.580	1.534	2.9	87	0.00
88 T	1,4-Dichlorobenzene	1.581	1.533	3.0	87	0.00
89 T	n-Butylbenzene	2.757	2.703	2.0	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv061020\
Data File : VY002872.D
Acq On : 10 Jun 2020 10:08
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Jun 11 02:10:45 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
Quant Title : SW846 8260
QLast Update : Wed May 27 13:13:33 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.568	0.564	0.7	88	0.00
91 T	1,2-Dichlorobenzene	1.433	1.390	3.0	86	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.108	0.110	-1.9	90	0.00
93 T	1,2,4-Trichlorobenzene	1.080	1.038	3.9	86	0.00
94 T	Hexachlorobutadiene	0.613	0.597	2.6	87	0.00
95 T	Naphthalene	2.166	2.085	3.7	86	0.00
96 T	1,2,3-Trichlorobenzene	0.965	0.911	5.6	86	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6