

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv061020\
 Data File : VY002878.D
 Acq On : 10 Jun 2020 16:03
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 11 02:26:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 27 13:13:33 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	93	0.00
2 T	Dichlorodifluoromethane	0.344	0.297	13.7	87	0.00
3 P	Chloromethane	0.381	0.336	11.8	89	0.00
4 C	Vinyl Chloride	0.402	0.378	6.0#	92	0.00
5 T	Bromomethane	0.301	0.297	1.3	98	0.00
6 T	Chloroethane	0.261	0.260	0.4	97	0.00
7 T	Trichlorofluoromethane	0.712	0.712	0.0	96	0.00
8 T	Diethyl Ether	0.278	0.251	9.7	89	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.423	0.442	-4.5	97	0.00
10 T	Methyl Iodide	0.592	0.610	-3.0	91	0.00
11 T	Tert butyl alcohol	0.054	0.034	37.0#	68	0.00
12 CM	1,1-Dichloroethene	0.425	0.436	-2.6#	97	0.00
13 T	Acrolein	0.051	0.035	31.4#	67	0.00
14 T	Allyl chloride	0.610	0.649	-6.4	97	0.00
15 T	Acrylonitrile	0.125	0.111	11.2	82	0.00
16 T	Acetone	0.102	0.087	14.7	76	0.00
17 T	Carbon Disulfide	1.285	1.180	8.2	87	0.00
18 T	Methyl Acetate	0.276	0.232	15.9	84	0.00
19 T	Methyl tert-butyl Ether	1.174	1.130	3.7	90	0.00
20 T	Methylene Chloride	0.497	0.515	-3.6	102	0.00
21 T	trans-1,2-Dichloroethene	0.478	0.486	-1.7	96	0.00
22 T	Diisopropyl ether	1.268	1.351	-6.5	99	0.00
23 T	Vinyl Acetate	0.837	0.828	1.1	89	0.00
24 P	1,1-Dichloroethane	0.742	0.801	-8.0	100	0.00
25 T	2-Butanone	0.159	0.129	18.9	75	0.00
26 T	2,2-Dichloropropane	0.711	0.727	-2.3	99	0.00
27 T	cis-1,2-Dichloroethene	0.536	0.555	-3.5	98	0.00
28 T	Bromochloromethane	0.304	0.297	2.3	91	0.00
29 T	Tetrahydrofuran	0.103	0.085	17.5	76	0.00
30 C	Chloroform	0.787	0.846	-7.5#	100	0.00
31 T	Cyclohexane	0.736	0.683	7.2	91	0.00
32 T	1,1,1-Trichloroethane	0.733	0.765	-4.4	98	0.00
33 S	1,2-Dichloroethane-d4	0.434	0.406	6.5	87	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	92	0.00
35 S	Dibromofluoromethane	0.293	0.301	-2.7	94	0.00
36 T	1,1-Dichloropropene	0.421	0.428	-1.7	96	0.00
37 T	Ethyl Acetate	0.229	0.201	12.2	82	0.00
38 T	Carbon Tetrachloride	0.468	0.476	-1.7	97	0.00
39 T	Methylcyclohexane	0.555	0.533	4.0	92	0.00
40 TM	Benzene	1.245	1.278	-2.7	97	0.00
41 T	Methacrylonitrile	0.123	0.110	10.6	87	0.00
42 TM	1,2-Dichloroethane	0.349	0.343	1.7	94	0.00
43 T	Isopropyl Acetate	0.434	0.384	11.5	81	0.00
44 TM	Trichloroethene	0.393	0.390	0.8	94	0.00
45 C	1,2-Dichloropropane	0.298	0.314	-5.4#	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv061020\
 Data File : VY002878.D
 Acq On : 10 Jun 2020 16:03
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 11 02:26:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 27 13:13:33 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.177	0.174	1.7	92	0.00
47 T	Bromodichloromethane	0.418	0.441	-5.5	98	0.00
48 T	Methyl methacrylate	0.196	0.174	11.2	82	0.00
49 T	1,4-Dioxane	0.003	0.002	33.3#	73	0.00
50 S	Toluene-d8	1.185	1.154	2.6	91	0.00
51 T	4-Methyl-2-Pentanone	0.230	0.196	14.8	79	0.00
52 CM	Toluene	0.814	0.834	-2.5#	96	0.00
53 T	t-1,3-Dichloropropene	0.456	0.455	0.2	93	0.00
54 T	cis-1,3-Dichloropropene	0.517	0.532	-2.9	96	0.00
55 T	1,1,2-Trichloroethane	0.271	0.261	3.7	90	0.00
56 T	Ethyl methacrylate	0.363	0.334	8.0	85	0.00
57 T	1,3-Dichloropropane	0.446	0.433	2.9	91	0.00
58 T	2-Chloroethyl Vinyl ether	0.178	0.167	6.2	89	0.00
59 T	2-Hexanone	0.163	0.134	17.8	75	0.00
60 T	Dibromochloromethane	0.344	0.341	0.9	92	0.00
61 T	1,2-Dibromoethane	0.268	0.253	5.6	88	0.00
62 S	4-Bromofluorobenzene	0.405	0.403	0.5	92	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
64 T	Tetrachloroethene	0.454	0.438	3.5	90	0.00
65 PM	Chlorobenzene	0.988	1.024	-3.6	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.372	0.392	-5.4	97	0.00
67 C	Ethyl Benzene	1.713	1.794	-4.7#	98	0.00
68 T	m/p-Xylenes	0.664	0.697	-5.0	98	0.00
69 T	o-Xylene	0.627	0.656	-4.6	97	0.00
70 T	Styrene	1.087	1.150	-5.8	97	0.00
71 P	Bromoform	0.249	0.240	3.6	89	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	90	0.00
73 T	Isopropylbenzene	3.204	3.392	-5.9	98	0.00
74 T	N-amyl acetate	0.822	0.749	8.9	81	0.00
75 P	1,1,2,2-Tetrachloroethane	0.562	0.549	2.3	89	0.00
76 T	1,2,3-Trichloropropane	0.451	0.436	3.3	89	0.00
77 T	Bromobenzene	0.834	0.858	-2.9	96	0.00
78 T	n-propylbenzene	3.701	3.943	-6.5	98	0.00
79 T	2-Chlorotoluene	2.076	2.176	-4.8	97	0.00
80 T	1,3,5-Trimethylbenzene	2.675	2.831	-5.8	97	0.00
81 T	trans-1,4-Dichloro-2-butene	0.239	0.215	10.0	81	0.00
82 T	4-Chlorotoluene	2.175	2.309	-6.2	97	0.00
83 T	tert-Butylbenzene	2.386	2.521	-5.7	97	0.00
84 T	1,2,4-Trimethylbenzene	2.690	2.848	-5.9	97	0.00
85 T	sec-Butylbenzene	3.263	3.448	-5.7	98	0.00
86 T	p-Isopropyltoluene	3.036	3.255	-7.2	98	0.00
87 T	1,3-Dichlorobenzene	1.580	1.634	-3.4	96	0.00
88 T	1,4-Dichlorobenzene	1.581	1.642	-3.9	97	0.00
89 T	n-Butylbenzene	2.757	2.900	-5.2	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv061020\
Data File : VY002878.D
Acq On : 10 Jun 2020 16:03
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Jun 11 02:26:22 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
Quant Title : SW846 8260
QLast Update : Wed May 27 13:13:33 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.568	0.614	-8.1	99	0.00
91 T	1,2-Dichlorobenzene	1.433	1.478	-3.1	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.108	0.094	13.0	79	0.00
93 T	1,2,4-Trichlorobenzene	1.080	1.074	0.6	92	0.00
94 T	Hexachlorobutadiene	0.613	0.646	-5.4	97	0.00
95 T	Naphthalene	2.166	1.900	12.3	80	0.00
96 T	1,2,3-Trichlorobenzene	0.965	0.934	3.2	91	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6