

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061021\
 Data File : VY005080.D
 Acq On : 10 Jun 2021 16:29
 Operator : SY/MD
 Sample : M2672-03
 Misc : 7.82G/5ML/MSVOA_Y/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 17-B6(16-20)

Quant Time: Jun 11 05:06:34 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060221S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 03 04:43:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	199099	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	372518	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	371924	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	174628	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	131275	62.369	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 124.740%	
35) Dibromofluoromethane	7.728	113	117653	58.703	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 117.400%	
50) Toluene-d8	10.185	98	461716	55.470	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 110.940%	
62) 4-Bromofluorobenzene	12.483	95	167871	58.642	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 117.280%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061021\
Data File : VY005080.D
Acq On : 10 Jun 2021 16:29
Operator : SY/MD
Sample : M2672-03
Misc : 7.82G/5ML/MSVOA_Y/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
17-B6(16-20)

Quant Time: Jun 11 05:06:34 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060221S.M
Quant Title : SW846 8260
QLast Update : Thu Jun 03 04:43:33 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.801 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY005080.D
Acq: 10 Jun 2021 16:29




Instrument :
MSVOA_Y
ClientSampleId :
17-B6(16-20)


Tgt Ion:168 Resp: 199099
Ion Ratio Lower Upper
168 100
99 55.3 43.9 65.9



#33
1,2-Dichloroethane-d4
Concen: 62.369 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. -0.000 min
Lab File: VY005080.D
Acq: 10 Jun 2021 16:29

Tgt Ion: 65 Resp: 131275
Ion Ratio Lower Upper
65 100
67 54.6 0.0 110.6









#34

1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. -0.000 min
Lab File: VY005080.D
Acq: 10 Jun 2021 16:29

Instrument :
MSVOA_Y
ClientSampleId :
17-B6(16-20)




Tgt Ion:114 Resp: 372518
Ion Ratio Lower Upper
114 100
63 18.6 0.0 41.0
88 15.3 0.0 30.6




#35

Dibromofluoromethane
Concen: 58.703 ug/l
RT: 7.728 min Scan# 969
Delta R.T. -0.000 min
Lab File: VY005080.D
Acq: 10 Jun 2021 16:29

Tgt Ion:113 Resp: 117653
Ion Ratio Lower Upper
113 100
111 102.5 81.8 122.8
192 19.1 15.3 22.9









#50
Toluene-d8
Concen: 55.470 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. -0.000 min
Lab File: VY005080.D
Acq: 10 Jun 2021 16:29




Instrument :
MSVOA_Y
ClientSampleId :
17-B6(16-20)


Tgt Ion: 98 Resp: 461716
Ion Ratio Lower Upper
98 100
100 63.9 51.8 77.6



#62
4-Bromofluorobenzene
Concen: 58.642 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY005080.D
Acq: 10 Jun 2021 16:29

Tgt Ion: 95 Resp: 167871
Ion Ratio Lower Upper
95 100
174 81.7 0.0 160.8
176 79.1 0.0 155.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. -0.000 min
Lab File: VY005080.D
Acq: 10 Jun 2021 16:29

Instrument :
MSVOA_Y
ClientSampleId :
17-B6(16-20)

Tgt Ion:117 Resp: 371924

Ion	Ratio	Lower	Upper
117	100		
82	54.3	44.8	67.2
119	32.0	25.2	37.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. -0.000 min
Lab File: VY005080.D
Acq: 10 Jun 2021 16:29

Tgt Ion:152 Resp: 174628

Ion	Ratio	Lower	Upper
152	100		
115	59.5	29.9	89.7
150	159.2	0.0	347.8

