

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061021\
 Data File : VY005098.D
 Acq On : 11 Jun 2021 01:20
 Operator : SY/MD
 Sample : M2672-13
 Misc : 9.42G/5ML/MSVOA_Y/SOIL
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 17-B6(56-60)

Quant Time: Jun 11 07:06:54 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060221S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 03 04:43:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	170748	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	311367	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	307229	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	142355	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	111018	61.502	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 123.000%	
35) Dibromofluoromethane	7.728	113	96960	57.880	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 115.760%	
50) Toluene-d8	10.185	98	382446	54.970	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	= 109.940%	
62) 4-Bromofluorobenzene	12.483	95	134665	56.281	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	= 112.560%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061021\
Data File : VY005098.D
Acq On : 11 Jun 2021 01:20
Operator : SY/MD
Sample : M2672-13
Misc : 9.42G/5ML/MSVOA_Y/SOIL
ALS Vial : 40 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
17-B6(56-60)

Quant Time: Jun 11 07:06:54 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060221S.M
Quant Title : SW846 8260
QLast Update : Thu Jun 03 04:43:33 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.801 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY005098.D
Acq: 11 Jun 2021 01:20




Instrument :
MSVOA_Y
ClientSampleId :
17-B6(56-60)


Tgt Ion:168 Resp: 170748
Ion Ratio Lower Upper
168 100
99 51.9 43.9 65.9



#33
1,2-Dichloroethane-d4
Concen: 61.502 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. -0.000 min
Lab File: VY005098.D
Acq: 11 Jun 2021 01:20

Tgt Ion: 65 Resp: 111018
Ion Ratio Lower Upper
65 100
67 53.8 0.0 110.6









#34

1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. -0.000 min
Lab File: VY005098.D
Acq: 11 Jun 2021 01:20

Instrument :
MSVOA_Y
ClientSampleId :
17-B6(56-60)




Tgt Ion:114 Resp: 311367
Ion Ratio Lower Upper
114 100
63 19.1 0.0 41.0
88 14.7 0.0 30.6




#35

Dibromofluoromethane
Concen: 57.880 ug/l
RT: 7.728 min Scan# 969
Delta R.T. -0.000 min
Lab File: VY005098.D
Acq: 11 Jun 2021 01:20

Tgt Ion:113 Resp: 96960
Ion Ratio Lower Upper
113 100
111 102.7 81.8 122.8
192 19.2 15.3 22.9









#50
Toluene-d8
Concen: 54.970 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. -0.000 min
Lab File: VY005098.D
Acq: 11 Jun 2021 01:20




Instrument :
MSVOA_Y
ClientSampleId :
17-B6(56-60)


Tgt Ion: 98 Resp: 382446
Ion Ratio Lower Upper
98 100
100 65.1 51.8 77.6



#62
4-Bromofluorobenzene
Concen: 56.281 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY005098.D
Acq: 11 Jun 2021 01:20

Tgt Ion: 95 Resp: 134665
Ion Ratio Lower Upper
95 100
174 82.9 0.0 160.8
176 83.2 0.0 155.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. -0.000 min
Lab File: VY005098.D
Acq: 11 Jun 2021 01:20

Instrument :
MSVOA_Y
ClientSampleId :
17-B6(56-60)

Tgt Ion:117 Resp: 307229
Ion Ratio Lower Upper
117 100
82 53.2 44.8 67.2
119 31.8 25.2 37.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. -0.000 min
Lab File: VY005098.D
Acq: 11 Jun 2021 01:20

Tgt Ion:152 Resp: 142355
Ion Ratio Lower Upper
152 100
115 59.1 29.9 89.7
150 157.5 0.0 347.8

