

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061021\
 Data File : VY005105.D
 Acq On : 11 Jun 2021 04:02
 Operator : SY/MD
 Sample : M2672-20
 Misc : 5.16G/5ML/MSVOA_Y/SOIL
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 17-B6(84-88)

Quant Time: Jun 11 07:08:25 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060221S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 03 04:43:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	161318	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	294100	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	289183	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	135679	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	107348	62.945	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	125.900%
35) Dibromofluoromethane	7.728	113	92651	58.555	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	117.100%
50) Toluene-d8	10.185	98	363427	55.304	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	110.600%
62) 4-Bromofluorobenzene	12.483	95	126507	55.976	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	111.960%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061021\
Data File : VY005105.D
Acq On : 11 Jun 2021 04:02
Operator : SY/MD
Sample : M2672-20
Misc : 5.16G/5ML/MSVOA_Y/SOIL
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
17-B6(84-88)


Quant Time: Jun 11 07:08:25 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060221S.M
Quant Title : SW846 8260
QLast Update : Thu Jun 03 04:43:33 2021
Response via : Initial Calibration








#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.801 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY005105.D
Acq: 11 Jun 2021 04:02

Instrument :
MSVOA_Y
ClientSampleId :
17-B6(84-88)







Tgt Ion:168 Resp: 161318
Ion Ratio Lower Upper
168 100
99 53.7 43.9 65.9



#33
1,2-Dichloroethane-d4
Concen: 62.945 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. -0.000 min
Lab File: VY005105.D
Acq: 11 Jun 2021 04:02

Tgt Ion: 65 Resp: 107348
Ion Ratio Lower Upper
65 100
67 52.2 0.0 110.6









#34

1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. -0.000 min
Lab File: VY005105.D
Acq: 11 Jun 2021 04:02

Instrument :
MSVOA_Y
ClientSampleId :
17-B6(84-88)




Tgt Ion:114 Resp: 294100
Ion Ratio Lower Upper
114 100
63 19.6 0.0 41.0
88 15.3 0.0 30.6




#35

Dibromofluoromethane
Concen: 58.555 ug/l
RT: 7.728 min Scan# 969
Delta R.T. -0.000 min
Lab File: VY005105.D
Acq: 11 Jun 2021 04:02

Tgt Ion:113 Resp: 92651
Ion Ratio Lower Upper
113 100
111 101.9 81.8 122.8
192 19.2 15.3 22.9









#50
Toluene-d8
Concen: 55.304 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. -0.000 min
Lab File: VY005105.D
Acq: 11 Jun 2021 04:02




Instrument :
MSVOA_Y
ClientSampleId :
17-B6(84-88)


Tgt Ion: 98 Resp: 363427
Ion Ratio Lower Upper
98 100
100 64.1 51.8 77.6



#62
4-Bromofluorobenzene
Concen: 55.976 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. -0.000 min
Lab File: VY005105.D
Acq: 11 Jun 2021 04:02

Tgt Ion: 95 Resp: 126507
Ion Ratio Lower Upper
95 100
174 84.7 0.0 160.8
176 82.9 0.0 155.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. -0.000 min
Lab File: VY005105.D
Acq: 11 Jun 2021 04:02

Instrument :
MSVOA_Y
ClientSampleId :
17-B6(84-88)

Tgt Ion:117 Resp: 289183
Ion Ratio Lower Upper
117 100
82 51.7 44.8 67.2
119 31.6 25.2 37.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. -0.000 min
Lab File: VY005105.D
Acq: 11 Jun 2021 04:02

Tgt Ion:152 Resp: 135679
Ion Ratio Lower Upper
152 100
115 58.8 29.9 89.7
150 159.9 0.0 347.8

