

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061125\
 Data File : VY022660.D
 Acq On : 11 Jun 2025 13:34
 Operator : SY/MD
 Sample : Q2280-03
 Misc : 4.32g/5.0mL/MSVOA_Y/SOIL/A
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 RT-4643

Quant Time: Jun 12 05:07:01 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 10 15:26:14 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	204796	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.609	114	374069	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	301641	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	108988	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	112134	48.955	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	97.920%
35) Dibromofluoromethane	7.628	113	113367	50.775	ug/l	-0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.540%
50) Toluene-d8	10.103	98	448478	49.711	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.420%
62) 4-Bromofluorobenzene	12.401	95	110490	41.105	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	82.200%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061125\
Data File : VY022660.D
Acq On : 11 Jun 2025 13:34
Operator : SY/MD
Sample : Q2280-03
Misc : 4.32g/5.0mL/MSVOA_Y/SOIL/A
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
RT-4643

Quant Time: Jun 12 05:07:01 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060225S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 10 15:26:14 2025
Response via : Initial Calibration

