

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv061520\
 Data File : VY002892.D
 Acq On : 15 Jun 2020 09:58
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 16 02:07:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 27 13:13:33 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	85	0.00
2 T	Dichlorodifluoromethane	0.344	0.309	10.2	83	0.00
3 P	Chloromethane	0.381	0.340	10.8	82	0.00
4 C	Vinyl Chloride	0.402	0.385	4.2#	86	0.00
5 T	Bromomethane	0.301	0.266	11.6	80	0.00
6 T	Chloroethane	0.261	0.238	8.8	81	0.00
7 T	Trichlorofluoromethane	0.712	0.672	5.6	83	0.00
8 T	Diethyl Ether	0.278	0.241	13.3	78	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.423	0.404	4.5	81	0.00
10 T	Methyl Iodide	0.592	0.550	7.1	76	0.00
11 T	Tert butyl alcohol	0.054	0.040	25.9#	74	0.01
12 CM	1,1-Dichloroethene	0.425	0.392	7.8#	80	0.00
13 T	Acrolein	0.051	0.040	21.6	70	0.00
14 T	Allyl chloride	0.610	0.564	7.5	78	0.01
15 T	Acrylonitrile	0.125	0.116	7.2	79	0.00
16 T	Acetone	0.102	0.120	-17.6	96	0.00
17 T	Carbon Disulfide	1.285	1.058	17.7	71	0.00
18 T	Methyl Acetate	0.276	0.242	12.3	80	0.00
19 T	Methyl tert-butyl Ether	1.174	1.129	3.8	82	0.00
20 T	Methylene Chloride	0.497	0.452	9.1	82	0.00
21 T	trans-1,2-Dichloroethene	0.478	0.435	9.0	79	0.00
22 T	Diisopropyl ether	1.268	1.195	5.8	80	0.00
23 T	Vinyl Acetate	0.837	0.798	4.7	78	0.00
24 P	1,1-Dichloroethane	0.742	0.705	5.0	81	0.00
25 T	2-Butanone	0.159	0.156	1.9	83	0.00
26 T	2,2-Dichloropropane	0.711	0.677	4.8	85	0.00
27 T	cis-1,2-Dichloroethene	0.536	0.499	6.9	80	0.00
28 T	Bromochloromethane	0.304	0.297	2.3	83	0.00
29 T	Tetrahydrofuran	0.103	0.092	10.7	75	0.00
30 C	Chloroform	0.787	0.762	3.2#	82	0.00
31 T	Cyclohexane	0.736	0.629	14.5	77	0.00
32 T	1,1,1-Trichloroethane	0.733	0.709	3.3	83	0.00
33 S	1,2-Dichloroethane-d4	0.434	0.423	2.5	83	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	82	0.00
35 S	Dibromofluoromethane	0.293	0.305	-4.1	85	0.00
36 T	1,1-Dichloropropene	0.421	0.392	6.9	79	0.00
37 T	Ethyl Acetate	0.229	0.217	5.2	78	0.00
38 T	Carbon Tetrachloride	0.468	0.463	1.1	84	0.00
39 T	Methylcyclohexane	0.555	0.511	7.9	79	0.00
40 TM	Benzene	1.245	1.183	5.0	80	0.00
41 T	Methacrylonitrile	0.123	0.112	8.9	79	0.00
42 TM	1,2-Dichloroethane	0.349	0.333	4.6	81	0.00
43 T	Isopropyl Acetate	0.434	0.412	5.1	78	0.00
44 TM	Trichloroethene	0.393	0.372	5.3	80	0.00
45 C	1,2-Dichloropropane	0.298	0.286	4.0#	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv061520\
 Data File : VY002892.D
 Acq On : 15 Jun 2020 09:58
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 16 02:07:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 27 13:13:33 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.177	0.170	4.0	80	0.00
47 T	Bromodichloromethane	0.418	0.417	0.2	82	0.00
48 T	Methyl methacrylate	0.196	0.185	5.6	78	0.00
49 T	1,4-Dioxane	0.003	0.002	33.3#	73	0.00
50 S	Toluene-d8	1.185	1.175	0.8	82	0.00
51 T	4-Methyl-2-Pentanone	0.230	0.220	4.3	79	0.00
52 CM	Toluene	0.814	0.786	3.4#	81	0.00
53 T	t-1,3-Dichloropropene	0.456	0.453	0.7	82	0.00
54 T	cis-1,3-Dichloropropene	0.517	0.505	2.3	81	0.00
55 T	1,1,2-Trichloroethane	0.271	0.265	2.2	81	0.00
56 T	Ethyl methacrylate	0.363	0.358	1.4	81	0.00
57 T	1,3-Dichloropropane	0.446	0.426	4.5	80	0.00
58 T	2-Chloroethyl Vinyl ether	0.178	0.186	-4.5	89	0.00
59 T	2-Hexanone	0.163	0.163	0.0	81	0.00
60 T	Dibromochloromethane	0.344	0.347	-0.9	84	0.00
61 T	1,2-Dibromoethane	0.268	0.257	4.1	80	0.00
62 S	4-Bromofluorobenzene	0.405	0.418	-3.2	85	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	83	0.00
64 T	Tetrachloroethene	0.454	0.418	7.9	78	0.00
65 PM	Chlorobenzene	0.988	0.957	3.1	82	0.00
66 T	1,1,1,2-Tetrachloroethane	0.372	0.373	-0.3	83	0.00
67 C	Ethyl Benzene	1.713	1.664	2.9#	83	0.00
68 T	m/p-Xylenes	0.664	0.648	2.4	82	0.00
69 T	o-Xylene	0.627	0.612	2.4	82	0.00
70 T	Styrene	1.087	1.075	1.1	82	0.00
71 P	Bromoform	0.249	0.252	-1.2	84	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	85	0.00
73 T	Isopropylbenzene	3.204	3.071	4.2	83	0.00
74 T	N-amyl acetate	0.822	0.776	5.6	79	0.00
75 P	1,1,2,2-Tetrachloroethane	0.562	0.560	0.4	85	0.00
76 T	1,2,3-Trichloropropane	0.451	0.428	5.1	82	0.00
77 T	Bromobenzene	0.834	0.800	4.1	84	0.00
78 T	n-propylbenzene	3.701	3.580	3.3	84	0.00
79 T	2-Chlorotoluene	2.076	1.983	4.5	83	0.00
80 T	1,3,5-Trimethylbenzene	2.675	2.591	3.1	83	0.00
81 T	trans-1,4-Dichloro-2-butene	0.239	0.231	3.3	81	0.00
82 T	4-Chlorotoluene	2.175	2.083	4.2	82	0.00
83 T	tert-Butylbenzene	2.386	2.320	2.8	84	0.00
84 T	1,2,4-Trimethylbenzene	2.690	2.594	3.6	83	0.00
85 T	sec-Butylbenzene	3.263	3.159	3.2	84	0.00
86 T	p-Isopropyltoluene	3.036	2.949	2.9	84	0.00
87 T	1,3-Dichlorobenzene	1.580	1.518	3.9	84	0.00
88 T	1,4-Dichlorobenzene	1.581	1.514	4.2	84	0.00
89 T	n-Butylbenzene	2.757	2.682	2.7	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv061520\
Data File : VY002892.D
Acq On : 15 Jun 2020 09:58
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Jun 16 02:07:09 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y052720S.M
Quant Title : SW846 8260
QLast Update : Wed May 27 13:13:33 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.568	0.556	2.1	84	0.00
91 T	1,2-Dichlorobenzene	1.433	1.384	3.4	83	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.108	0.103	4.6	82	0.00
93 T	1,2,4-Trichlorobenzene	1.080	1.026	5.0	82	0.00
94 T	Hexachlorobutadiene	0.613	0.606	1.1	86	0.00
95 T	Naphthalene	2.166	2.025	6.5	80	0.00
96 T	1,2,3-Trichlorobenzene	0.965	0.918	4.9	84	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6