

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061824\
 Data File : VY018622.D
 Acq On : 18 Jun 2024 10:09
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050

Quant Time: Jun 19 01:58:09 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y061324S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 14 07:08:24 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024
 Supervised By :Semsettin Yesilyurt 06/19/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.777	168	150228	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.679	114	252116	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.483	117	222981	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	111551	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	73108	48.336	ug/l	0.00
Spiked Amount 50.000	Range 50 - 163		Recovery =	96.680%		
35) Dibromofluoromethane	7.697	113	75518	49.103	ug/l	0.00
Spiked Amount 50.000	Range 54 - 147		Recovery =	98.200%		
50) Toluene-d8	10.173	98	292943	49.530	ug/l	0.00
Spiked Amount 50.000	Range 58 - 134		Recovery =	99.060%		
62) 4-Bromofluorobenzene	12.477	95	96771	51.815	ug/l	0.00
Spiked Amount 50.000	Range 30 - 143		Recovery =	103.640%		
Target Compounds						
						Qvalue
2) Dichlorodifluoromethane	1.900	85	41304	41.745	ug/l	100
3) Chloromethane	2.101	50	110193	54.074	ug/l	96
4) Vinyl Chloride	2.235	62	136955	54.269	ug/l	100
5) Bromomethane	2.637	94	86989	46.375	ug/l	99
6) Chloroethane	2.778	64	81655	49.392	ug/l	98
7) Trichlorofluoromethane	3.101	101	143464	52.791	ug/l	96
8) Diethyl Ether	3.509	74	35332	45.597	ug/l	94
9) 1,1,2-Trichlorotrifluo...	3.875	101	68092	47.955	ug/l	96
10) Methyl Iodide	4.070	142	75352	43.975	ug/l	96
11) Tert butyl alcohol	4.942	59	23858	87.695	ug/l #	76
12) 1,1-Dichloroethene	3.851	96	66120	46.337	ug/l	93
13) Acrolein	3.716	56	18580	212.428	ug/l	99
14) Allyl chloride	4.454	41	97385	50.623	ug/l	95
15) Acrylonitrile	5.137	53	79419	230.395	ug/l	99
16) Acetone	3.924	43	82727	268.841	ug/l	88
17) Carbon Disulfide	4.174	76	191482	44.502	ug/l	99
18) Methyl Acetate	4.460	43	36637	46.939	ug/l	99
19) Methyl tert-butyl Ether	5.204	73	171333	45.012	ug/l	97
20) Methylene Chloride	4.692	84	80198	40.606	ug/l	94
21) trans-1,2-Dichloroethene	5.192	96	77013	47.411	ug/l	98
22) Diisopropyl ether	6.100	45	224176	51.619	ug/l	94
23) Vinyl Acetate	6.039	43	892298	221.631	ug/l	97
24) 1,1-Dichloroethane	5.997	63	132992	47.533	ug/l	98
25) 2-Butanone	6.966	43	116496	252.564	ug/l	89
26) 2,2-Dichloropropane	6.966	77	112721	47.819	ug/l	99
27) cis-1,2-Dichloroethene	6.966	96	93396	47.601	ug/l	97
28) Bromochloromethane	7.319	49	49003	42.731	ug/l	88
29) Tetrahydrofuran	7.338	42	66574	235.192	ug/l	93
30) Chloroform	7.490	83	145266	47.641	ug/l	97
31) Cyclohexane	7.771	56	116150	50.133	ug/l	97
32) 1,1,1-Trichloroethane	7.685	97	124389	48.019	ug/l	96
36) 1,1-Dichloropropene	7.905	75	104103	49.176	ug/l	99
37) Ethyl Acetate	7.057	43	48344	48.445	ug/l	98
38) Carbon Tetrachloride	7.886	117	109231	49.182	ug/l	98
39) Methylcyclohexane	9.173	83	136654	52.684	ug/l	97
40) Benzene	8.149	78	326653	49.894	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061824\
 Data File : VY018622.D
 Acq On : 18 Jun 2024 10:09
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024
 Supervised By :Semsettin Yesilyurt 06/19/2024

Quant Time: Jun 19 01:58:09 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y061324S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 14 07:08:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.289	41	25392	50.591	ug/l #	68
42) 1,2-Dichloroethane	8.222	62	80942	47.389	ug/l	98
43) Isopropyl Acetate	8.264	43	92028	49.408	ug/l #	81
44) Trichloroethene	8.929	130	81273	47.415	ug/l	97
45) 1,2-Dichloropropane	9.209	63	74634	49.855	ug/l	99
46) Dibromomethane	9.295	93	43941	47.305	ug/l	94
47) Bromodichloromethane	9.490	83	109060	49.193	ug/l #	98
48) Methyl methacrylate	9.283	41	42044	50.140	ug/l	91
49) 1,4-Dioxane	9.289	88	11011	901.322	ug/l #	97
51) 4-Methyl-2-Pentanone	10.063	43	241940	246.600	ug/l	94
52) Toluene	10.234	92	213547	50.803	ug/l	97
53) t-1,3-Dichloropropene	10.459	75	99234	51.220	ug/l	100
54) cis-1,3-Dichloropropene	9.923	75	118650	50.748	ug/l	96
55) 1,1,2-Trichloroethane	10.636	97	58797	47.590	ug/l	93
56) Ethyl methacrylate	10.502	69	81026	50.118	ug/l	91
57) 1,3-Dichloropropane	10.782	76	99670	48.564	ug/l	99
58) 2-Chloroethyl Vinyl ether	9.776	63	184804	236.782	ug/l	98
59) 2-Hexanone	10.825	43	180230	262.256	ug/l	94
60) Dibromochloromethane	10.977	129	74936	48.826	ug/l	99
61) 1,2-Dibromoethane	11.081	107	54827	48.017	ug/l	100
64) Tetrachloroethene	10.715	164	78539	49.383	ug/l	99
65) Chlorobenzene	11.508	112	229793	49.887	ug/l	95
66) 1,1,1,2-Tetrachloroethane	11.581	131	76040	49.260	ug/l	99
67) Ethyl Benzene	11.587	91	404960	50.667	ug/l	98
68) m/p-Xylenes	11.697	106	322884	103.820	ug/l	99
69) o-Xylene	12.026	106	150356	50.274	ug/l	99
70) Styrene	12.038	104	261102	52.847	ug/l	99
71) Bromoform	12.203	173	41357	48.827	ug/l #	100
73) Isopropylbenzene	12.325	105	397620	48.813	ug/l	99
74) N-amyl acetate	12.136	43	85100	51.018	ug/l	95
75) 1,1,2,2-Tetrachloroethane	12.575	83	66968	46.301	ug/l	99
76) 1,2,3-Trichloropropane	12.629	75	50920m	48.662	ug/l	
77) Bromobenzene	12.605	156	88903	47.193	ug/l	100
78) n-propylbenzene	12.666	91	477522	50.091	ug/l	99
79) 2-Chlorotoluene	12.751	91	261962	48.680	ug/l	99
80) 1,3,5-Trimethylbenzene	12.806	105	324398	50.248	ug/l	100
81) trans-1,4-Dichloro-2-b...	12.373	75	20044	50.175	ug/l	90
82) 4-Chlorotoluene	12.849	91	268538	49.556	ug/l	98
83) tert-Butylbenzene	13.068	119	288135	48.223	ug/l	98
84) 1,2,4-Trimethylbenzene	13.117	105	327317	50.726	ug/l	100
85) sec-Butylbenzene	13.245	105	435403	51.092	ug/l	99
86) p-Isopropyltoluene	13.367	119	367649	50.888	ug/l	99
87) 1,3-Dichlorobenzene	13.361	146	185299	48.767	ug/l	99
88) 1,4-Dichlorobenzene	13.440	146	178947	47.993	ug/l	99
89) n-Butylbenzene	13.690	91	341652	52.466	ug/l	100
90) Hexachloroethane	13.959	117	70325	53.583	ug/l	90
91) 1,2-Dichlorobenzene	13.733	146	158442	48.814	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.355	75	9274	44.281	ug/l	98
93) 1,2,4-Trichlorobenzene	15.001	180	84467	46.710	ug/l	98
94) Hexachlorobutadiene	15.105	225	45905	49.406	ug/l	98
95) Naphthalene	15.233	128	161187	47.698	ug/l	99
96) 1,2,3-Trichlorobenzene	15.422	180	72005	47.127	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061824\
Data File : VY018622.D
Acq On : 18 Jun 2024 10:09
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024

Quant Time: Jun 19 01:58:09 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y061324S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 14 07:08:24 2024
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061824\
Data File : VY018622.D
Acq On : 18 Jun 2024 10:09
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050


Manual Integrations


APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024

Supervised By :Semsettin Yesilyurt 06/19/2024

Quant Time: Jun 19 01:58:09 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y061324S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 14 07:08:24 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.777 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion:168 Resp: 150228
Ion Ratio Lower Upper
168 100
99 52.6 39.1 58.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#2
Dichlorodifluoromethane
Concen: 41.745 ug/l
RT: 1.900 min Scan# 13
Delta R.T. 0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion: 85 Resp: 41304
Ion Ratio Lower Upper
85 100
87 31.9 16.0 48.0









#3
Chloromethane
Concen: 54.074 ug/l
RT: 2.101 min Scan# 40
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 50 Resp: 11019
Ion Ratio Lower Upper
50 100
52 34.1 25.6 38.4




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#4
Vinyl Chloride
Concen: 54.269 ug/l
RT: 2.235 min Scan# 68
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion: 62 Resp: 136955
Ion Ratio Lower Upper
62 100
64 32.4 26.1 39.1









#5
Bromomethane
Concen: 46.375 ug/l
RT: 2.637 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 94 Resp: 86989
Ion Ratio Lower Upper
94 100
96 91.5 74.1 111.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#6
Chloroethane
Concen: 49.392 ug/l
RT: 2.778 min Scan# 157
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion: 64 Resp: 81655
Ion Ratio Lower Upper
64 100
66 34.0 26.1 39.1









#7
Trichlorofluoromethane
Concen: 52.791 ug/l
RT: 3.101 min Scan# 211
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion:101 Resp: 143464
Ion Ratio Lower Upper
101 100
103 64.7 49.3 73.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#8
Diethyl Ether
Concen: 45.597 ug/l
RT: 3.509 min Scan# 277
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion: 74 Resp: 35332
Ion Ratio Lower Upper
74 100
45 88.2 41.3 124.1









#9
1,1,2-Trichlorotrifluoroethane
Concen: 47.955 ug/l
RT: 3.875 min Scan# 311
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion:101 Resp: 68092
Ion Ratio Lower Upper
101 100
85 47.0 34.5 51.7
151 74.3 61.7 92.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#10
Methyl Iodide
Concen: 43.975 ug/l
RT: 4.070 min Scan# 369
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion:142 Resp: 75352
Ion Ratio Lower Upper
142 100
127 44.1 32.8 49.2
141 14.4 11.4 17.2









#11
Tert butyl alcohol
Concen: 87.695 ug/l
RT: 4.942 min Scan# 511
Delta R.T. 0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 59 Resp: 2385
Ion Ratio Lower Upper
59 100
57 11.6 3.0 4.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#12
1,1-Dichloroethene
Concen: 46.337 ug/l
RT: 3.851 min Scan# 333
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09


Tgt Ion: 96 Resp: 66120
Ion Ratio Lower Upper
96 100
61 154.6 114.6 171.8
98 61.5 50.8 76.2





#13
Acrolein
Concen: 212.428 ug/l
RT: 3.716 min Scan# 310
Delta R.T. 0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 56 Resp: 18580
Ion Ratio Lower Upper
56 100
55 70.4 55.7 83.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#14
Allyl chloride
Concen: 50.623 ug/l
RT: 4.454 min Scan# 432
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09


Tgt Ion: 41 Resp: 97385
Ion Ratio Lower Upper
41 100
39 74.9 58.3 87.5
76 42.0 39.0 58.6





#15
Acrylonitrile
Concen: 230.395 ug/l
RT: 5.137 min Scan# 544
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion: 53 Resp: 79419
Ion Ratio Lower Upper
53 100
52 80.1 64.7 97.1
51 35.5 28.4 42.6

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024




#16
Acetone
Concen: 268.841 ug/l
RT: 3.924 min Scan# 345
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09



Tgt Ion: 43 Resp: 82727
Ion Ratio Lower Upper
43 100
58 32.2 31.7 47.5









#17
Carbon Disulfide
Concen: 44.502 ug/l
RT: 4.174 min Scan# 386
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 76 Resp: 19148
Ion Ratio Lower Upper
76 100
78 8.9 6.8 10.2




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#18
Methyl Acetate
Concen: 46.939 ug/l
RT: 4.460 min Scan# 433
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09


Tgt Ion: 43 Resp: 36637
Ion Ratio Lower Upper
43 100
74 28.5 23.3 34.9





#19
Methyl tert-butyl Ether
Concen: 45.012 ug/l
RT: 5.204 min Scan# 511
Delta R.T. 0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 73 Resp: 17133
Ion Ratio Lower Upper
73 100
57 20.3 17.3 25.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#20
Methylene Chloride
Concen: 40.606 ug/l
RT: 4.692 min Scan# 471
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09


Tgt Ion: 84 Resp: 80198
Ion Ratio Lower Upper
84 100
49 114.6 84.4 126.6
51 36.6 26.0 39.0
86 62.7 49.5 74.3





#21
trans-1,2-Dichloroethene
Concen: 47.411 ug/l
RT: 5.192 min Scan# 511
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion: 96 Resp: 77011
Ion Ratio Lower Upper
96 100
61 124.4 97.5 146.3
98 63.8 50.5 75.7

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024




#22
Diisopropyl ether
Concen: 51.619 ug/l
RT: 6.100 min Scan# 702
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Tgt Ion: 45 Resp: 224176
Ion Ratio Lower Upper
45 100
43 59.2 42.2 63.2
87 29.3 25.0 37.6
59 13.1 10.5 15.7





#23
 Vinyl Acetate
 Concen: 221.631 ug/l
 RT: 6.039 min Scan# 693
 Delta R.T. -0.006 min
 Lab File: VY018622.D
 Acq: 18 Jun 2024 10:09




Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050



Tgt Ion: 43 Resp: 892298
 Ion Ratio Lower Upper
 43 100
 86 12.2 10.6 16.0




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
 Supervised By :Semsettin Yesilyurt 06/19/2024



#24
 1,1-Dichloroethane
 Concen: 47.533 ug/l
 RT: 5.997 min Scan# 685
 Delta R.T. -0.000 min
 Lab File: VY018622.D
 Acq: 18 Jun 2024 10:09


Tgt Ion: 63 Resp: 132992
 Ion Ratio Lower Upper
 63 100
 98 7.1 4.0 12.2
 100 4.7 2.6 8.0





#25
2-Butanone
Concen: 252.564 ug/l
RT: 6.966 min Scan# 845
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 43 Resp: 116490
Ion Ratio Lower Upper
43 100
72 28.0 27.3 40.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#26
2,2-Dichloropropane
Concen: 47.819 ug/l
RT: 6.966 min Scan# 844
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09


Tgt Ion: 77 Resp: 112721
Ion Ratio Lower Upper
77 100
97 23.7 12.0 36.1





#27
 cis-1,2-Dichloroethene
 Concen: 47.601 ug/l
 RT: 6.966 min Scan# 844
 Delta R.T. -0.000 min
 Lab File: VY018622.D
 Acq: 18 Jun 2024 10:09




Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050




Tgt Ion: 96 Resp: 93390
 Ion Ratio Lower Upper
 96 100
 61 133.8 0.0 256.2
 98 64.6 0.0 130.0

Manual Integrations
 APPROVED



Reviewed By :Mahesh Dadoda 06/19/2024
 Supervised By :Semsettin Yesilyurt 06/19/2024




#28
 Bromochloromethane
 Concen: 42.731 ug/l
 RT: 7.319 min Scan# 902
 Delta R.T. -0.000 min
 Lab File: VY018622.D
 Acq: 18 Jun 2024 10:09




Tgt Ion: 49 Resp: 49003
 Ion Ratio Lower Upper
 49 100
 129 2.1 0.0 4.6
 130 79.6 72.7 109.1





#29
Tetrahydrofuran
Concen: 235.192 ug/l
RT: 7.338 min Scan# 905
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion: 42 Resp: 66574
Ion Ratio Lower Upper
42 100
72 49.9 43.0 64.4
71 45.1 40.8 61.2

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024




#30
Chloroform
Concen: 47.641 ug/l
RT: 7.490 min Scan# 930
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Tgt Ion: 83 Resp: 145266
Ion Ratio Lower Upper
83 100
85 63.0 52.2 78.4





#31
Cyclohexane
Concen: 50.133 ug/l
RT: 7.771 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion: 56 Resp: 116150
Ion Ratio Lower Upper
56 100
69 33.2 28.7 43.1
84 94.9 77.7 116.5

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024




#32
1,1,1-Trichloroethane
Concen: 48.019 ug/l
RT: 7.685 min Scan# 962
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09



Tgt Ion: 97 Resp: 124389
Ion Ratio Lower Upper
97 100
99 65.4 50.3 75.5
61 43.5 32.6 48.8





#33

1,2-Dichloroethane-d4

Concen: 48.336 ug/l

RT: 8.130 min Scan# 1035

Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050

Tgt Ion: 65 Resp: 73108

Ion Ratio Lower Upper

65 100





67 51.8 0.0 109.6

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024

Supervised By :Semsettin Yesilyurt 06/19/2024



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.679 min Scan# 1125

Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09




Tgt Ion:114 Resp: 252116


Ion Ratio Lower Upper

114 100

63 18.2 0.0 35.0


88 14.2 0.0 27.2





#35
Dibromofluoromethane
Concen: 49.103 ug/l
RT: 7.697 min Scan# 964
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion:113 Resp: 75518
Ion Ratio Lower Upper
113 100
111 101.9 82.2 123.4
192 18.4 15.9 23.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#36
1,1-Dichloropropene
Concen: 49.176 ug/l
RT: 7.905 min Scan# 998
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion: 75 Resp: 104103
Ion Ratio Lower Upper
75 100
110 37.2 19.0 57.0
77 31.0 25.3 37.9









#37
Ethyl Acetate
Concen: 48.445 ug/l
RT: 7.057 min Scan# 81
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 43 Resp: 48344
Ion Ratio Lower Upper
43 100
61 14.7 12.6 19.0
70 10.3 7.8 11.8




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#38
Carbon Tetrachloride
Concen: 49.182 ug/l
RT: 7.886 min Scan# 995
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09


Tgt Ion:117 Resp: 109231
Ion Ratio Lower Upper
117 100
119 91.8 75.8 113.6
121 30.5 24.0 36.0





#39
Methylcyclohexane
Concen: 52.684 ug/l
RT: 9.173 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 83 Resp: 136654
Ion Ratio Lower Upper
83 100
55 66.5 51.5 77.3
98 52.3 40.5 60.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#40
Benzene
Concen: 49.894 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion: 78 Resp: 326653
Ion Ratio Lower Upper
78 100
77 23.6 19.5 29.3






#41
Methacrylonitrile
Concen: 50.591 ug/l
RT: 7.289 min Scan# 899
Delta R.T. -0.012 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050






Tgt Ion:	41	Resp:	25392
Ion Ratio	Lower	Upper	
41	100		
39	0.0	48.0	72.0
67	81.8	75.1	112.7
52	34.7	29.8	44.6


Manual Integrations

APPROVED



Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024




#42
1,2-Dichloroethane
Concen: 47.389 ug/l
RT: 8.222 min Scan# 1050
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09



Tgt Ion:	62	Resp:	80942
Ion Ratio	Lower	Upper	
62	100		
98	10.1	0.0	22.0





#43

Isopropyl Acetate

Concen: 49.408 ug/l

RT: 8.264 min Scan# 1057

Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050





Tgt Ion: 43 Resp: 92028

Ion	Ratio	Lower	Upper
43	100		
61	20.2	27.9	41.9
87	14.5	13.1	19.7

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#44

Trichloroethene

Concen: 47.415 ug/l

RT: 8.929 min Scan# 1166




Delta R.T. -0.006 min


Lab File: VY018622.D

Acq: 18 Jun 2024 10:09

Tgt Ion:130 Resp: 81273

Ion	Ratio	Lower	Upper
130	100		
95	96.5	0.0	188.0









#45
1,2-Dichloropropane
Concen: 49.855 ug/l
RT: 9.209 min Scan# 1212
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 63 Resp: 74634
Ion Ratio Lower Upper
63 100
65 32.5 25.4 38.2




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#46
Dibromomethane
Concen: 47.305 ug/l
RT: 9.295 min Scan# 1226
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09


Tgt Ion: 93 Resp: 43941
Ion Ratio Lower Upper
93 100
95 81.6 66.2 99.4
174 91.7 80.9 121.3





#47
Bromodichloromethane
Concen: 49.193 ug/l
RT: 9.490 min Scan# 1258
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion: 83 Resp: 109060
Ion Ratio Lower Upper
83 100
85 61.1 50.1 75.1
127 7.3 7.4 11.0

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024




#48
Methyl methacrylate
Concen: 50.140 ug/l
RT: 9.283 min Scan# 1224
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09



Tgt Ion: 41 Resp: 42044
Ion Ratio Lower Upper
41 100
69 94.0 84.1 126.1
39 58.9 43.6 65.4





#49

1,4-Dioxane

Concen: 901.322 ug/l

RT: 9.289 min Scan# 1101

Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050

Tgt Ion: 88 Resp: 1101

Ion Ratio Lower Upper

88 100

43 28.4 0.0 0.0





58 59.0 49.3 73.9

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024

Supervised By :Semsettin Yesilyurt 06/19/2024



#50

Toluene-d8

Concen: 49.530 ug/l

RT: 10.173 min Scan# 1370

Delta R.T. -0.000 min

Lab File: VY018622.D




Acq: 18 Jun 2024 10:09


Tgt Ion: 98 Resp: 292943

Ion Ratio Lower Upper

98 100


100 66.2 52.0 78.0





#51
4-Methyl-2-Pentanone
Concen: 246.600 ug/l
RT: 10.063 min Scan# 1352
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion: 43 Resp: 241940
Ion Ratio Lower Upper
43 100
58 40.9 35.7 53.5

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024




#52
Toluene
Concen: 50.803 ug/l
RT: 10.234 min Scan# 1380
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09



Tgt Ion: 92 Resp: 213547
Ion Ratio Lower Upper
92 100
91 169.5 139.0 208.6









#53
t-1,3-Dichloropropene
Concen: 51.220 ug/l
RT: 10.459 min Scan# 1417
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 75 Resp: 99234
Ion Ratio Lower Upper
75 100
77 29.8 24.1 36.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#54
cis-1,3-Dichloropropene
Concen: 50.748 ug/l
RT: 9.923 min Scan# 1329
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09


Tgt Ion: 75 Resp: 118650
Ion Ratio Lower Upper
75 100
77 30.7 25.4 38.0
39 41.2 29.8 44.6





#55
1,1,2-Trichloroethane
Concen: 47.590 ug/l
RT: 10.636 min Scan# 1446
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 97	Resp: 5879
Ion Ratio	Lower Upper
97 100	
83 91.0	67.5 101.3
85 55.6	42.9 64.3
99 66.1	46.6 70.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#56
Ethyl methacrylate
Concen: 50.118 ug/l
RT: 10.502 min Scan# 1424
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion: 69	Resp: 81026
Ion Ratio	Lower Upper
69 100	
41 59.7	42.3 63.5
39 33.3	22.9 34.3









#57
1,3-Dichloropropane
Concen: 48.564 ug/l
RT: 10.782 min Scan# 1470
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 76 Resp: 99670
Ion Ratio Lower Upper
76 100
78 32.3 26.2 39.4




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#58
2-Chloroethyl Vinyl ether
Concen: 236.782 ug/l
RT: 9.776 min Scan# 1305
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion: 63 Resp: 184804
Ion Ratio Lower Upper
63 100
106 28.4 23.7 35.5









#59
2-Hexanone
Concen: 262.256 ug/l
RT: 10.825 min Scan# 1477
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 43 Resp: 180230
Ion Ratio Lower Upper
43 100
58 58.2 31.4 94.0




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#60
Dibromochloromethane
Concen: 48.826 ug/l
RT: 10.977 min Scan# 1502
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion:129 Resp: 74936
Ion Ratio Lower Upper
129 100
127 77.4 39.0 117.0









#61
1,2-Dibromoethane
Concen: 48.017 ug/l
RT: 11.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion:107 Resp: 5482
Ion Ratio Lower Upper
107 100
109 94.5 75.9 113.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#62
4-Bromofluorobenzene
Concen: 51.815 ug/l
RT: 12.477 min Scan# 1748
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09


Tgt Ion: 95 Resp: 96771
Ion Ratio Lower Upper
95 100
174 84.6 0.0 175.6
176 82.2 0.0 171.4





#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.483 min Scan# 1158
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion:117 Resp: 22298
Ion Ratio Lower Upper
117 100
82 52.2 42.4 63.6
119 31.0 25.9 38.9




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#64
Tetrachloroethene
Concen: 49.383 ug/l
RT: 10.715 min Scan# 1459
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion:164 Resp: 78539
Ion Ratio Lower Upper
164 100
166 126.3 102.6 154.0
129 90.5 72.0 108.0
131 88.8 70.0 105.0









#65
Chlorobenzene
Concen: 49.887 ug/l
RT: 11.508 min Scan# 1589
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion:112 Resp: 22979
Ion Ratio Lower Upper
112 100
114 30.1 26.4 39.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#66
1,1,1,2-Tetrachloroethane
Concen: 49.260 ug/l
RT: 11.581 min Scan# 1601
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion:131 Resp: 76040
Ion Ratio Lower Upper
131 100
133 96.4 47.8 143.3
119 66.6 34.1 102.2









#67
Ethyl Benzene
Concen: 50.667 ug/l
RT: 11.587 min Scan# 1602
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 91 Resp: 404960
Ion Ratio Lower Upper
91 100
106 31.8 24.5 36.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#68
m/p-Xylenes
Concen: 103.820 ug/l
RT: 11.697 min Scan# 1620
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion:106 Resp: 322884
Ion Ratio Lower Upper
106 100
91 193.4 156.0 234.0





#69

o-Xylene

Concen: 50.274 ug/l

RT: 12.026 min Scan# 1

Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050

Tgt Ion:106 Resp: 150350

Ion Ratio Lower Upper

106 100





91 206.4 103.6 310.8

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024

Supervised By :Semsettin Yesilyurt 06/19/2024



#70

Styrene

Concen: 52.847 ug/l

RT: 12.038 min Scan# 1676

Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09




Tgt Ion:104 Resp: 261102


Ion Ratio Lower Upper

104 100

78 46.1 37.0 55.4

103 53.9 44.2 66.2





#71

Bromoform

Concen: 48.827 ug/l

RT: 12.203 min Scan# 11

Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion:173	Resp:	4135
Ion Ratio	Lower	Upper
173	100	
175	50.1	25.1 75.3
254	0.0	0.0 0.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l




RT: 13.422 min Scan# 1903


Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09

Tgt Ion:152	Resp:	111551
Ion Ratio	Lower	Upper
152	100	
115	56.1	28.2 84.7
150	173.6	0.0 345.6









#73
Isopropylbenzene
Concen: 48.813 ug/l
RT: 12.325 min Scan# 1723
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion:105 Resp: 397620
Ion Ratio Lower Upper
105 100
120 27.2 13.4 40.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#74
N-ethyl acetate
Concen: 51.018 ug/l
RT: 12.136 min Scan# 1692
Delta R.T. -0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion: 43 Resp: 85100
Ion Ratio Lower Upper
43 100
70 48.4 41.4 62.2
55 25.0 23.3 34.9
61 27.0 22.6 33.8





#75

1,1,2,2-Tetrachloroethane

Concen: 46.301 ug/l

RT: 12.575 min Scan# 1764

Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050

Tgt Ion: 83 Resp: 66968

Ion Ratio Lower Upper

83 100

131 9.9 5.0 14.9





85 63.3 32.0 96.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024

Supervised By :Semsettin Yesilyurt 06/19/2024



#76

1,2,3-Trichloropropane

Concen: 48.662 ug/l m

RT: 12.629 min Scan# 1773

Delta R.T. -0.000 min

Lab File: VY018622.D




Acq: 18 Jun 2024 10:09


Tgt Ion: 75 Resp: 50920

Ion Ratio Lower Upper

75 100


77 0.0 0.0 0.0





#77
Bromobenzene
Concen: 47.193 ug/l
RT: 12.605 min Scan# 1769
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050




Tgt Ion:156 Resp: 8890
Ion Ratio Lower Upper
156 100
77 174.1 87.1 261.3
158 97.8 48.6 145.9

Manual Integrations
APPROVED



Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024




#78
n-propylbenzene
Concen: 50.091 ug/l
RT: 12.666 min Scan# 1779
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09



Tgt Ion: 91 Resp: 477522
Ion Ratio Lower Upper
91 100
120 23.3 11.5 34.4









#79
2-Chlorotoluene
Concen: 48.680 ug/l
RT: 12.751 min Scan# 1793
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 91 Resp: 261962
Ion Ratio Lower Upper
91 100
126 36.0 17.8 53.5




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#80
1,3,5-Trimethylbenzene
Concen: 50.248 ug/l
RT: 12.806 min Scan# 1802
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09


Tgt Ion:105 Resp: 324398
Ion Ratio Lower Upper
105 100
120 50.3 25.1 75.2





#81
trans-1,4-Dichloro-2-butene
Concen: 50.175 ug/l
RT: 12.373 min Scan# 1731
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion: 75 Resp: 20044
Ion Ratio Lower Upper
75 100
53 95.2 66.8 100.2
89 47.8 35.8 53.6




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#82
4-Chlorotoluene
Concen: 49.556 ug/l
RT: 12.849 min Scan# 1809
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09


Tgt Ion: 91 Resp: 268538
Ion Ratio Lower Upper
91 100
126 36.8 17.6 52.9





#83
tert-Butylbenzene
Concen: 48.223 ug/l
RT: 13.068 min Scan# 1845
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09




Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050



Tgt Ion:119 Resp: 288135
Ion Ratio Lower Upper
119 100
91 64.4 31.3 93.8
134 27.2 13.4 40.1




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#84
1,2,4-Trimethylbenzene
Concen: 50.726 ug/l
RT: 13.117 min Scan# 1853
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion:105 Resp: 327317
Ion Ratio Lower Upper
105 100
120 46.7 23.2 69.6









#85
 sec-Butylbenzene
 Concen: 51.092 ug/l
 RT: 13.245 min Scan# 1874
 Delta R.T. -0.006 min
 Lab File: VY018622.D
 Acq: 18 Jun 2024 10:09

Instrument :
 MSVOA_Y
 ClientSampleId :
 VSTDCCC050

Tgt Ion:105 Resp: 43540
 Ion Ratio Lower Upper
 105 100
 134 20.5 10.1 30.1




Manual Integrations
 APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
 Supervised By :Semsettin Yesilyurt 06/19/2024



#86
 p-Isopropyltoluene
 Concen: 50.888 ug/l
 RT: 13.367 min Scan# 1894
 Delta R.T. -0.000 min
 Lab File: VY018622.D
 Acq: 18 Jun 2024 10:09

Tgt Ion:119 Resp: 367649
 Ion Ratio Lower Upper
 119 100
 134 26.5 13.1 39.3
 91 22.2 10.7 32.1





#87

1,3-Dichlorobenzene

Concen: 48.767 ug/l

RT: 13.361 min Scan# 1893

Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion:146 Resp: 185299
Ion Ratio Lower Upper
146 100
111 38.7 19.0 57.0
148 63.3 31.7 95.1

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#88

1,4-Dichlorobenzene

Concen: 47.993 ug/l




RT: 13.440 min Scan# 1906


Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09

Tgt Ion:146 Resp: 178947
Ion Ratio Lower Upper
146 100
111 38.0 18.4 55.4
148 64.9 32.4 97.2









#89
n-Butylbenzene
Concen: 52.466 ug/l
RT: 13.690 min Scan# 1947
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion: 91 Resp: 341652
Ion Ratio Lower Upper
91 100
92 52.8 26.6 79.7
134 25.8 12.9 38.7




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#90
Hexachloroethane
Concen: 53.583 ug/l
RT: 13.959 min Scan# 1991
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion:117 Resp: 70325
Ion Ratio Lower Upper
117 100
201 66.3 37.4 112.2









#91
1,2-Dichlorobenzene
Concen: 48.814 ug/l
RT: 13.733 min Scan# 1954
Delta R.T. -0.000 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Instrument :
MSVOA_Y
ClientSampleId :
VSTDCCC050

Tgt Ion:146 Resp: 15844
Ion Ratio Lower Upper
146 100
111 40.3 19.9 59.7
148 64.0 31.8 95.4




Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#92
1,2-Dibromo-3-Chloropropane
Concen: 44.281 ug/l
RT: 14.355 min Scan# 2056
Delta R.T. 0.006 min
Lab File: VY018622.D
Acq: 18 Jun 2024 10:09

Tgt Ion: 75 Resp: 9274
Ion Ratio Lower Upper
75 100
155 98.8 48.6 145.8
157 122.9 62.7 188.2





#93

1,2,4-Trichlorobenzene

Concen: 46.710 ug/l

RT: 15.001 min Scan# 2162

Delta R.T. -0.000 min

Lab File: VY018622.D


Acq: 18 Jun 2024 10:09

Instrument :

MSVOA_Y

ClientSampleId :

VSTDCCC050






Tgt Ion:180	Resp:	8446
Ion Ratio	Lower	Upper
180	100	
182	96.8	47.9 143.8
145	31.0	14.2 42.6

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#94

Hexachlorobutadiene


Concen: 49.406 ug/l

RT: 15.105 min Scan# 2179



Delta R.T. -0.000 min


Lab File: VY018622.D

Acq: 18 Jun 2024 10:09



Tgt Ion:225	Resp:	45905
Ion Ratio	Lower	Upper
225	100	
223	63.1	30.4 91.2
227	63.3	31.9 95.9





#95

Naphthalene

Concen: 47.698 ug/l

RT: 15.233 min Scan# 2118

Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09

Instrument :

MSVOA_Y

ClientSampleId :





VSTDCCC050

Tgt Ion:	128	Resp:	16118
Ion Ratio	Lower	Upper	
128	100		
127	12.8	10.6	16.0
129	11.2	8.6	13.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024



#96

1,2,3-Trichlorobenzene

Concen: 47.127 ug/l

RT: 15.422 min Scan# 2231

Delta R.T. -0.000 min

Lab File: VY018622.D

Acq: 18 Jun 2024 10:09

Tgt Ion:	180	Resp:	72005
Ion Ratio	Lower	Upper	
180	100		
182	96.0	47.6	142.9
145	32.8	15.4	46.1

