

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061923\
 Data File : VY014257.D
 Acq On : 20 Jun 2023 03:52
 Operator : KP/MD
 Sample : 03327-17
 Misc : 4.28g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TOTAL-VOC-TW-06-GRAB-6

Quant Time: Jun 20 05:48:10 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060923S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 09 18:07:13 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	177305	50.000	ug/l	0.01
34) 1,4-Difluorobenzene	8.697	114	280602	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	258172	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	109490	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	124963	50.613	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	101.220%
35) Dibromofluoromethane	7.728	113	94243	47.359	ug/l	0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	94.720%
50) Toluene-d8	10.185	98	339653	45.654	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	91.300%
62) 4-Bromofluorobenzene	12.489	95	101016	38.223	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	76.440%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY061923\
Data File : VY014257.D
Acq On : 20 Jun 2023 03:52
Operator : KP/MD
Sample : 03327-17
Misc : 4.28g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TOTAL-VOC-TW-06-GRAB-6

Quant Time: Jun 20 05:48:10 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060923S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 09 18:07:13 2023
Response via : Initial Calibration

