

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062023\
 Data File : VY014297.D
 Acq On : 20 Jun 2023 20:37
 Operator : KP/MD
 Sample : 03321-01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-25

Quant Time: Jun 21 02:10:10 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060923S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 09 18:07:13 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	8318	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	12763	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	11162	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	4752	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	6335	54.692	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	109.380%
35) Dibromofluoromethane	7.716	113	3382	37.365	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	74.740%
50) Toluene-d8	10.185	98	14884	43.985	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	87.960%
62) 4-Bromofluorobenzene	12.483	95	4447	36.995	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	73.980%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062023\
Data File : VY014297.D
Acq On : 20 Jun 2023 20:37
Operator : KP/MD
Sample : 03321-01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-25

Quant Time: Jun 21 02:10:10 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060923S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 09 18:07:13 2023
Response via : Initial Calibration

