

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062023\
 Data File : VY014317.D
 Acq On : 21 Jun 2023 05:33
 Operator : KP/MD
 Sample : 03329-05
 Misc : 6.66g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 TOTAL-VOC-SW03-0-8-GRAB-6

Quant Time: Jun 21 06:21:26 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060923S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 09 18:07:13 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.807	168	102045	50.000	ug/l	0.02
34) 1,4-Difluorobenzene	8.703	114	167345	50.000	ug/l	0.01
63) Chlorobenzene-d5	11.502	117	157486	50.000	ug/l	0.01
72) 1,4-Dichlorobenzene-d4	13.434	152	61921	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.155	65	81367	57.261	ug/l	0.01
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.520%
35) Dibromofluoromethane	7.728	113	60011	50.567	ug/l	0.01
Spiked Amount	50.000	Range	54 - 147	Recovery	=	101.140%
50) Toluene-d8	10.191	98	204657	46.127	ug/l	0.01
Spiked Amount	50.000	Range	58 - 134	Recovery	=	92.260%
62) 4-Bromofluorobenzene	12.489	95	59952	38.038	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	76.080%
Target Compounds						
29) Tetrahydrofuran	7.368	42	2237	6.691	ug/l	Qvalue # 83

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062023\
Data File : VY014317.D
Acq On : 21 Jun 2023 05:33
Operator : KP/MD
Sample : 03329-05
Misc : 6.66g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 49 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
TOTAL-VOC-SW03-0-8-GRAB-6

Quant Time: Jun 21 06:21:26 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060923S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 09 18:07:13 2023
Response via : Initial Calibration

