

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062223\
 Data File : VY014387.D
 Acq On : 22 Jun 2023 18:22
 Operator : KP/MD
 Sample : 03321-01
 Misc : 5.02g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 WC-25

Quant Time: Jun 23 05:01:02 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060923S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 09 18:07:13 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	135557	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	200917	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	180414	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	83176	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.143	65	79630	42.185	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	84.360%
35) Dibromofluoromethane	7.722	113	62803	44.077	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	88.160%
50) Toluene-d8	10.179	98	236401	44.378	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	88.760%
62) 4-Bromofluorobenzene	12.483	95	70208	37.102	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	74.200%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062223\
Data File : VY014387.D
Acq On : 22 Jun 2023 18:22
Operator : KP/MD
Sample : 03321-01
Misc : 5.02g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
WC-25

Quant Time: Jun 23 05:01:02 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y060923S.M
Quant Title : SW846 8260
QLast Update : Fri Jun 09 18:07:13 2023
Response via : Initial Calibration

