

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062421\
 Data File : VY005203.D
 Acq On : 24 Jun 2021 12:09
 Operator : SY/MD
 Sample : M2829-01
 Misc : 5.39G/5ML/MSVOA_Y/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 15B-STOCKPILE-1

Quant Time: Jun 25 04:33:13 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062221S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 23 07:57:52 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.801	168	228490	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.697	114	362544	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.496	117	344698	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	155093	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	112040	59.089	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	118.180%
35) Dibromofluoromethane	7.728	113	113285	52.983	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	105.960%
50) Toluene-d8	10.185	98	435771	50.964	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	101.920%
62) 4-Bromofluorobenzene	12.483	95	148057	51.963	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	103.920%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062421\
Data File : VY005203.D
Acq On : 24 Jun 2021 12:09
Operator : SY/MD
Sample : M2829-01
Misc : 5.39G/5ML/MSVOA_Y/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
15B-STOCKPILE-1

Quant Time: Jun 25 04:33:13 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062221S.M
Quant Title : SW846 8260
QLast Update : Wed Jun 23 07:57:52 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.801 min Scan# 981
Delta R.T. 0.000 min
Lab File: VY005203.D
Acq: 24 Jun 2021 12:09




Instrument :
MSVOA_Y
ClientSampleId :
15B-STOCKPILE-1


Tgt Ion:168 Resp: 228490
Ion Ratio Lower Upper
168 100
99 45.3 36.2 54.4



#33
1,2-Dichloroethane-d4
Concen: 59.089 ug/l
RT: 8.149 min Scan# 1038
Delta R.T. 0.000 min
Lab File: VY005203.D
Acq: 24 Jun 2021 12:09

Tgt Ion: 65 Resp: 112040
Ion Ratio Lower Upper
65 100
67 54.6 0.0 110.6









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.697 min Scan# 1128
Delta R.T. 0.000 min
Lab File: VY005203.D
Acq: 24 Jun 2021 12:09




Instrument :
MSVOA_Y
ClientSampleId :
15B-STOCKPILE-1


Tgt Ion:114 Resp: 362544
Ion Ratio Lower Upper
114 100
63 17.8 0.0 35.2
88 14.9 0.0 29.4



#35
Dibromofluoromethane
Concen: 52.983 ug/l
RT: 7.728 min Scan# 969
Delta R.T. 0.000 min
Lab File: VY005203.D
Acq: 24 Jun 2021 12:09

Tgt Ion:113 Resp: 113285
Ion Ratio Lower Upper
113 100
111 101.7 82.6 124.0
192 25.8 20.2 30.2









#50
Toluene-d8
Concen: 50.964 ug/l
RT: 10.185 min Scan# 1372
Delta R.T. 0.000 min
Lab File: VY005203.D
Acq: 24 Jun 2021 12:09




Instrument :
MSVOA_Y
ClientSampleId :
15B-STOCKPILE-1


Tgt Ion: 98 Resp: 435771
Ion Ratio Lower Upper
98 100
100 64.3 51.9 77.9



#62
4-Bromofluorobenzene
Concen: 51.963 ug/l
RT: 12.483 min Scan# 1749
Delta R.T. 0.000 min
Lab File: VY005203.D
Acq: 24 Jun 2021 12:09

Tgt Ion: 95 Resp: 148057
Ion Ratio Lower Upper
95 100
174 101.9 0.0 201.6
176 101.6 0.0 197.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.496 min Scan# 1587
Delta R.T. 0.000 min
Lab File: VY005203.D
Acq: 24 Jun 2021 12:09

Instrument :
MSVOA_Y
ClientSampleId :
15B-STOCKPILE-1

Tgt Ion:117 Resp: 344698
Ion Ratio Lower Upper
117 100
82 49.9 40.6 60.8
119 32.5 26.1 39.1



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.428 min Scan# 1904
Delta R.T. 0.000 min
Lab File: VY005203.D
Acq: 24 Jun 2021 12:09

Tgt Ion:152 Resp: 155093
Ion Ratio Lower Upper
152 100
115 52.5 26.3 78.8
150 156.4 0.0 344.2

