

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY062920\
 Data File : VY003016.D
 Acq On : 29 Jun 2020 19:06
 Operator : SY/MD
 Sample : L3148-04
 Misc : 6.64G/5ML/MSVOA Y/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 EPEC-POLYMERS-04

Quant Time: Jun 30 07:14:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y062920S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 30 04:11:35 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	357685	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	567818	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	469662	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.43	152	188149	50.00	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	8.15	65	193236	54.39	ug/l	0.00
Spiked Amount	50.000		Recovery	=	108.78%	
35) Dibromofluoromethane	7.72	113	187054	52.81	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.62%	
50) Toluene-d8	10.18	98	659075	49.94	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.88%	
62) 4-Bromofluorobenzene	12.49	95	168756	36.33	ug/l	0.00
Spiked Amount	50.000		Recovery	=	72.66%	

Target Compounds


						Qvalue
8) Diethyl Ether	3.54	74	2291	1.224	ug/l	98
16) Acetone	3.96	43	70974	84.709	ug/l	97
17) Carbon Disulfide	4.21	76	34791	3.510	ug/l	99
20) Methylene Chloride	4.72	84	69261	13.426	ug/l	93
21) trans-1,2-Dichloroethene	5.23	96	4811	1.371	ug/l	92
25) 2-Butanone	7.00	43	29110	21.872	ug/l	96
27) cis-1,2-Dichloroethene	7.00	96	12320	3.130	ug/l	83
31) Cyclohexane	7.79	56	21215	3.395	ug/l #	70
39) Methylcyclohexane	9.19	83	85711	12.639	ug/l	100
40) Benzene	8.16	78	1049430	70.084	ug/l	100
49) 1,4-Dioxane	9.29	88	13156	478.997	ug/l #	34
52) Toluene	10.25	92	7230086	767.027	ug/l	93
65) Chlorobenzene	11.52	112	8877060	958.558	ug/l	96
67) Ethyl Benzene	11.60	91	1880154	110.975	ug/l	99
68) m/p-Xylenes	11.70	106	1829926	290.210	ug/l	99
69) o-Xylene	12.03	106	12344327	2077.517	ug/l	57
73) Isopropylbenzene	12.33	105	271174	22.022	ug/l	100
79) 2-Chlorotoluene	12.75	91	3730085	451.260	ug/l #	40
82) 4-Chlorotoluene	12.75	91	3730085	433.421	ug/l #	40
84) 1,2,4-Trimethylbenzene	13.13	105	564001	54.169	ug/l	99
86) p-Isopropyltoluene	13.37	119	816141	70.429	ug/l	98
87) 1,3-Dichlorobenzene	13.37	146	7095403	1203.761	ug/l	98
88) 1,4-Dichlorobenzene	13.45	146	4002609	688.648	ug/l	100
91) 1,2-Dichlorobenzene	13.74	146	146289	27.662	ug/l	99
93) 1,2,4-Trichlorobenzene	15.01	180	13051	3.321	ug/l #	90
95) Naphthalene	15.24	128	170807	23.797	ug/l	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY062920\
Data File : VY003016.D
Acq On : 29 Jun 2020 19:06
Operator : SY/MD
Sample : L3148-04
Misc : 6.64G/5ML/MSVOA Y/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
EPEC-POLYMERS-04

Quant Time: Jun 30 07:14:36 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y062920S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 30 04:11:35 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. 0.00 min

Lab File: VY003016.D

Acq: 29 Jun 2020 19:06

Instrument :

MSVOA_Y

ClientSampleId :


EPEC-POLYMERS-04

Tot Ion:168 Resp: 357685

Ion Ratio Lower Upper

168 100

99 50.0 39.2 58.8



Abundance Ion 167.90 (167.60 to 168.60): VY003016.D (-945) (-)

Ion 98.90 (98.60 to 99.60): VY003016.D (-945) (-)

7.80



150000

100000

50000

0

Time-->



#8

Diethyl Ether

Concen: 1.224 ug/l

RT: 3.54 min Scan# 296

Delta R.T. 0.01 min

Lab File: VY003016.D


Acq: 29 Jun 2020 19:06

Tgt Ion: 74 Resp: 2291

Ion Ratio Lower Upper

74 100

45 96.9 49.3 147.9



Abundance Ion 74.00 (73.70 to 74.70): VY003016.D (-246) (-)

Ion 45.00 (44.70 to 45.70): VY003016.D (-246) (-)

3.54

1200

1000

800


600


400

200

0

Time-->





#16

Acetone

Concen: 84.709 ug/l

RT: 3.96 min Scan# 365

Delta R.T. 0.01 min

Lab File: VY003016.D

Acq: 29 Jun 2020 19:06

Instrument :

MSVOA_Y

ClientSampleId :


EPEC-POLYMERS-04

Tot Ion: 43 Resp: 70974

Ion Ratio Lower Upper




43 100

58 32.6 24.7 37.1



Abundance Ion 43.00 (42.70 to 43.70): VY0

Ion 58.00 (57.70 to 58.70): VY0



#17

Carbon Disulfide

Concen: 3.510 ug/l

RT: 4.21 min Scan# 405

Delta R.T. 0.01 min

Lab File: VY003016.D


Acq: 29 Jun 2020 19:06

Tgt Ion: 76 Resp: 34791

Ion Ratio Lower Upper



76 100


78 9.0 7.0 10.6



Abundance Ion 75.90 (75.60 to 76.60): VY0

Ion 77.90 (77.60 to 78.60): VY0






#20
Methvlene Chloride
Concen: 13.426 ug/l
RT: 4.72 min Scan# 490
Delta R.T. 0.00 min
Lab File: VY003016.D
Acq: 29 Jun 2020 19:06

Instrument :
MSVOA_Y
ClientSampleId :
EPEC-POLYMERS-04

Tot Ion:	84	Resp:	69261
Ion	Ratio	Lower	Upper
84	100		
49	119.7	106.8	160.2
51	40.0	32.0	48.0
86	62.8	51.4	77.2






Abundance

Ion 83.90 (83.60 to 84.60): VY0

Ion 48.90 (48.60 to 49.60): VY0


Ion 50.90 (50.60 to 51.60): VY0

Ion 85.90 (85.60 to 86.60): VY0



#21
trans-1,2-Dichloroethene
Concen: 1.371 ug/l
RT: 5.23 min Scan# 573
Delta R.T. -0.00 min
Lab File: VY003016.D
Acq: 29 Jun 2020 19:06

Tgt Ion:	96	Resp:	4811
Ion	Ratio	Lower	Upper
96	100		
61	129.4	112.3	168.5
98	71.9	53.8	80.8






Abundance

Ion 95.90 (95.60 to 96.60): VY0

Ion 60.90 (60.60 to 61.60): VY0

Ion 97.90 (97.60 to 98.60): VY0









#25
2-Butanone
Concen: 21.872 ug/l
RT: 7.00 min Scan# 864
Delta R.T. 0.01 min
Lab File: VY003016.D
Acq: 29 Jun 2020 19:06




Instrument :
MSVOA_Y
ClientSampleId :
EPEC-POLYMERS-04


Tot Ion: 43 Resp: 29110
Ion Ratio Lower Upper
43 100
72 28.7 21.4 32.0



#27
cis-1,2-Dichloroethene
Concen: 3.130 ug/l
RT: 7.00 min Scan# 863
Delta R.T. 0.01 min
Lab File: VY003016.D
Acq: 29 Jun 2020 19:06

Tgt Ion: 96 Resp: 12320
Ion Ratio Lower Upper
96 100
61 121.7 0.0 301.2
98 62.9 0.0 129.0





#31

Cyclohexane

Concen: 3.395 ug/l

RT: 7.79 min Scan# 993

Delta R.T. -0.00 min

Lab File: VY003016.D

Acq: 29 Jun 2020 19:06

Instrument :

MSVOA_Y

ClientSampleId :

EPEC-POLYMERS-04


Tot Ion: 56 Resp: 21215

Ion Ratio Lower Upper

56 100

69 75.5 27.0 40.4#




84 96.9 68.1 102.1



Abundance Ion 56.00 (55.70 to 56.70): VY0

Ion 69.00 (68.70 to 69.70): VY0

Ion 84.00 (83.70 to 84.70): VY0



#33

1,2-Dichloroethane-d4

Concen: 54.394 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. 0.01 min

Lab File: VY003016.D


Acq: 29 Jun 2020 19:06

Tgt Ion: 65 Resp: 193236

Ion Ratio Lower Upper



65 100


67 52.8 0.0 105.6



Abundance Ion 64.90 (64.60 to 65.60): VY0

Ion 66.90 (66.60 to 67.60): VY0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. 0.00 min

Lab File: VY003016.D

Acq: 29 Jun 2020 19:06

Instrument :

MSVOA_Y

ClientSampleId :

EPEC-POLYMERS-04


Tot Ion:114 Resp: 567818

Ion Ratio Lower Upper

114 100

63 19.6 0.0 40.6




88 15.4 0.0 30.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 52.808 ug/l

RT: 7.72 min Scan# 982

Delta R.T. 0.00 min

Lab File: VY003016.D

Acq: 29 Jun 2020 19:06


Tgt Ion:113 Resp: 187054

Ion Ratio Lower Upper

113 100

111 102.9 82.6 123.8



192 23.9 18.1 27.1




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#39
Methvlcvclohexane
Concen: 12.639 ug/l
RT: 9.19 min Scan# 1222
Delta R.T. 0.00 min
Lab File: VY003016.D
Acq: 29 Jun 2020 19:06




Instrument :
MSVOA_Y
ClientSampleId :
EPEC-POLYMERS-04


Tot Ion: 83 Resp: 85711
Ion Ratio Lower Upper
83 100
55 74.6 59.9 89.9
98 48.7 38.7 58.1



#40
Benzene
Concen: 70.084 ug/l
RT: 8.16 min Scan# 1054
Delta R.T. -0.00 min
Lab File: VY003016.D
Acq: 29 Jun 2020 19:06

Tgt Ion: 78 Resp: 1049430
Ion Ratio Lower Upper
78 100
77 24.0 19.2 28.8





#49

1,4-Dioxane

Concen: 478.997 ug/l

RT: 9.29 min Scan# 1239

Delta R.T. -0.01 min

Lab File: VY003016.D

Acq: 29 Jun 2020 19:06

Instrument :

MSVOA_Y

ClientSampleId :

EPEC-POLYMERS-04





Tot Ion: 88 Resp: 13156

Ion Ratio Lower Upper

88 100

43 0.0 28.6 42.8#

58 13.8 56.7 85.1#



#50

Toluene-d8

Concen: 49.945 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. 0.00 min

Lab File: VY003016.D




Acq: 29 Jun 2020 19:06


Tgt Ion: 98 Resp: 659075

Ion Ratio Lower Upper

98 100

100 62.8 51.1 76.7





#52

Toluene

Concen: 767.027 ug/l

RT: 10.25 min Scan# 1396

Delta R.T. 0.01 min

Lab File: VY003016.D

Acq: 29 Jun 2020 19:06

Instrument :

MSVOA_Y

ClientSampleId :





EPEC-POLYMERS-04

Tot Ion: 92 Resp: 7230086

Ion Ratio Lower Upper

92 100

91 165.1 139.6 209.4



#62

4-Bromofluorobenzene

Concen: 36.330 ug/l

RT: 12.49 min Scan# 1763

Delta R.T. 0.01 min

Lab File: VY003016.D

Acq: 29 Jun 2020 19:06




Tgt Ion: 95 Resp: 168756


Ion Ratio Lower Upper

95 100

174 92.8 0.0 184.8

176 91.4 0.0 183.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. 0.00 min
Lab File: VY003016.D
Acq: 29 Jun 2020 19:06




Instrument :
MSVOA_Y
ClientSampleId :
EPEC-POLYMERS-04


Tot Ion:117 Resp: 469662
Ion Ratio Lower Upper
117 100
82 53.7 43.0 64.6
119 32.5 25.8 38.8



#65
Chlorobenzene
Concen: 958.558 ug/l
RT: 11.52 min Scan# 1604
Delta R.T. 0.00 min
Lab File: VY003016.D
Acq: 29 Jun 2020 19:06

Tgt Ion:112 Resp: 8877060
Ion Ratio Lower Upper
112 100
114 34.6 25.7 38.5





#67

Ethyl Benzene

Concen: 110.975 ug/l

RT: 11.60 min Scan# 1617

Delta R.T. 0.01 min

Lab File: VY003016.D

Acq: 29 Jun 2020 19:06

Instrument :

MSVOA_Y

ClientSampleId :





EPEC-POLYMERS-04

Tot Ion: 91 Resp: 1880154

Ion Ratio Lower Upper

91 100

106 30.6 25.0 37.4



#68

m/p-Xylenes

Concen: 290.210 ug/l

RT: 11.70 min Scan# 1635

Delta R.T. 0.01 min

Lab File: VY003016.D




Acq: 29 Jun 2020 19:06


Tgt Ion: 106 Resp: 1829926

Ion Ratio Lower Upper

106 100

91 200.9 161.9 242.9









#69
o-Xylene
Concen: 2077.517 ug/l
RT: 12.03 min Scan# 1689
Delta R.T. 0.01 min
Lab File: VY003016.D
Acq: 29 Jun 2020 19:06




Instrument :
MSVOA_Y
ClientSampleId :
EPEC-POLYMERS-04


Tot Ion:106 Resp:12344327
Ion Ratio Lower Upper
106 100
91 148.2 107.9 323.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.43 min Scan# 1918
Delta R.T. 0.01 min
Lab File: VY003016.D
Acq: 29 Jun 2020 19:06

Tgt Ion:152 Resp: 188149
Ion Ratio Lower Upper
152 100
115 57.6 27.3 81.9
150 379.9 0.0 343.4#





#73

Isopropylbenzene

Concen: 22.022 ug/l

RT: 12.33 min Scan# 1738

Delta R.T. 0.01 min

Lab File: VY003016.D

Acq: 29 Jun 2020 19:06

Instrument :

MSVOA_Y

ClientSampleId :


EPEC-POLYMERS-04

Tot Ion:105 Resp: 271174

Ion Ratio Lower Upper




105 100

120 26.9 13.4 40.1



Abundance Ion 105.00 (104.70 to 105.70): V

Ion 120.00 (119.70 to 120.70): V



#79

2-Chlorotoluene

Concen: 451.260 ug/l

RT: 12.75 min Scan# 1806

Delta R.T. -0.01 min

Lab File: VY003016.D


Acq: 29 Jun 2020 19:06

Tgt Ion: 91 Resp: 3730085

Ion Ratio Lower Upper



91 100


126 0.0 17.1 51.3#



Abundance Ion 91.00 (90.70 to 91.70): VY0

Ion 125.90 (125.60 to 126.60): V





#82

4-Chlorotoluene

Concen: 433.421 ug/l

RT: 12.75 min Scan# 1806

Delta R.T. -0.10 min

Lab File: VY003016.D

Acq: 29 Jun 2020 19:06

Instrument :

MSVOA_Y

ClientSampleId :





EPEC-POLYMERS-04

Tot Ion: 91 Resp: 3730085

Ion Ratio Lower Upper

91 100

126 0.0 17.4 52.3#



#84

1,2,4-Trimethylbenzene

Concen: 54.169 ug/l

RT: 13.13 min Scan# 1868

Delta R.T. 0.01 min

Lab File: VY003016.D




Acq: 29 Jun 2020 19:06


Tgt Ion: 105 Resp: 564001

Ion Ratio Lower Upper

105 100

120 46.0 22.6 67.8









#86
p-Isopropyltoluene
Concen: 70.429 ug/l
RT: 13.37 min Scan# 1908
Delta R.T. 0.00 min
Lab File: VY003016.D
Acq: 29 Jun 2020 19:06




Instrument :
MSVOA_Y
ClientSampleId :
EPEC-POLYMERS-04


Tot Ion	Ratio	Lower	Upper
119	100		
134	27.2	13.5	40.4
91	24.7	11.5	34.5



#87
1,3-Dichlorobenzene
Concen: 1203.761 ug/l
RT: 13.37 min Scan# 1908
Delta R.T. 0.01 min
Lab File: VY003016.D
Acq: 29 Jun 2020 19:06

Tgt Ion	Ratio	Lower	Upper
146	100		
111	38.5	18.8	56.3
148	65.5	31.8	95.3









#88
 1,4-Dichlorobenzene
 Concen: 688.648 ug/l
 RT: 13.45 min Scan# 1921
 Delta R.T. 0.01 min
 Lab File: VY003016.D
 Acq: 29 Jun 2020 19:06




Instrument :
 MSVOA_Y
 ClientSampleId :
 EPEC-POLYMERS-04


Tot Ion:146 Resp: 4002609
 Ion Ratio Lower Upper
 146 100
 111 37.0 18.4 55.4
 148 64.8 32.3 96.9



#91
 1,2-Dichlorobenzene
 Concen: 27.662 ug/l
 RT: 13.74 min Scan# 1969
 Delta R.T. -0.00 min
 Lab File: VY003016.D
 Acq: 29 Jun 2020 19:06

Tgt Ion:146 Resp: 146289
 Ion Ratio Lower Upper
 146 100
 111 38.9 19.1 57.5
 148 64.6 31.8 95.3









#93
 1,2,4-Trichlorobenzene
 Concen: 3.321 ug/l
 RT: 15.01 min Scan# 2177
 Delta R.T. 0.00 min
 Lab File: VY003016.D
 Acq: 29 Jun 2020 19:06

Instrument :
 MSVOA_Y
 ClientSampleId :
 EPEC-POLYMERS-04

Tot Ion:180 Resp: 13051
 Ion Ratio Lower Upper
 180 100
 182 100.5 48.1 144.3
 145 42.3 13.9 41.6#



#95
 Naphthalene
 Concen: 23.797 ug/l
 RT: 15.24 min Scan# 2215
 Delta R.T. 0.01 min
 Lab File: VY003016.D
 Acq: 29 Jun 2020 19:06

Tgt Ion:128 Resp: 170807
 Ion Ratio Lower Upper
 128 100
 127 13.0 10.8 16.2
 129 11.4 8.8 13.2

