

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062922\
 Data File : VY009376.D
 Acq On : 29 Jun 2022 16:31
 Operator : KP/MD
 Sample : N3462-03
 Misc : 4.37g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-8-9-11-20220622

Quant Time: Jun 29 17:45:41 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062822S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 29 17:35:34 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	146709	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	252115	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	240975	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	107387	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	67910	57.792	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	115.580%
35) Dibromofluoromethane	7.709	113	58827	42.395	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	84.800%
50) Toluene-d8	10.172	98	228945	53.815	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	107.620%
62) 4-Bromofluorobenzene	12.477	95	72822	36.092	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	72.180%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062922\
Data File : VY009376.D
Acq On : 29 Jun 2022 16:31
Operator : KP/MD
Sample : N3462-03
Misc : 4.37g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB-8-9-11-20220622

Quant Time: Jun 29 17:45:41 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062822S.M
Quant Title : SW846 8260
QLast Update : Wed Jun 29 17:35:34 2022
Response via : Initial Calibration

