

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062922\
 Data File : VY009384.D
 Acq On : 29 Jun 2022 19:47
 Operator : KP/MD
 Sample : N3488-04
 Misc : 3.85g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-10-0-2-20220623

Quant Time: Jun 30 05:14:03 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062822S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 29 17:35:34 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	144890	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	246584	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	234309	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	107213	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.137	65	65450	56.398	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	112.800%
35) Dibromofluoromethane	7.710	113	56583	41.693	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	83.380%
50) Toluene-d8	10.179	98	221133	53.144	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	106.280%
62) 4-Bromofluorobenzene	12.477	95	71843	36.405	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	72.820%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY062922\
Data File : VY009384.D
Acq On : 29 Jun 2022 19:47
Operator : KP/MD
Sample : N3488-04
Misc : 3.85g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB-10-0-2-20220623

Quant Time: Jun 30 05:14:03 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062822S.M
Quant Title : SW846 8260
QLast Update : Wed Jun 29 17:35:34 2022
Response via : Initial Calibration

