

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY063022\
 Data File : VY009391.D
 Acq On : 30 Jun 2022 14:00
 Operator : KP/MD
 Sample : VY0630SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0630SBL01

Quant Time: Jul 01 03:46:44 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062822S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 29 17:35:34 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	147028	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	253505	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	233674	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	103191	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.137	65	65075	55.259	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.520%
35) Dibromofluoromethane	7.710	113	59872	42.912	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	85.820%
50) Toluene-d8	10.179	98	227193	53.110	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	106.220%
62) 4-Bromofluorobenzene	12.477	95	70884	34.939	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	69.880%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY063022\
Data File : VY009391.D
Acq On : 30 Jun 2022 14:00
Operator : KP/MD
Sample : VY0630SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0630SBL01

Quant Time: Jul 01 03:46:44 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062822S.M
Quant Title : SW846 8260
QLast Update : Wed Jun 29 17:35:34 2022
Response via : Initial Calibration

