

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070122\
 Data File : VY009424.D
 Acq On : 01 Jul 2022 15:54
 Operator : KP/MD
 Sample : N3434-04
 Misc : 6.12g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 B2204-35

Quant Time: Jul 05 02:46:33 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062822S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 29 17:35:34 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	86189	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	148082	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.483	117	138223	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	61992	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	38487	55.751	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	111.500%
35) Dibromofluoromethane	7.710	113	35592	43.671	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	87.340%
50) Toluene-d8	10.173	98	129596	51.863	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	103.720%
62) 4-Bromofluorobenzene	12.477	95	39670	33.474	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	66.940%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070122\
Data File : VY009424.D
Acq On : 01 Jul 2022 15:54
Operator : KP/MD
Sample : N3434-04
Misc : 6.12g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
B2204-35

Quant Time: Jul 05 02:46:33 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062822S.M
Quant Title : SW846 8260
QLast Update : Wed Jun 29 17:35:34 2022
Response via : Initial Calibration

