

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY070220\
 Data File : VY003076.D
 Acq On : 02 Jul 2020 11:11
 Operator : SY/MD
 Sample : VY0702SBL01
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0702SBL01

Quant Time: Jul 03 02:51:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y062920S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 30 04:11:35 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	422786	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	626151	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	570729	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	299978	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	208251	49.59	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.18%	
35) Dibromofluoromethane	7.72	113	199847	51.16	ug/l	0.00
Spiked Amount	50.000		Recovery	=	102.32%	
50) Toluene-d8	10.18	98	752416	51.71	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.42%	
62) 4-Bromofluorobenzene	12.48	95	262921	51.33	ug/l	0.00
Spiked Amount	50.000		Recovery	=	102.66%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY070220\
Data File : VY003076.D
Acq On : 02 Jul 2020 11:11
Operator : SY/MD
Sample : VY0702SBL01
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0702SBL01

Quant Time: Jul 03 02:51:41 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y062920S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 30 04:11:35 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. -0.00 min

Lab File: VY003076.D

Acq: 02 Jul 2020 11:11

Instrument :

MSVOA_Y

ClientSampleId :


VY0702SBL01

Tot Ion:168 Resp: 422786

Ion Ratio Lower Upper

168 100

99 49.8 39.2 58.8



Abundance Ion 167.90 (167.60 to 168.60): VY003002.D (-983) (-)

Ion 98.90 (98.60 to 99.60): VY003002.D (-983) (-)

7.80

200000



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 49.594 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. 0.01 min

Lab File: VY003076.D


Acq: 02 Jul 2020 11:11

Tgt Ion: 65 Resp: 208251

Ion Ratio Lower Upper

65 100

67 53.9 0.0 105.6



Abundance Ion 64.90 (64.60 to 65.60): VY003002.D (-1040) (-)

Ion 66.90 (66.60 to 67.60): VY003002.D (-1040) (-)

8.15

100000

80000


60000


40000

20000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.69 min Scan# 1141
 Delta R.T. -0.00 min
 Lab File: VY003076.D
 Acq: 02 Jul 2020 11:11




Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0702SBL01


Tot Ion	Ratio	Lower	Upper
114	100		
63	19.4	0.0	40.6
88	14.7	0.0	30.0



#35
 Dibromofluoromethane
 Concen: 51.164 ug/l
 RT: 7.72 min Scan# 982
 Delta R.T. -0.00 min
 Lab File: VY003076.D
 Acq: 02 Jul 2020 11:11

Tgt Ion	Ratio	Lower	Upper
113	100		
111	104.8	82.6	123.8
192	23.3	18.1	27.1





#50

Toluene-d8

Concen: 51.706 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.00 min

Lab File: VY003076.D

Acq: 02 Jul 2020 11:11

Instrument :

MSVOA_Y

ClientSampleId :


VY0702SBL01

Tot Ion: 98 Resp: 752416

Ion Ratio Lower Upper




98 100

100 63.7 51.1 76.7



Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY



#62

4-Bromofluorobenzene

Concen: 51.329 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.00 min

Lab File: VY003076.D

Acq: 02 Jul 2020 11:11


Tgt Ion: 95 Resp: 262921

Ion Ratio Lower Upper

95 100

174 93.8 0.0 184.8



176 91.0 0.0 183.0




Abundance Ion 94.90 (94.60 to 95.60): VY0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.00 min
Lab File: VY003076.D
Acq: 02 Jul 2020 11:11

Instrument :
MSVOA_Y
ClientSampleId :
VY0702SBL01

Tot Ion:117 Resp: 570729
Ion Ratio Lower Upper
117 100
82 53.3 43.0 64.6
119 31.7 25.8 38.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.00 min
Lab File: VY003076.D
Acq: 02 Jul 2020 11:11

Tgt Ion:152 Resp: 299978
Ion Ratio Lower Upper
152 100
115 54.1 27.3 81.9
150 155.4 0.0 343.4

