

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY070220\
 Data File : VY003094.D
 Acq On : 02 Jul 2020 18:46
 Operator : SY/MD
 Sample : L3211-02
 Misc : 9.24G/5ML/MSVOA Y/SOIL
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 SB-2 11-11.5

Quant Time: Jul 03 04:23:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y062920S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 30 04:11:35 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	288533	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	454140	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	431235	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	216421	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.15	65	147874	51.60	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.20%	
35) Dibromofluoromethane	7.72	113	149131	52.64	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.28%	
50) Toluene-d8	10.18	98	544926	51.63	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.26%	
62) 4-Bromofluorobenzene	12.48	95	191569	51.57	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.14%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY070220\
Data File : VY003094.D
Acq On : 02 Jul 2020 18:46
Operator : SY/MD
Sample : L3211-02
Misc : 9.24G/5ML/MSVOA Y/SOIL
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
SB-2_11-11.5

Quant Time: Jul 03 04:23:37 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y062920S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 30 04:11:35 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. -0.00 min

Lab File: VY003094.D

Acq: 02 Jul 2020 18:46

Instrument :

MSVOA_Y

ClientSampleId :


SB-2_11-11.5

Tot Ion:168 Resp: 288533

Ion Ratio Lower Upper

168 100

99 49.7 39.2 58.8



Abundance Ion 167.90 (167.60 to 168.60): VY003002.D (-983) (-)

Ion 98.90 (98.60 to 99.60): VY003094.D (-945) (-)

7.80



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 51.601 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. 0.01 min

Lab File: VY003094.D


Acq: 02 Jul 2020 18:46

Tgt Ion: 65 Resp: 147874

Ion Ratio Lower Upper

65 100

67 52.9 0.0 105.6



Abundance Ion 64.90 (64.60 to 65.60): VY003002.D (-1040) (-)

Ion 66.90 (66.60 to 67.60): VY003094.D (-1002) (-)

8.15


60000


40000

20000

0

Time-->





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.69 min Scan# 1141

Delta R.T. -0.00 min

Lab File: VY003094.D

Acq: 02 Jul 2020 18:46

Instrument :

MSVOA_Y

ClientSampleId :

SB-2_11-11.5


Tot Ion:114 Resp: 454140

Ion Ratio Lower Upper

114 100

63 20.3 0.0 40.6




88 14.9 0.0 30.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VY0

Ion 87.90 (87.60 to 88.60): VY0



#35

Dibromofluoromethane

Concen: 52.641 ug/l

RT: 7.72 min Scan# 982

Delta R.T. -0.00 min

Lab File: VY003094.D

Acq: 02 Jul 2020 18:46


Tgt Ion:113 Resp: 149131

Ion Ratio Lower Upper

113 100

111 102.1 82.6 123.8



192 23.0 18.1 27.1




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 51.631 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. -0.00 min

Lab File: VY003094.D

Acq: 02 Jul 2020 18:46

Instrument :

MSVOA_Y

ClientSampleId :


SB-2_11-11.5

Tot Ion: 98 Resp: 544926

Ion Ratio Lower Upper


98 100

100 63.9 51.1 76.7





Abundance Ion 98.00 (97.70 to 98.70): VY0

Ion 100.00 (99.70 to 100.70): VY



Time-->



#62

4-Bromofluorobenzene

Concen: 51.565 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. -0.00 min

Lab File: VY003094.D

Acq: 02 Jul 2020 18:46


Tgt Ion: 95 Resp: 191569

Ion Ratio Lower Upper

95 100

174 94.6 0.0 184.8


176 92.0 0.0 183.0




Abundance Ion 94.90 (94.60 to 95.60): VY0


Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V



Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. -0.00 min
Lab File: VY003094.D
Acq: 02 Jul 2020 18:46

Instrument :
MSVOA_Y
ClientSampleId :
SB-2_11-11.5

Tot Ion	Ratio	Lower	Upper
117	100		
82	50.4	43.0	64.6
119	31.2	25.8	38.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. -0.00 min
Lab File: VY003094.D
Acq: 02 Jul 2020 18:46

Tgt Ion	Ratio	Lower	Upper
152	100		
115	55.3	27.3	81.9
150	156.6	0.0	343.4

