

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070721\
 Data File : VY005378.D
 Acq On : 07 Jul 2021 20:23
 Operator : SY/MD
 Sample : M2944-01
 Misc : 3.66G/5ML/MSVOA_Y/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 BU-03-070621

Quant Time: Jul 08 02:08:09 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062221S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 23 07:57:52 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.795	168	233833	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.691	114	358226	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	374337	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.428	152	210702	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.149	65	92621	47.731	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	95.460%
35) Dibromofluoromethane	7.722	113	104487	49.458	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	98.920%
50) Toluene-d8	10.185	98	419965	49.708	ug/l	0.00
Spiked Amount	50.000	Range	49 - 140	Recovery	=	99.420%
62) 4-Bromofluorobenzene	12.483	95	153425	54.496	ug/l	0.00
Spiked Amount	50.000	Range	25 - 144	Recovery	=	109.000%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY070721\
Data File : VY005378.D
Acq On : 07 Jul 2021 20:23
Operator : SY/MD
Sample : M2944-01
Misc : 3.66G/5ML/MSVOA_Y/SOIL
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
BU-03-070621

Quant Time: Jul 08 02:08:09 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y062221S.M
Quant Title : SW846 8260
QLast Update : Wed Jun 23 07:57:52 2021
Response via : Initial Calibration

