

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv070820\
 Data File : VY003139.D
 Acq On : 08 Jul 2020 16:38
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 09 03:33:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y062920S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 30 04:11:35 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	80	0.00
2 T	Dichlorodifluoromethane	0.379	0.335	11.6	71	0.00
3 P	Chloromethane	0.555	0.483	13.0	78	0.00
4 C	Vinyl Chloride	0.541	0.509	5.9#	76	0.00
5 T	Bromomethane	0.367	0.394	-7.4	90	0.00
6 T	Chloroethane	0.344	0.341	0.9	81	0.00
7 T	Trichlorofluoromethane	0.763	0.758	0.7	79	0.00
8 T	Diethyl Ether	0.262	0.257	1.9	79	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.456	0.463	-1.5	82	0.00
10 T	Methyl Iodide	0.565	0.452	20.0	62	0.00
11 T	Tert butyl alcohol	0.051	0.033	35.3#	54	0.01
12 CM	1,1-Dichloroethene	0.434	0.430	0.9#	80	0.00
13 T	Acrolein	0.045	0.040	11.1	76	0.00
14 T	Allyl chloride	0.757	0.632	16.5	68	0.00
15 T	Acrylonitrile	0.135	0.118	12.6	69	0.00
16 T	Acetone	0.117	0.084	28.2#	54	0.00
17 T	Carbon Disulfide	1.386	1.256	9.4	73	0.00
18 T	Methyl Acetate	0.316	0.269	14.9	69	0.00
19 T	Methyl tert-butyl Ether	1.264	1.246	1.4	78	0.00
20 T	Methylene Chloride	0.654	0.556	15.0	85	0.00
21 T	trans-1,2-Dichloroethene	0.491	0.491	0.0	82	0.00
22 T	Diisopropyl ether	1.623	1.459	10.1	73	0.00
23 T	Vinyl Acetate	1.085	0.972	10.4	70	0.00
24 P	1,1-Dichloroethane	0.887	0.852	3.9	78	0.00
25 T	2-Butanone	0.186	0.144	22.6	60	0.00
26 T	2,2-Dichloropropane	0.806	0.756	6.2	77	0.00
27 T	cis-1,2-Dichloroethene	0.550	0.554	-0.7	82	0.00
28 T	Bromochloromethane	0.394	0.393	0.3	76	0.00
29 T	Tetrahydrofuran	0.124	0.101	18.5	64	0.00
30 C	Chloroform	0.878	0.881	-0.3#	81	0.00
31 T	Cyclohexane	0.873	0.733	16.0	71	0.00
32 T	1,1,1-Trichloroethane	0.802	0.790	1.5	80	0.00
33 S	1,2-Dichloroethane-d4	0.497	0.468	5.8	73	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	78	0.00
35 S	Dibromofluoromethane	0.312	0.339	-8.7	82	0.00
36 T	1,1-Dichloropropene	0.482	0.480	0.4	78	0.00
37 T	Ethyl Acetate	0.290	0.275	5.2	72	0.00
38 T	Carbon Tetrachloride	0.501	0.506	-1.0	79	0.00
39 T	Methylcyclohexane	0.597	0.592	0.8	77	0.00
40 TM	Benzene	1.319	1.338	-1.4	80	0.00
41 T	Methacrylonitrile	0.155	0.127	18.1	55	-0.02
42 TM	1,2-Dichloroethane	0.417	0.405	2.9	75	0.00
43 T	Isopropyl Acetate	0.551	0.501	9.1	69	0.00
44 TM	Trichloroethene	0.383	0.415	-8.4	85	0.00
45 C	1,2-Dichloropropane	0.355	0.350	1.4#	78	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv070820\
 Data File : VY003139.D
 Acq On : 08 Jul 2020 16:38
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA Y/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 09 03:33:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y062920S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 30 04:11:35 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.198	0.209	-5.6	83	0.00
47 T	Bromodichloromethane	0.485	0.502	-3.5	81	0.00
48 T	Methyl methacrylate	0.251	0.230	8.4	70	0.00
49 T	1,4-Dioxane	0.002	0.002	0.0	56	0.02
50 S	Toluene-d8	1.162	1.224	-5.3	79	0.00
51 T	4-Methyl-2-Pentanone	0.285	0.268	6.0	71	0.00
52 CM	Toluene	0.830	0.859	-3.5#	82	0.00
53 T	t-1,3-Dichloropropene	0.509	0.511	-0.4	78	0.00
54 T	cis-1,3-Dichloropropene	0.582	0.587	-0.9	78	0.00
55 T	1,1,2-Trichloroethane	0.275	0.293	-6.5	82	0.00
56 T	Ethyl methacrylate	0.399	0.413	-3.5	78	0.00
57 T	1,3-Dichloropropane	0.483	0.495	-2.5	80	0.00
58 T	2-Chloroethyl Vinyl ether	0.204	0.210	-2.9	74	0.00
59 T	2-Hexanone	0.199	0.185	7.0	70	0.00
60 T	Dibromochloromethane	0.352	0.386	-9.7	85	0.00
61 T	1,2-Dibromoethane	0.271	0.292	-7.7	84	0.00
62 S	4-Bromofluorobenzene	0.409	0.433	-5.9	79	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	81	0.00
64 T	Tetrachloroethene	0.423	0.513	-21.3	97	0.00
65 PM	Chlorobenzene	0.986	1.022	-3.7	84	0.00
66 T	1,1,1,2-Tetrachloroethane	0.385	0.409	-6.2	85	0.00
67 C	Ethyl Benzene	1.804	1.840	-2.0#	83	0.00
68 T	m/p-Xylenes	0.671	0.696	-3.7	83	0.00
69 T	o-Xylene	0.633	0.656	-3.6	83	0.00
70 T	Styrene	1.081	1.148	-6.2	84	0.00
71 P	Bromoform	0.257	0.270	-5.1	82	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	80	0.00
73 T	Isopropylbenzene	3.272	3.354	-2.5	83	0.00
74 T	N-amyl acetate	1.065	0.976	8.4	72	0.00
75 P	1,1,2,2-Tetrachloroethane	0.660	0.656	0.6	80	0.00
76 T	1,2,3-Trichloropropane	0.495	0.494	0.2	79	0.00
77 T	Bromobenzene	0.839	0.885	-5.5	86	0.00
78 T	n-propylbenzene	3.935	3.996	-1.6	82	0.00
79 T	2-Chlorotoluene	2.197	2.200	-0.1	82	0.00
80 T	1,3,5-Trimethylbenzene	2.746	2.794	-1.7	82	0.00
81 T	trans-1,4-Dichloro-2-butene	0.254	0.253	0.4	78	0.00
82 T	4-Chlorotoluene	2.287	2.320	-1.4	82	0.00
83 T	tert-Butylbenzene	2.411	2.459	-2.0	82	0.00
84 T	1,2,4-Trimethylbenzene	2.767	2.837	-2.5	83	0.00
85 T	sec-Butylbenzene	3.323	3.421	-2.9	83	0.00
86 T	p-Isopropyltoluene	3.079	3.150	-2.3	82	0.00
87 T	1,3-Dichlorobenzene	1.566	1.647	-5.2	85	0.00
88 T	1,4-Dichlorobenzene	1.545	1.614	-4.5	84	0.00
89 T	n-Butylbenzene	2.946	3.005	-2.0	81	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA Y\Data\vv070820\
Data File : VY003139.D
Acq On : 08 Jul 2020 16:38
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA Y/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Jul 09 03:33:51 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y062920S.M
Quant Title : SW846 8260
QLast Update : Tue Jun 30 04:11:35 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.611	0.601	1.6	79	0.00
91 T	1,2-Dichlorobenzene	1.405	1.467	-4.4	83	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.117	0.119	-1.7	79	0.00
93 T	1,2,4-Trichlorobenzene	1.044	1.079	-3.4	83	0.00
94 T	Hexachlorobutadiene	0.659	0.655	0.6	80	0.00
95 T	Naphthalene	1.907	2.047	-7.3	83	0.00
96 T	1,2,3-Trichlorobenzene	0.907	0.922	-1.7	80	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6