

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071423\
 Data File : VY014643.D
 Acq On : 14 Jul 2023 13:27
 Operator : SY/MD
 Sample : 03572-01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 LOD-MDL-SOIL-01-QT3-2023

Quant Time: Jul 14 23:08:31 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071323S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 14 02:09:50 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	275584	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	466873	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	408434	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	198066	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	165495	52.699	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 105.400%	
35) Dibromofluoromethane	7.710	113	152955	51.465	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 102.940%	
50) Toluene-d8	10.179	98	541846	49.451	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 98.900%	
62) 4-Bromofluorobenzene	12.477	95	202106	48.105	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 96.200%	

Target Compounds				Qvalue		
2) Dichlorodifluoromethane	1.900	85	9985	4.447	ug/l	89
3) Chloromethane	2.107	50	11876	4.706	ug/l	97
4) Vinyl Chloride	2.241	62	13208	4.683	ug/l	97
5) Bromomethane	2.631	94	10388	5.573	ug/l	97
6) Chloroethane	2.784	64	8600	4.881	ug/l	96
7) Trichlorofluoromethane	3.113	101	20076	4.238	ug/l	95
8) Diethyl Ether	3.521	74	7919	4.493	ug/l	86
9) 1,1,2-Trichlorotrifluo...	3.887	101	11981	4.126	ug/l	95
10) Methyl Iodide	4.082	142	9958	5.451	ug/l	96
11) Tert butyl alcohol	4.923	59	38768	47.404	ug/l	98
12) 1,1-Dichloroethene	3.863	96	11671	4.301	ug/l	83
13) Acrolein	3.722	56	4642	14.142	ug/l	91
14) Allyl chloride	4.466	41	20474	4.249	ug/l	97
15) Acrylonitrile	5.155	53	23750	24.435	ug/l	98
16) Acetone	3.942	43	23720	23.836	ug/l #	88
17) Carbon Disulfide	4.186	76	29482	3.795	ug/l	96
18) Methyl Acetate	4.472	43	22984	6.018	ug/l	96
19) Methyl tert-butyl Ether	5.216	73	41185	4.672	ug/l	95
20) Methylene Chloride	4.710	84	25381	3.963	ug/l	90
21) trans-1,2-Dichloroethene	5.204	96	13160	4.273	ug/l #	86
22) Diisopropyl ether	6.112	45	42243	4.312	ug/l	99
23) Vinyl Acetate	6.051	43	115905	19.771	ug/l	95
24) 1,1-Dichloroethane	6.009	63	23961	4.275	ug/l	97
25) 2-Butanone	6.978	43	37693	25.890	ug/l	100
26) 2,2-Dichloropropane	6.978	77	26062	4.878	ug/l	95
27) cis-1,2-Dichloroethene	6.978	96	15637	4.362	ug/l	95
28) Bromochloromethane	7.325	49	9554	3.958	ug/l	97
29) Tetrahydrofuran	7.344	42	23092	25.759	ug/l	92
30) Chloroform	7.496	83	25251	4.368	ug/l	96
31) Cyclohexane	7.783	56	24907	4.778	ug/l #	66
32) 1,1,1-Trichloroethane	7.691	97	21976	4.224	ug/l	99
36) 1,1-Dichloropropene	7.911	75	18272	4.111	ug/l	96
37) Ethyl Acetate	7.069	43	14813	4.841	ug/l #	91
38) Carbon Tetrachloride	7.899	117	19339	4.116	ug/l	99
39) Methylcyclohexane	9.179	83	22158	3.827	ug/l	97
40) Benzene	8.155	78	52724	4.171	ug/l	100

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071423\
 Data File : VY014643.D
 Acq On : 14 Jul 2023 13:27
 Operator : SY/MD
 Sample : 03572-01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 LOD-MDL-SOIL-01-QT3-2023

Quant Time: Jul 14 23:08:31 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071323S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 14 02:09:50 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.350	41	19774	12.563	ug/l #	28
42) 1,2-Dichloroethane	8.228	62	17674	4.415	ug/l	92
43) Isopropyl Acetate	8.270	43	26618	4.566	ug/l #	96
44) Trichloroethene	8.935	130	15258	4.314	ug/l	99
45) 1,2-Dichloropropane	9.209	63	13746	4.165	ug/l	99
46) Dibromomethane	9.301	93	8641	4.315	ug/l	97
47) Bromodichloromethane	9.490	83	20066	4.252	ug/l	93
48) Methyl methacrylate	9.289	41	11285	4.302	ug/l	91
49) 1,4-Dioxane	9.295	88	3230	98.926	ug/l #	45
51) 4-Methyl-2-Pentanone	10.069	43	70436	23.014	ug/l	94
52) Toluene	10.240	92	34573	4.274	ug/l	94
53) t-1,3-Dichloropropene	10.459	75	22216	4.304	ug/l	94
54) cis-1,3-Dichloropropene	9.923	75	23496	4.185	ug/l	97
55) 1,1,2-Trichloroethane	10.642	97	12879	4.617	ug/l	92
56) Ethyl methacrylate	10.508	69	19232	4.516	ug/l	89
57) 1,3-Dichloropropane	10.788	76	20498	4.261	ug/l	98
58) 2-Chloroethyl Vinyl ether	9.776	63	44892	22.623	ug/l	92
59) 2-Hexanone	10.831	43	50308	22.540	ug/l	90
60) Dibromochloromethane	10.977	129	14425	4.218	ug/l	96
61) 1,2-Dibromoethane	11.087	107	11972	4.303	ug/l	98
64) Tetrachloroethene	10.715	164	14920	4.542	ug/l	94
65) Chlorobenzene	11.514	112	36993	4.250	ug/l	99
66) 1,1,1,2-Tetrachloroethane	11.587	131	14121	4.303	ug/l	95
67) Ethyl Benzene	11.587	91	66784	4.250	ug/l	99
68) m/p-Xylenes	11.697	106	51267	8.546	ug/l	96
69) o-Xylene	12.026	106	24995	4.278	ug/l	99
70) Styrene	12.038	104	42465	4.312	ug/l	97
71) Bromoform	12.203	173	9800	4.406	ug/l #	98
73) Isopropylbenzene	12.325	105	63930	4.122	ug/l	99
74) N-amyl acetate	12.142	43	22931	4.415	ug/l	94
75) 1,1,2,2-Tetrachloroethane	12.575	83	15408	4.357	ug/l	91
76) 1,2,3-Trichloropropane	12.629	75	21515	8.601	ug/l #	100
77) Bromobenzene	12.605	156	15539	4.389	ug/l	92
78) n-propylbenzene	12.666	91	76243	4.080	ug/l	98
79) 2-Chlorotoluene	12.751	91	44626	4.146	ug/l	100
80) 1,3,5-Trimethylbenzene	12.812	105	54965	4.244	ug/l	100
81) trans-1,4-Dichloro-2-b...	12.373	75	5698	4.410	ug/l	92
82) 4-Chlorotoluene	12.849	91	46142	4.162	ug/l	100
83) tert-Butylbenzene	13.068	119	47750	4.156	ug/l	99
84) 1,2,4-Trimethylbenzene	13.117	105	54765	4.309	ug/l	98
85) sec-Butylbenzene	13.251	105	68865	4.086	ug/l	98
86) p-Isopropyltoluene	13.367	119	57574	4.184	ug/l	99
87) 1,3-Dichlorobenzene	13.361	146	30474	4.423	ug/l	97
88) 1,4-Dichlorobenzene	13.440	146	30773	4.457	ug/l	93
89) n-Butylbenzene	13.696	91	53994	4.033	ug/l	98
90) Hexachloroethane	13.958	117	11815	4.180	ug/l	85
91) 1,2-Dichlorobenzene	13.733	146	28312	4.485	ug/l	97
92) 1,2-Dibromo-3-Chloropr...	14.355	75	3181	4.703	ug/l	92
93) 1,2,4-Trichlorobenzene	15.007	180	17188	4.289	ug/l	98
94) Hexachlorobutadiene	15.111	225	8913	4.048	ug/l	99
95) Naphthalene	15.233	128	41844	4.482	ug/l	99
96) 1,2,3-Trichlorobenzene	15.422	180	15604	4.382	ug/l	98


Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071423\
Data File : VY014643.D
Acq On : 14 Jul 2023 13:27
Operator : SY/MD
Sample : 03572-01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023

Quant Time: Jul 14 23:08:31 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071323S.M
Quant Title : SW846 8260
QLast Update : Fri Jul 14 02:09:50 2023
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.783 min Scan# 91

Delta R.T. -0.006 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :





LOD-MDL-SOIL-01-QT3-2023

Tgt Ion:168 Resp: 275584

Ion Ratio Lower Upper

168 100

99 57.2 43.4 65.0



#2

Dichlorodifluoromethane

Concen: 4.447 ug/l

RT: 1.900 min Scan# 13

Delta R.T. -0.000 min

Lab File: VY014643.D




Acq: 14 Jul 2023 13:27


Tgt Ion: 85 Resp: 9985

Ion Ratio Lower Upper

85 100

87 37.0 15.6 46.8









#3
Chloromethane
Concen: 4.706 ug/l
RT: 2.107 min Scan# 41
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 50 Resp: 11876
Ion Ratio Lower Upper
50 100
52 33.4 25.4 38.2



#4
Vinyl Chloride
Concen: 4.683 ug/l
RT: 2.241 min Scan# 69
Delta R.T. -0.006 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 62 Resp: 13208
Ion Ratio Lower Upper
62 100
64 31.8 24.3 36.5









#5
Bromomethane
Concen: 5.573 ug/l
RT: 2.631 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 94 Resp: 10388
Ion Ratio Lower Upper
94 100
96 92.1 75.8 113.6



#6
Chloroethane
Concen: 4.881 ug/l
RT: 2.784 min Scan# 158
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 64 Resp: 8600
Ion Ratio Lower Upper
64 100
66 32.9 24.4 36.6









#7
 Trichlorofluoromethane
 Concen: 4.238 ug/l
 RT: 3.113 min Scan# 212
 Delta R.T. -0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27




Instrument : MSVOA_Y
 ClientSampleId : LOD-MDL-SOIL-01-QT3-2023


Tgt Ion:101 Resp: 20076
 Ion Ratio Lower Upper
 101 100
 103 68.0 51.4 77.0



#8
 Diethyl Ether
 Concen: 4.493 ug/l
 RT: 3.521 min Scan# 279
 Delta R.T. 0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27

Tgt Ion: 74 Resp: 7919
 Ion Ratio Lower Upper
 74 100
 45 88.8 51.5 154.5









#9
 1,1,2-Trichlorotrifluoroethane
 Concen: 4.126 ug/l
 RT: 3.887 min Scan# 339
 Delta R.T. 0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27




Instrument :
 MSVOA_Y
 ClientSampleId :
 LOD-MDL-SOIL-01-QT3-2023


Tgt Ion:101 Resp: 11981
 Ion Ratio Lower Upper
 101 100
 85 46.3 36.6 55.0
 151 76.6 67.0 100.6



#10
 Methyl Iodide
 Concen: 5.451 ug/l
 RT: 4.082 min Scan# 371
 Delta R.T. 0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27


Tgt Ion:142 Resp: 9958
 Ion Ratio Lower Upper
 142 100
 127 43.8 37.6 56.4
 141 14.2 11.8 17.8








#11
Tert butyl alcohol
Concen: 47.404 ug/l
RT: 4.923 min Scan# 509
Delta R.T. -0.025 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023







Tgt Ion: 59 Resp: 38768
Ion Ratio Lower Upper
59 100
57 3.1 3.0 4.4



#12
1,1-Dichloroethene
Concen: 4.301 ug/l
RT: 3.863 min Scan# 335
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 96 Resp: 11671
Ion Ratio Lower Upper
96 100
61 141.4 136.4 204.6
98 58.1 49.4 74.2





#13

Acrolein

Concen: 14.142 ug/l

RT: 3.722 min Scan# 312

Delta R.T. -0.001 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :





LOD-MDL-SOIL-01-QT3-2023

Tgt Ion: 56 Resp: 4642

Ion Ratio Lower Upper

56 100

55 64.1 57.0 85.4



#14

Allyl chloride

Concen: 4.249 ug/l

RT: 4.466 min Scan# 434

Delta R.T. 0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27




Tgt Ion: 41 Resp: 20474


Ion Ratio Lower Upper

41 100

39 69.7 58.0 87.0

76 36.0 27.4 41.2









#15
Acrylonitrile
Concen: 24.435 ug/l
RT: 5.155 min Scan# 547
Delta R.T. 0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 53	Resp: 23750
Ion Ratio	Lower Upper
53 100	
52 81.4	66.9 100.3
51 37.3	29.8 44.6



#16
Acetone
Concen: 23.836 ug/l
RT: 3.942 min Scan# 348
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 43	Resp: 23720
Ion Ratio	Lower Upper
43 100	
58 34.9	22.7 34.1#









#17
Carbon Disulfide
Concen: 3.795 ug/l
RT: 4.186 min Scan# 311
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument : MSVOA_Y
ClientSampleId : LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 76 Resp: 29482
Ion Ratio Lower Upper
76 100
78 10.0 7.0 10.4



#18
Methyl Acetate
Concen: 6.018 ug/l
RT: 4.472 min Scan# 435
Delta R.T. 0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 43 Resp: 22984
Ion Ratio Lower Upper
43 100
74 23.5 17.4 26.0









#19
Methyl tert-butyl Ether
Concen: 4.672 ug/l
RT: 5.216 min Scan# 51
Delta R.T. 0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 73 Resp: 41185
Ion Ratio Lower Upper
73 100
57 24.0 17.3 25.9



#20
Methylene Chloride
Concen: 3.963 ug/l
RT: 4.710 min Scan# 474
Delta R.T. 0.006 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 84 Resp: 25381
Ion Ratio Lower Upper
84 100
49 118.4 106.9 160.3
51 34.0 33.2 49.8
86 61.9 51.0 76.6









#21
trans-1,2-Dichloroethene
Concen: 4.273 ug/l
RT: 5.204 min Scan# 511
Delta R.T. -0.006 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 96 Resp: 13160
Ion Ratio Lower Upper
96 100
61 122.6 110.2 165.4
98 51.1 51.8 77.6#



#22
Diisopropyl ether
Concen: 4.312 ug/l
RT: 6.112 min Scan# 704
Delta R.T. 0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 45 Resp: 42243
Ion Ratio Lower Upper
45 100
43 65.0 52.2 78.4
87 26.5 21.0 31.6
59 10.1 8.9 13.3









#23
 Vinyl Acetate
 Concen: 19.771 ug/l
 RT: 6.051 min Scan# 694
 Delta R.T. 0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27




Instrument :
 MSVOA_Y
 ClientSampleId :
 LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 43 Resp: 115905
 Ion Ratio Lower Upper
 43 100
 86 11.2 7.5 11.3



#24
 1,1-Dichloroethane
 Concen: 4.275 ug/l
 RT: 6.009 min Scan# 687
 Delta R.T. -0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27

Tgt Ion: 63 Resp: 23961
 Ion Ratio Lower Upper
 63 100
 98 7.8 3.1 9.4
 100 4.0 1.8 5.5





#25

2-Butanone

Concen: 25.890 ug/l

RT: 6.978 min Scan# 846

Delta R.T. 0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :





LOD-MDL-SOIL-01-QT3-2023

Tgt Ion: 43 Resp: 37693

Ion Ratio Lower Upper

43 100

72 25.7 20.5 30.7



#26

2,2-Dichloropropane

Concen: 4.878 ug/l

RT: 6.978 min Scan# 846

Delta R.T. 0.000 min

Lab File: VY014643.D




Acq: 14 Jul 2023 13:27


Tgt Ion: 77 Resp: 26062

Ion Ratio Lower Upper

77 100

97 19.3 10.9 32.9









#27
 cis-1,2-Dichloroethene
 Concen: 4.362 ug/l
 RT: 6.978 min Scan# 846
 Delta R.T. 0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27




Instrument :
 MSVOA_Y
 ClientSampleId :
 LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 96 Resp: 15637
 Ion Ratio Lower Upper
 96 100
 61 156.8 0.0 301.4
 98 68.9 0.0 130.4



#28
 Bromochloromethane
 Concen: 3.958 ug/l
 RT: 7.325 min Scan# 903
 Delta R.T. -0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27

Tgt Ion: 49 Resp: 9554
 Ion Ratio Lower Upper
 49 100
 129 1.5 0.0 4.6
 130 78.6 60.7 91.1





#29

Tetrahydrofuran

Concen: 25.759 ug/l

RT: 7.344 min Scan# 906

Delta R.T. -0.000 min

Lab File: VY014643.D


Acq: 14 Jul 2023 13:27

Instrument :




MSVOA_Y

ClientSampleId :

LOD-MDL-SOIL-01-QT3-2023



Tgt Ion:	42	Resp:	23092
Ion	Ratio	Lower	Upper
42	100		
72	45.3	32.8	49.2
71	44.0	31.0	46.4



#30

Chloroform

Concen: 4.368 ug/l




RT: 7.496 min Scan# 931


Delta R.T. -0.006 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Tgt Ion:	83	Resp:	25251
Ion	Ratio	Lower	Upper
83	100		
85	65.4	49.7	74.5









#31
Cyclohexane
Concen: 4.778 ug/l
RT: 7.783 min Scan# 91
Delta R.T. 0.006 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 56 Resp: 24907
Ion Ratio Lower Upper
56 100
69 70.1 27.8 41.6#
84 103.4 66.4 99.6#



#32
1,1,1-Trichloroethane
Concen: 4.224 ug/l
RT: 7.691 min Scan# 963
Delta R.T. -0.006 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 97 Resp: 21976
Ion Ratio Lower Upper
97 100
99 65.2 50.8 76.2
61 43.9 35.1 52.7





#33

1,2-Dichloroethane-d4

Concen: 52.699 ug/l

RT: 8.136 min Scan# 1036

Delta R.T. 0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :





LOD-MDL-SOIL-01-QT3-2023

Tgt Ion: 65 Resp: 165495

Ion Ratio Lower Upper

65 100

67 53.1 0.0 101.8



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.685 min Scan# 1126

Delta R.T. 0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27




Tgt Ion: 114 Resp: 466873


Ion Ratio Lower Upper

114 100

63 20.0 0.0 42.4

88 16.0 0.0 30.6









#35
 Dibromofluoromethane
 Concen: 51.465 ug/l
 RT: 7.710 min Scan# 911
 Delta R.T. -0.006 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27




Instrument :
 MSVOA_Y
 ClientSampleId :
 LOD-MDL-SOIL-01-QT3-2023


Tgt Ion:	113	Resp:	152955
Ion	Ratio	Lower	Upper
113	100		
111	101.1	81.3	121.9
192	19.3	16.9	25.3



#36
 1,1-Dichloropropene
 Concen: 4.111 ug/l
 RT: 7.911 min Scan# 999
 Delta R.T. -0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27

Tgt Ion:	75	Resp:	18272
Ion	Ratio	Lower	Upper
75	100		
110	36.8	17.8	53.5
77	33.5	24.4	36.6





#37

Ethyl Acetate

Concen: 4.841 ug/l

RT: 7.069 min Scan# 8

Delta R.T. -0.001 min

Lab File: VY014643.D


Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :

LOD-MDL-SOIL-01-QT3-2023






Tgt Ion: 43 Resp: 14813

Ion Ratio Lower Upper

43 100

61 16.0 10.1 15.1#

70 12.5 7.1 10.7#



#38

Carbon Tetrachloride

Concen: 4.116 ug/l

RT: 7.899 min Scan# 997

Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27




Tgt Ion: 117 Resp: 19339


Ion Ratio Lower Upper

117 100

119 96.0 76.4 114.6

121 31.5 25.8 38.6





#39

Methylcyclohexane

Concen: 3.827 ug/l

RT: 9.179 min Scan# 11

Delta R.T. -0.000 min

Lab File: VY014643.D


Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :

LOD-MDL-SOIL-01-QT3-2023






Tgt Ion: 83 Resp: 22158

Ion Ratio Lower Upper

83 100

55 74.7 63.0 94.4

98 47.8 37.4 56.2



#40

Benzene

Concen: 4.171 ug/l

RT: 8.155 min Scan# 1039

Delta R.T. -0.000 min

Lab File: VY014643.D




Acq: 14 Jul 2023 13:27


Tgt Ion: 78 Resp: 52724

Ion Ratio Lower Upper

78 100

77 24.0 19.0 28.6









#41
Methacrylonitrile
Concen: 12.563 ug/l
RT: 7.350 min Scan# 90
Delta R.T. 0.043 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion:	41	Resp:	19774
Ion	Ratio	Lower	Upper
41	100		
39	23.3	52.1	78.1#
67	0.0	66.2	99.2#
52	0.0	29.9	44.9#



#42
1,2-Dichloroethane
Concen: 4.415 ug/l
RT: 8.228 min Scan# 1051
Delta R.T. -0.006 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion:	62	Resp:	17674
Ion	Ratio	Lower	Upper
62	100		
98	10.6	0.0	15.8









#43
Isopropyl Acetate
Concen: 4.566 ug/l
RT: 8.270 min Scan# 1105
Delta R.T. -0.001 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument : MSVOA_Y
ClientSampleId : LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 43 Resp: 26618
Ion Ratio Lower Upper
43 100
61 27.8 21.1 31.7
87 15.4 9.8 14.8#



#44
Trichloroethene
Concen: 4.314 ug/l
RT: 8.935 min Scan# 1167
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion:130 Resp: 15258
Ion Ratio Lower Upper
130 100
95 96.6 0.0 196.0





#45

1,2-Dichloropropane

Concen: 4.165 ug/l

RT: 9.209 min Scan# 1212

Delta R.T. 0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :





LOD-MDL-SOIL-01-QT3-2023

Tgt Ion: 63 Resp: 13746

Ion Ratio Lower Upper

63 100

65 29.3 23.8 35.6



#46

Dibromomethane

Concen: 4.315 ug/l

RT: 9.301 min Scan# 1227

Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27




Tgt Ion: 93 Resp: 8641


Ion Ratio Lower Upper

93 100

95 83.4 66.6 100.0

174 100.9 84.8 127.2









#47
 Bromodichloromethane
 Concen: 4.252 ug/l
 RT: 9.490 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27




Instrument :
 MSVOA_Y
 ClientSampleId :
 LOD-MDL-SOIL-01-QT3-2023


Tgt Ion:	83	Resp:	20066
Ion	Ratio	Lower	Upper
83	100		
85	68.8	50.1	75.1
127	7.9	7.1	10.7



#48
 Methyl methacrylate
 Concen: 4.302 ug/l
 RT: 9.289 min Scan# 1225
 Delta R.T. -0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27

Tgt Ion:	41	Resp:	11285
Ion	Ratio	Lower	Upper
41	100		
69	91.5	64.5	96.7
39	59.3	50.8	76.2





#49

1,4-Dioxane

Concen: 98.926 ug/l

RT: 9.295 min Scan# 1226

Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :

LOD-MDL-SOIL-01-QT3-2023





Tgt Ion: 88 Resp: 3230

Ion Ratio Lower Upper

88 100

43 28.2 0.0 0.0#

58 71.7 30.9 46.3#



#50

Toluene-d8

Concen: 49.451 ug/l

RT: 10.179 min Scan# 1371

Delta R.T. -0.000 min

Lab File: VY014643.D




Acq: 14 Jul 2023 13:27


Tgt Ion: 98 Resp: 541846

Ion Ratio Lower Upper

98 100

100 65.5 50.1 75.1









#51
4-Methyl-2-Pentanone
Concen: 23.014 ug/l
RT: 10.069 min Scan# 1353
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument : MSVOA_Y
ClientSampleId : LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 43 Resp: 70436
Ion Ratio Lower Upper
43 100
58 40.1 29.0 43.6



#52
Toluene
Concen: 4.274 ug/l
RT: 10.240 min Scan# 1381
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 92 Resp: 34573
Ion Ratio Lower Upper
92 100
91 171.7 143.8 215.6









#53
 t-1,3-Dichloropropene
 Concen: 4.304 ug/l
 RT: 10.459 min Scan# 1417
 Delta R.T. 0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27




Instrument :
 MSVOA_Y
 ClientSampleId :
 LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 75 Resp: 22216
 Ion Ratio Lower Upper
 75 100
 77 34.3 25.0 37.4



#54
 cis-1,3-Dichloropropene
 Concen: 4.185 ug/l
 RT: 9.923 min Scan# 1329
 Delta R.T. -0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27

Tgt Ion: 75 Resp: 23496
 Ion Ratio Lower Upper
 75 100
 77 32.8 24.2 36.4
 39 51.7 42.2 63.4





#55

1,1,2-Trichloroethane

Concen: 4.617 ug/l

RT: 10.642 min Scan# 1447

Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :

LOD-MDL-SOIL-01-QT3-2023

Tgt Ion: 97 Resp: 12879





Ion Ratio Lower Upper

97 100

83 78.5 72.0 108.0

85 51.5 45.4 68.0

99 64.8 50.3 75.5



#56

Ethyl methacrylate

Concen: 4.516 ug/l

RT: 10.508 min Scan# 1425

Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27




Tgt Ion: 69 Resp: 19232


Ion Ratio Lower Upper

69 100

41 62.9 57.6 86.4

39 35.8 34.1 51.1









#57
1,3-Dichloropropane
Concen: 4.261 ug/l
RT: 10.788 min Scan# 1471
Delta R.T. 0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument : MSVOA_Y
ClientSampleId : LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 76 Resp: 20498
Ion Ratio Lower Upper
76 100
78 32.6 25.3 37.9



#58
2-Chloroethyl Vinyl ether
Concen: 22.623 ug/l
RT: 9.776 min Scan# 1305
Delta R.T. -0.006 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 63 Resp: 44892
Ion Ratio Lower Upper
63 100
106 30.6 21.2 31.8









#59
2-Hexanone
Concen: 22.540 ug/l
RT: 10.831 min Scan# 1478
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 43 Resp: 50308
Ion Ratio Lower Upper
43 100
58 56.9 25.1 75.3



#60
Dibromochloromethane
Concen: 4.218 ug/l
RT: 10.977 min Scan# 1502
Delta R.T. -0.006 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 129 Resp: 14425
Ion Ratio Lower Upper
129 100
127 80.4 38.5 115.5









#61
1,2-Dibromoethane
Concen: 4.303 ug/l
RT: 11.087 min Scan# 1520
Delta R.T. 0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion:107 Resp: 11972
Ion Ratio Lower Upper
107 100
109 96.5 75.6 113.4



#62
4-Bromofluorobenzene
Concen: 48.105 ug/l
RT: 12.477 min Scan# 1748
Delta R.T. 0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 95 Resp: 202106
Ion Ratio Lower Upper
95 100
174 79.5 0.0 178.2
176 77.4 0.0 173.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 117
Delta R.T. 0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion:117 Resp: 408434
Ion Ratio Lower Upper
117 100
82 53.2 43.4 65.0
119 31.8 26.3 39.5



#64
Tetrachloroethene
Concen: 4.542 ug/l
RT: 10.715 min Scan# 1459
Delta R.T. 0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion:164 Resp: 14920
Ion Ratio Lower Upper
164 100
166 122.0 103.0 154.6
129 86.8 77.2 115.8
131 86.2 69.6 104.4









#65
Chlorobenzene
Concen: 4.250 ug/l
RT: 11.514 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion:112 Resp: 36993
Ion Ratio Lower Upper
112 100
114 32.4 25.5 38.3



#66
1,1,1,2-Tetrachloroethane
Concen: 4.303 ug/l
RT: 11.587 min Scan# 1602
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion:131 Resp: 14121
Ion Ratio Lower Upper
131 100
133 99.0 47.5 142.6
119 67.2 31.6 94.7









#67
Ethyl Benzene
Concen: 4.250 ug/l
RT: 11.587 min Scan# 1602
Delta R.T. -0.006 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 91 Resp: 66784
Ion Ratio Lower Upper
91 100
106 31.1 24.6 36.8



#68
m/p-Xylenes
Concen: 8.546 ug/l
RT: 11.697 min Scan# 1620
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 106 Resp: 51267
Ion Ratio Lower Upper
106 100
91 201.5 166.1 249.1





#69

o-Xylene

Concen: 4.278 ug/l

RT: 12.026 min Scan# 1

Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :





LOD-MDL-SOIL-01-QT3-2023

Tgt Ion:106 Resp: 24995

Ion Ratio Lower Upper

106 100

91 217.1 108.1 324.3



#70

Styrene

Concen: 4.312 ug/l

RT: 12.038 min Scan# 1676

Delta R.T. 0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27




Tgt Ion:104 Resp: 42465


Ion Ratio Lower Upper

104 100

78 49.3 41.5 62.3

103 54.0 44.6 67.0





#71

Bromoform

Concen: 4.406 ug/l

RT: 12.203 min Scan# 11

Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27





Instrument :

MSVOA_Y

ClientSampleId :

LOD-MDL-SOIL-01-QT3-2023

Tgt Ion:173	Resp:	9800
Ion Ratio	Lower	Upper
173	100	
175	47.6	24.6 73.8
254	0.0	0.2 0.2#



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l




RT: 13.422 min Scan# 1903


Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Tgt Ion:152	Resp:	198066
Ion Ratio	Lower	Upper
152	100	
115	60.0	28.8 86.5
150	159.0	0.0 348.8





#73

Isopropylbenzene

Concen: 4.122 ug/l

RT: 12.325 min Scan# 11

Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :





LOD-MDL-SOIL-01-QT3-2023

Tgt Ion:105 Resp: 63930

Ion Ratio Lower Upper

105 100

120 27.2 13.3 39.9



#74

N-ethyl acetate

Concen: 4.415 ug/l

RT: 12.142 min Scan# 1693

Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Tgt Ion: 43 Resp: 22931




Ion Ratio Lower Upper


43 100

70 42.5 29.7 44.5

55 24.6 18.3 27.5

61 24.2 17.5 26.3





#75

1,1,2,2-Tetrachloroethane

Concen: 4.357 ug/l

RT: 12.575 min Scan# 1764

Delta R.T. -0.006 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :

LOD-MDL-SOIL-01-QT3-2023





Tgt Ion: 83 Resp: 15408

Ion Ratio Lower Upper

83 100

131 10.9 5.4 16.2

85 71.3 31.8 95.4



#76

1,2,3-Trichloropropane

Concen: 8.601 ug/l

RT: 12.629 min Scan# 1773

Delta R.T. -0.001 min

Lab File: VY014643.D




Acq: 14 Jul 2023 13:27


Tgt Ion: 75 Resp: 21515

Ion Ratio Lower Upper

75 100

77 0.0 0.0 0.0





#77

Bromobenzene

Concen: 4.389 ug/l

RT: 12.605 min Scan# 1769

Delta R.T. 0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :

LOD-MDL-SOIL-01-QT3-2023





Tgt Ion:156 Resp: 15539

Ion Ratio Lower Upper

156 100

77 203.5 92.8 278.6

158 96.6 48.4 145.3



#78

n-propylbenzene

Concen: 4.080 ug/l

RT: 12.666 min Scan# 1779

Delta R.T. 0.000 min

Lab File: VY014643.D




Acq: 14 Jul 2023 13:27


Tgt Ion: 91 Resp: 76243

Ion Ratio Lower Upper

91 100

120 24.0 11.5 34.4





#79

2-Chlorotoluene

Concen: 4.146 ug/l

RT: 12.751 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :





LOD-MDL-SOIL-01-QT3-2023

Tgt Ion: 91 Resp: 44626

Ion Ratio Lower Upper

91 100

126 34.3 17.3 51.7



#80

1,3,5-Trimethylbenzene

Concen: 4.244 ug/l

RT: 12.812 min Scan# 1803

Delta R.T. 0.000 min

Lab File: VY014643.D




Acq: 14 Jul 2023 13:27


Tgt Ion: 105 Resp: 54965

Ion Ratio Lower Upper

105 100

120 47.6 23.9 71.7









#81
trans-1,4-Dichloro-2-butene
Concen: 4.410 ug/l
RT: 12.373 min Scan# 1731
Delta R.T. 0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument : MSVOA_Y
ClientSampleId : LOD-MDL-SOIL-01-QT3-2023


Tgt Ion: 75 Resp: 5698
Ion Ratio Lower Upper
75 100
53 87.3 77.8 116.8
89 45.1 37.4 56.0



#82
4-Chlorotoluene
Concen: 4.162 ug/l
RT: 12.849 min Scan# 1809
Delta R.T. -0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion: 91 Resp: 46142
Ion Ratio Lower Upper
91 100
126 34.4 17.2 51.6





#83

tert-Butylbenzene

Concen: 4.156 ug/l

RT: 13.068 min Scan# 1845

Delta R.T. -0.007 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :

LOD-MDL-SOIL-01-QT3-2023





Tgt Ion:119 Resp: 47750

Ion Ratio Lower Upper

119 100

91 64.5 32.9 98.6

134 26.2 13.0 38.9



#84

1,2,4-Trimethylbenzene

Concen: 4.309 ug/l

RT: 13.117 min Scan# 1853

Delta R.T. 0.000 min

Lab File: VY014643.D




Acq: 14 Jul 2023 13:27


Tgt Ion:105 Resp: 54765

Ion Ratio Lower Upper

105 100

120 45.4 22.2 66.6





#85

sec-Butylbenzene

Concen: 4.086 ug/l

RT: 13.251 min Scan# 1875

Delta R.T. 0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :





LOD-MDL-SOIL-01-QT3-2023

Tgt Ion:105 Resp: 68865

Ion Ratio Lower Upper

105 100

134 21.3 10.2 30.6



#86

p-Isopropyltoluene

Concen: 4.184 ug/l

RT: 13.367 min Scan# 1894

Delta R.T. 0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27




Tgt Ion:119 Resp: 57574


Ion Ratio Lower Upper

119 100

134 25.8 13.3 39.8

91 24.7 12.4 37.4









#87
1,3-Dichlorobenzene
Concen: 4.423 ug/l
RT: 13.361 min Scan# 1893
Delta R.T. 0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27




Instrument :
MSVOA_Y
ClientSampleId :
LOD-MDL-SOIL-01-QT3-2023


Tgt Ion:146 Resp: 30474
Ion Ratio Lower Upper
146 100
111 41.6 19.4 58.2
148 62.6 31.9 95.5



#88
1,4-Dichlorobenzene
Concen: 4.457 ug/l
RT: 13.440 min Scan# 1906
Delta R.T. 0.000 min
Lab File: VY014643.D
Acq: 14 Jul 2023 13:27

Tgt Ion:146 Resp: 30773
Ion Ratio Lower Upper
146 100
111 47.1 18.9 56.7
148 65.7 32.1 96.5





#89

n-Butylbenzene

Concen: 4.033 ug/l

RT: 13.696 min Scan# 1948

Delta R.T. 0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27





Instrument :

MSVOA_Y

ClientSampleId :

LOD-MDL-SOIL-01-QT3-2023

Tgt Ion:	91	Resp:	53994
Ion	Ratio	Lower	Upper
91	100		
92	52.6	25.4	76.0
134	24.7	12.6	37.6



#90

Hexachloroethane

Concen: 4.180 ug/l




RT: 13.958 min Scan# 1991


Delta R.T. -0.001 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Tgt Ion:	117	Resp:	11815
Ion	Ratio	Lower	Upper
117	100		
201	70.1	41.6	124.8









#91
 1,2-Dichlorobenzene
 Concen: 4.485 ug/l
 RT: 13.733 min Scan# 1954
 Delta R.T. -0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27




Instrument : MSVOA_Y
 ClientSampleId : LOD-MDL-SOIL-01-QT3-2023


Tgt Ion:	146	Resp:	28312
Ion Ratio	Lower	Upper	
146	100		
111	40.5	19.7	59.0
148	60.9	32.0	96.2



#92
 1,2-Dibromo-3-Chloropropane
 Concen: 4.703 ug/l
 RT: 14.355 min Scan# 2056
 Delta R.T. -0.000 min
 Lab File: VY014643.D
 Acq: 14 Jul 2023 13:27

Tgt Ion:	75	Resp:	3181
Ion Ratio	Lower	Upper	
75	100		
155	88.6	41.5	124.6
157	114.2	51.8	155.5





#93

1,2,4-Trichlorobenzene

Concen: 4.289 ug/l

RT: 15.007 min Scan# 2163

Delta R.T. 0.000 min

Lab File: VY014643.D


Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :

LOD-MDL-SOIL-01-QT3-2023






Tgt Ion:180 Resp: 17188

Ion Ratio Lower Upper

180 100

182 93.5 47.0 141.2

145 33.4 14.5 43.5



#94

Hexachlorobutadiene

Concen: 4.048 ug/l

RT: 15.111 min Scan# 2180

Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27




Tgt Ion:225 Resp: 8913


Ion Ratio Lower Upper

225 100

223 64.5 31.9 95.9

227 66.4 33.0 98.9





#95

Naphthalene

Concen: 4.482 ug/l

RT: 15.233 min Scan# 21

Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Instrument :

MSVOA_Y

ClientSampleId :

LOD-MDL-SOIL-01-QT3-2023





Tgt Ion:128 Resp: 41844

Ion Ratio Lower Upper

128 100

127 12.6 10.8 16.2

129 10.9 8.6 13.0



#96

1,2,3-Trichlorobenzene

Concen: 4.382 ug/l

RT: 15.422 min Scan# 2231

Delta R.T. -0.000 min

Lab File: VY014643.D

Acq: 14 Jul 2023 13:27

Tgt Ion:180 Resp: 15604

Ion Ratio Lower Upper

180 100

182 95.1 47.3 141.8

145 33.5 15.4 46.2

