

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071423\
 Data File : VY014647.D
 Acq On : 14 Jul 2023 15:03
 Operator : SY/MD
 Sample : 03617-01
 Misc : 5.06g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VNJ-214

Quant Time: Jul 14 23:10:44 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071323S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 14 02:09:50 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.783	168	223339	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	389974	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	365074	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	173290	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.137	65	137998	54.222	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 108.440%	
35) Dibromofluoromethane	7.710	113	121300	48.862	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 97.720%	
50) Toluene-d8	10.179	98	463690	50.663	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	= 101.320%	
62) 4-Bromofluorobenzene	12.477	95	175926	50.130	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	= 100.260%	
Target Compounds						
					Qvalue	
16) Acetone	3.942	43	12090	14.991	ug/l	99
20) Methylene Chloride	4.710	84	26512	6.440	ug/l	86
39) Methylcyclohexane	9.179	83	7662	1.584	ug/l	93
40) Benzene	8.149	78	16106	1.525	ug/l	99
52) Toluene	10.240	92	177512	26.273	ug/l	93
67) Ethyl Benzene	11.587	91	107528	7.655	ug/l	99
68) m/p-Xylenes	11.697	106	132609	24.732	ug/l	96
69) o-Xylene	12.026	106	54446	10.425	ug/l	99
78) n-propylbenzene	12.666	91	26099	1.596	ug/l	97
80) 1,3,5-Trimethylbenzene	12.806	105	19697	1.738	ug/l	100
84) 1,2,4-Trimethylbenzene	13.117	105	55737	5.012	ug/l	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071423\
Data File : VY014647.D
Acq On : 14 Jul 2023 15:03
Operator : SY/MD
Sample : 03617-01
Misc : 5.06g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VNJ-214

Quant Time: Jul 14 23:10:44 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071323S.M
Quant Title : SW846 8260
QLast Update : Fri Jul 14 02:09:50 2023
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.783 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY014647.D
Acq: 14 Jul 2023 15:03




Instrument :
MSVOA_Y
ClientSampleId :
VNJ-214


Tgt Ion:168 Resp: 223339
Ion Ratio Lower Upper
168 100
99 57.2 43.4 65.0



#16
Acetone
Concen: 14.991 ug/l
RT: 3.942 min Scan# 348
Delta R.T. 0.000 min
Lab File: VY014647.D
Acq: 14 Jul 2023 15:03

Tgt Ion: 43 Resp: 12090
Ion Ratio Lower Upper
43 100
58 28.1 22.7 34.1









#20
Methylene Chloride
Concen: 6.440 ug/l
RT: 4.710 min Scan# 41
Delta R.T. 0.006 min
Lab File: VY014647.D
Acq: 14 Jul 2023 15:03




Instrument :
MSVOA_Y
ClientSampleId :
VNJ-214


Tgt Ion: 84 Resp: 26512
Ion Ratio Lower Upper
84 100
49 110.8 106.9 160.3
51 35.7 33.2 49.8
86 58.3 51.0 76.6



#33
1,2-Dichloroethane-d4
Concen: 54.222 ug/l
RT: 8.137 min Scan# 1036
Delta R.T. 0.001 min
Lab File: VY014647.D
Acq: 14 Jul 2023 15:03

Tgt Ion: 65 Resp: 137998
Ion Ratio Lower Upper
65 100
67 53.1 0.0 101.8





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.685 min Scan# 1126

Delta R.T. 0.000 min

Lab File: VY014647.D

Acq: 14 Jul 2023 15:03

Instrument :

MSVOA_Y

ClientSampleId :

VNJ-214





Tgt Ion:114 Resp: 389974

Ion Ratio Lower Upper

114 100

63 19.7 0.0 42.4

88 15.8 0.0 30.6



#35

Dibromofluoromethane

Concen: 48.862 ug/l

RT: 7.710 min Scan# 966

Delta R.T. -0.006 min

Lab File: VY014647.D

Acq: 14 Jul 2023 15:03




Tgt Ion:113 Resp: 121300


Ion Ratio Lower Upper

113 100

111 103.8 81.3 121.9

192 19.9 16.9 25.3





#39

Methylcyclohexane

Concen: 1.584 ug/l

RT: 9.179 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY014647.D

Acq: 14 Jul 2023 15:03

Instrument :

MSVOA_Y

ClientSampleId :

VNJ-214





Tgt Ion: 83 Resp: 7662

Ion Ratio Lower Upper

83 100

55 73.8 63.0 94.4

98 52.9 37.4 56.2



#40

Benzene

Concen: 1.525 ug/l

RT: 8.149 min Scan# 1038

Delta R.T. -0.006 min

Lab File: VY014647.D




Acq: 14 Jul 2023 15:03


Tgt Ion: 78 Resp: 16106

Ion Ratio Lower Upper

78 100

77 23.1 19.0 28.6









#50
Toluene-d8
Concen: 50.663 ug/l
RT: 10.179 min Scan# 1371
Delta R.T. -0.000 min
Lab File: VY014647.D
Acq: 14 Jul 2023 15:03




Instrument :
MSVOA_Y
ClientSampleId :
VNJ-214


Tgt Ion: 98 Resp: 463690
Ion Ratio Lower Upper
98 100
100 65.2 50.1 75.1



#52
Toluene
Concen: 26.273 ug/l
RT: 10.240 min Scan# 1381
Delta R.T. -0.000 min
Lab File: VY014647.D
Acq: 14 Jul 2023 15:03

Tgt Ion: 92 Resp: 177512
Ion Ratio Lower Upper
92 100
91 169.9 143.8 215.6









#62
4-Bromofluorobenzene
Concen: 50.130 ug/l
RT: 12.477 min Scan# 1748
Delta R.T. 0.000 min
Lab File: VY014647.D
Acq: 14 Jul 2023 15:03




Instrument :
MSVOA_Y
ClientSampleId :
VNJ-214


Tgt Ion: 95 Resp: 175926
Ion Ratio Lower Upper
95 100
174 79.5 0.0 178.2
176 76.8 0.0 173.8



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.490 min Scan# 1586
Delta R.T. 0.001 min
Lab File: VY014647.D
Acq: 14 Jul 2023 15:03

Tgt Ion: 117 Resp: 365074
Ion Ratio Lower Upper
117 100
82 54.7 43.4 65.0
119 32.4 26.3 39.5





#67

Ethyl Benzene

Concen: 7.655 ug/l

RT: 11.587 min Scan# 1

Delta R.T. -0.006 min

Lab File: VY014647.D

Acq: 14 Jul 2023 15:03

Instrument :

MSVOA_Y

ClientSampleId :





VNJ-214

Tgt Ion: 91 Resp: 107528

Ion Ratio Lower Upper

91 100

106 31.2 24.6 36.8



#68

m/p-Xylenes

Concen: 24.732 ug/l

RT: 11.697 min Scan# 1620

Delta R.T. -0.000 min

Lab File: VY014647.D




Acq: 14 Jul 2023 15:03


Tgt Ion:106 Resp: 132609

Ion Ratio Lower Upper

106 100

91 200.6 166.1 249.1









#69
o-Xylene
Concen: 10.425 ug/l
RT: 12.026 min Scan# 1
Delta R.T. 0.000 min
Lab File: VY014647.D
Acq: 14 Jul 2023 15:03




Instrument :
MSVOA_Y
ClientSampleId :
VNJ-214


Tgt Ion:106 Resp: 54446
Ion Ratio Lower Upper
106 100
91 214.8 108.1 324.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.422 min Scan# 1903
Delta R.T. 0.000 min
Lab File: VY014647.D
Acq: 14 Jul 2023 15:03

Tgt Ion:152 Resp: 173290
Ion Ratio Lower Upper
152 100
115 60.4 28.8 86.5
150 158.0 0.0 348.8









#78
n-propylbenzene
Concen: 1.596 ug/l
RT: 12.666 min Scan# 1779
Delta R.T. 0.000 min
Lab File: VY014647.D
Acq: 14 Jul 2023 15:03




Instrument :
MSVOA_Y
ClientSampleId :
VNJ-214


Tgt Ion: 91 Resp: 26099
Ion Ratio Lower Upper
91 100
120 24.3 11.5 34.4



#80
1,3,5-Trimethylbenzene
Concen: 1.738 ug/l
RT: 12.806 min Scan# 1802
Delta R.T. -0.006 min
Lab File: VY014647.D
Acq: 14 Jul 2023 15:03

Tgt Ion: 105 Resp: 19697
Ion Ratio Lower Upper
105 100
120 47.5 23.9 71.7





#84
 1,2,4-Trimethylbenzene
 Concen: 5.012 ug/l
 RT: 13.117 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: VY014647.D
 Acq: 14 Jul 2023 15:03

Instrument :
 MSVOA_Y
 ClientSampleId :
 VNJ-214

Tgt Ion:105 Resp: 55737
 Ion Ratio Lower Upper
 105 100
 120 44.9 22.2 66.6

