

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071524\
 Data File : VY018817.D
 Acq On : 15 Jul 2024 17:00
 Operator : SY/MD
 Sample : P3207-01
 Misc : 5.08g/5.0mL/MSVOA_Y/SOIL/B
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CHRT-26899RE

Quant Time: Jul 15 17:24:14 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y070924S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 09 14:28:51 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.777	168	110367	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.679	114	186849	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.483	117	166441	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	65239	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	56613	52.128	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	104.260%
35) Dibromofluoromethane	7.704	113	57610	49.228	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	98.460%
50) Toluene-d8	10.173	98	208544	47.036	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	94.080%
62) 4-Bromofluorobenzene	12.477	95	66489	43.913	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	87.820%
Target Compounds						
11) Tert butyl alcohol	4.942	59	8092	73.553	ug/l #	77
20) Methylene Chloride	4.692	84	9571	3.860	ug/l	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071524\
Data File : VY018817.D
Acq On : 15 Jul 2024 17:00
Operator : SY/MD
Sample : P3207-01
Misc : 5.08g/5.0mL/MSVOA_Y/SOIL/B
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CHRT-26899RE

Quant Time: Jul 15 17:24:14 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y070924S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 09 14:28:51 2024
Response via : Initial Calibration

