

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY072122\
 Data File : VY009637.D
 Acq On : 21 Jul 2022 16:48
 Operator : KP/MD
 Sample : N3786-15
 Misc : 6.03g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 0718-WC-TP-WC5B

Quant Time: Jul 22 02:30:38 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071822S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 19 04:22:09 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	217925	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	355967	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	331563	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	156420	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	118264	57.381	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	114.760%
35) Dibromofluoromethane	7.710	113	111541	49.738	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.480%
50) Toluene-d8	10.173	98	406311	47.130	ug/l	0.00
Spiked Amount	50.000	Range	78 - 125	Recovery	=	94.260%
62) 4-Bromofluorobenzene	12.477	95	131631	47.120	ug/l	0.00
Spiked Amount	50.000	Range	50 - 146	Recovery	=	94.240%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY072122\
Data File : VY009637.D
Acq On : 21 Jul 2022 16:48
Operator : KP/MD
Sample : N3786-15
Misc : 6.03g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
0718-WC-TP-WC5B

Quant Time: Jul 22 02:30:38 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071822S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 19 04:22:09 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.783 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY009637.D
Acq: 21 Jul 2022 16:48




Instrument :
MSVOA_Y
ClientSampleId :
0718-WC-TP-WC5B


Tgt Ion:168 Resp: 217925
Ion Ratio Lower Upper
168 100
99 48.4 46.9 70.3



#33
1,2-Dichloroethane-d4
Concen: 57.381 ug/l
RT: 8.130 min Scan# 1035
Delta R.T. -0.006 min
Lab File: VY009637.D
Acq: 21 Jul 2022 16:48

Tgt Ion: 65 Resp: 118264
Ion Ratio Lower Upper
65 100
67 51.9 0.0 99.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.685 min Scan# 1126

Delta R.T. -0.000 min

Lab File: VY009637.D

Acq: 21 Jul 2022 16:48

Instrument :

MSVOA_Y

ClientSampleId :

0718-WC-TP-WC5B





Tgt Ion:114 Resp: 355967

Ion Ratio Lower Upper

114 100

63 16.5 0.0 43.2

88 14.1 0.0 31.8



#35

Dibromofluoromethane

Concen: 49.738 ug/l

RT: 7.710 min Scan# 966

Delta R.T. -0.000 min

Lab File: VY009637.D

Acq: 21 Jul 2022 16:48




Tgt Ion:113 Resp: 111541


Ion Ratio Lower Upper

113 100

111 103.2 82.6 124.0

192 21.8 17.6 26.4









#50
Toluene-d8
Concen: 47.130 ug/l
RT: 10.173 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY009637.D
Acq: 21 Jul 2022 16:48




Instrument :
MSVOA_Y
ClientSampleId :
0718-WC-TP-WC5B


Tgt Ion: 98 Resp: 406311
Ion Ratio Lower Upper
98 100
100 64.9 50.2 75.2



#62
4-Bromofluorobenzene
Concen: 47.120 ug/l
RT: 12.477 min Scan# 1748
Delta R.T. -0.000 min
Lab File: VY009637.D
Acq: 21 Jul 2022 16:48

Tgt Ion: 95 Resp: 131631
Ion Ratio Lower Upper
95 100
174 97.2 0.0 177.0
176 94.1 0.0 175.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.489 min Scan# 11
Delta R.T. -0.000 min
Lab File: VY009637.D
Acq: 21 Jul 2022 16:48

Instrument :
MSVOA_Y
ClientSampleId :
0718-WC-TP-WC5B

Tgt Ion:117 Resp: 331563
Ion Ratio Lower Upper
117 100
82 49.5 43.0 64.4
119 32.0 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.422 min Scan# 1903
Delta R.T. -0.000 min
Lab File: VY009637.D
Acq: 21 Jul 2022 16:48

Tgt Ion:152 Resp: 156420
Ion Ratio Lower Upper
152 100
115 55.3 28.2 84.7
150 156.8 0.0 347.6

