

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY072122\
 Data File : VY009638.D
 Acq On : 21 Jul 2022 17:12
 Operator : KP/MD
 Sample : N3786-17
 Misc : 6.29g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 0718-WC-TP-WC17A

Quant Time: Jul 22 02:30:48 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071822S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 19 04:22:09 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.777	168	219157	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	353874	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.483	117	330616	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	161180	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	115495	55.722	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	111.440%
35) Dibromofluoromethane	7.710	113	110458	49.546	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.100%
50) Toluene-d8	10.173	98	403409	47.070	ug/l	0.00
Spiked Amount	50.000	Range	78 - 125	Recovery	=	94.140%
62) 4-Bromofluorobenzene	12.477	95	132567	47.736	ug/l	0.00
Spiked Amount	50.000	Range	50 - 146	Recovery	=	95.480%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY072122\
Data File : VY009638.D
Acq On : 21 Jul 2022 17:12
Operator : KP/MD
Sample : N3786-17
Misc : 6.29g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
0718-WC-TP-WC17A

Quant Time: Jul 22 02:30:48 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071822S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 19 04:22:09 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.777 min Scan# 91
Delta R.T. -0.006 min
Lab File: VY009638.D
Acq: 21 Jul 2022 17:12




Instrument :
MSVOA_Y
ClientSampleId :
0718-WC-TP-WC17A


Tgt Ion:168 Resp: 219157
Ion Ratio Lower Upper
168 100
99 49.2 46.9 70.3



#33
1,2-Dichloroethane-d4
Concen: 55.722 ug/l
RT: 8.130 min Scan# 1035
Delta R.T. -0.006 min
Lab File: VY009638.D
Acq: 21 Jul 2022 17:12

Tgt Ion: 65 Resp: 115495
Ion Ratio Lower Upper
65 100
67 53.2 0.0 99.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.685 min Scan# 1126

Delta R.T. 0.000 min

Lab File: VY009638.D

Acq: 21 Jul 2022 17:12

Instrument :

MSVOA_Y

ClientSampleId :

0718-WC-TP-WC17A





Tgt Ion:114 Resp: 353874

Ion Ratio Lower Upper

114 100

63 17.1 0.0 43.2

88 14.2 0.0 31.8



#35

Dibromofluoromethane

Concen: 49.546 ug/l

RT: 7.710 min Scan# 966

Delta R.T. 0.000 min

Lab File: VY009638.D

Acq: 21 Jul 2022 17:12




Tgt Ion:113 Resp: 110458


Ion Ratio Lower Upper

113 100

111 102.3 82.6 124.0

192 22.1 17.6 26.4









#50
Toluene-d8
Concen: 47.070 ug/l
RT: 10.173 min Scan# 1370
Delta R.T. 0.000 min
Lab File: VY009638.D
Acq: 21 Jul 2022 17:12




Instrument :
MSVOA_Y
ClientSampleId :
0718-WC-TP-WC17A


Tgt Ion: 98 Resp: 403409
Ion Ratio Lower Upper
98 100
100 65.1 50.2 75.2



#62
4-Bromofluorobenzene
Concen: 47.736 ug/l
RT: 12.477 min Scan# 1748
Delta R.T. 0.000 min
Lab File: VY009638.D
Acq: 21 Jul 2022 17:12

Tgt Ion: 95 Resp: 132567
Ion Ratio Lower Upper
95 100
174 96.8 0.0 177.0
176 94.0 0.0 175.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.483 min Scan# 11
Delta R.T. -0.006 min
Lab File: VY009638.D
Acq: 21 Jul 2022 17:12

Instrument :
MSVOA_Y
ClientSampleId :
0718-WC-TP-WC17A

Tgt Ion:117 Resp: 330616
Ion Ratio Lower Upper
117 100
82 50.0 43.0 64.4
119 31.6 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.422 min Scan# 1903
Delta R.T. 0.000 min
Lab File: VY009638.D
Acq: 21 Jul 2022 17:12

Tgt Ion:152 Resp: 161180
Ion Ratio Lower Upper
152 100
115 54.4 28.2 84.7
150 157.0 0.0 347.6

