

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY072222\
 Data File : VY009652.D
 Acq On : 22 Jul 2022 12:13
 Operator : KP/MD
 Sample : N3830-03
 Misc : 5.06g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 HS-SOIL-0721

Quant Time: Jul 23 00:52:49 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071822S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 19 04:22:09 2022
 Response via : Initial Calibration

Compound	R.T. QIon		Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	7.783	168	154232	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.685	114	241037	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	229740	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	108602	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	81523	55.889	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	= 111.780%	
35) Dibromofluoromethane	7.710	113	79637	52.444	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	= 104.880%	
50) Toluene-d8	10.179	98	278567	47.719	ug/l	0.00
Spiked Amount	50.000	Range	78 - 125	Recovery	= 95.440%	
62) 4-Bromofluorobenzene	12.477	95	88217	46.637	ug/l	0.00
Spiked Amount	50.000	Range	50 - 146	Recovery	= 93.280%	
Target Compounds						
					Qvalue	
2) Dichlorodifluoromethane	1.900	85	7327	5.414	ug/l	96
11) Tert butyl alcohol	4.948	59	1192	Below Cal	#	82
16) Acetone	3.942	43	2899	7.856	ug/l	98
20) Methylene Chloride	4.704	84	42000	15.986	ug/l	# 84
25) 2-Butanone	6.984	43	1187	2.205	ug/l	# 54
31) Cyclohexane	7.783	56	2795	1.087	ug/l	# 1
36) 1,1-Dichloropropene	7.783	75	10203	4.547	ug/l	# 51
38) Carbon Tetrachloride	7.783	117	13919	5.925	ug/l	# 17
76) 1,2,3-Trichloropropane	12.477	75	45026	43.522	ug/l	# 100
81) trans-1,4-Dichloro-2-b...	12.477	75	45026	85.817	ug/l	# 8


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY072222\
Data File : VY009652.D
Acq On : 22 Jul 2022 12:13
Operator : KP/MD
Sample : N3830-03
Misc : 5.06g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
HS-SOIL-0721

Quant Time: Jul 23 00:52:49 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071822S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 19 04:22:09 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.783 min Scan# 91
Delta R.T. -0.000 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13




Instrument :
MSVOA_Y
ClientSampleId :
HS-SOIL-0721


Tgt Ion:168 Resp: 154232
Ion Ratio Lower Upper
168 100
99 46.3 46.9 70.3#



#2
Dichlorodifluoromethane
Concen: 5.414 ug/l
RT: 1.900 min Scan# 13
Delta R.T. -0.000 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13

Tgt Ion: 85 Resp: 7327
Ion Ratio Lower Upper
85 100
87 34.3 16.1 48.2









#11
Tert butyl alcohol
Concen: Below Cal
RT: 4.948 min Scan# 513
Delta R.T. 0.000 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13




Instrument :
MSVOA_Y
ClientSampleId :
HS-SOIL-0721


Tgt Ion: 59 Resp: 1192
Ion Ratio Lower Upper
59 100
57 1.7 6.4 9.6#



#16
Acetone
Concen: 7.856 ug/l
RT: 3.942 min Scan# 348
Delta R.T. 0.006 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13


Tgt Ion: 43 Resp: 2899
Ion Ratio Lower Upper
43 100
58 26.2 22.0 33.0








#20
Methylene Chloride
Concen: 15.986 ug/l
RT: 4.704 min Scan# 41
Delta R.T. 0.006 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13

Instrument :
MSVOA_Y
ClientSampleId :
HS-SOIL-0721







Tgt Ion: 84 Resp: 42000
Ion Ratio Lower Upper
84 100
49 113.1 114.4 171.6#
51 37.5 35.3 52.9
86 67.6 53.7 80.5



#25
2-Butanone
Concen: 2.205 ug/l
RT: 6.984 min Scan# 847
Delta R.T. 0.012 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13

Tgt Ion: 43 Resp: 1187
Ion Ratio Lower Upper
43 100
72 0.0 17.7 26.5#









#31
Cyclohexane
Concen: 1.087 ug/l
RT: 7.783 min Scan# 91
Delta R.T. 0.012 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13




Instrument :
MSVOA_Y
ClientSampleId :
HS-SOIL-0721


Tgt Ion: 56 Resp: 2795
Ion Ratio Lower Upper
56 100
69 175.5 26.7 40.1#
84 129.6 67.2 100.8#



#33
1,2-Dichloroethane-d4
Concen: 55.889 ug/l
RT: 8.130 min Scan# 1035
Delta R.T. -0.006 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13

Tgt Ion: 65 Resp: 81523
Ion Ratio Lower Upper
65 100
67 53.6 0.0 99.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.685 min Scan# 1126

Delta R.T. -0.000 min

Lab File: VY009652.D

Acq: 22 Jul 2022 12:13

Instrument :

MSVOA_Y

ClientSampleId :

HS-SOIL-0721





Tgt Ion:114 Resp: 241037

Ion Ratio Lower Upper

114 100

63 17.5 0.0 43.2

88 13.8 0.0 31.8



#35

Dibromofluoromethane

Concen: 52.444 ug/l

RT: 7.710 min Scan# 966

Delta R.T. -0.000 min

Lab File: VY009652.D

Acq: 22 Jul 2022 12:13




Tgt Ion:113 Resp: 79637


Ion Ratio Lower Upper

113 100

111 102.1 82.6 124.0

192 21.9 17.6 26.4









#36
1,1-Dichloropropene
Concen: 4.547 ug/l
RT: 7.783 min Scan# 91
Delta R.T. -0.122 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13




Instrument :
MSVOA_Y
ClientSampleId :
HS-SOIL-0721


Tgt Ion: 75 Resp: 10203
Ion Ratio Lower Upper
75 100
110 9.6 17.1 51.2#
77 0.0 24.4 36.6#



#38
Carbon Tetrachloride
Concen: 5.925 ug/l
RT: 7.783 min Scan# 978
Delta R.T. -0.110 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13

Tgt Ion: 117 Resp: 13919
Ion Ratio Lower Upper
117 100
119 6.9 77.9 116.9#
121 0.0 24.8 37.2#









#50
Toluene-d8
Concen: 47.719 ug/l
RT: 10.179 min Scan# 11
Delta R.T. 0.006 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13




Instrument :
MSVOA_Y
ClientSampleId :
HS-SOIL-0721


Tgt Ion: 98 Resp: 278567
Ion Ratio Lower Upper
98 100
100 64.9 50.2 75.2



#62
4-Bromofluorobenzene
Concen: 46.637 ug/l
RT: 12.477 min Scan# 1748
Delta R.T. -0.000 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13

Tgt Ion: 95 Resp: 88217
Ion Ratio Lower Upper
95 100
174 97.3 0.0 177.0
176 93.1 0.0 175.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.490 min Scan# 117
Delta R.T. -0.000 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13




Instrument :
MSVOA_Y
ClientSampleId :
HS-SOIL-0721


Tgt Ion:117 Resp: 229740
Ion Ratio Lower Upper
117 100
82 49.3 43.0 64.4
119 31.6 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.422 min Scan# 1903
Delta R.T. -0.000 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13

Tgt Ion:152 Resp: 108602
Ion Ratio Lower Upper
152 100
115 54.4 28.2 84.7
150 156.7 0.0 347.6









#76
1,2,3-Trichloropropane
Concen: 43.522 ug/l
RT: 12.477 min Scan# 1748
Delta R.T. -0.152 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13

Instrument :
MSVOA_Y
ClientSampleId :
HS-SOIL-0721

Tgt Ion: 75 Resp: 45026
Ion Ratio Lower Upper
75 100
77 1.6 0.0 0.0#



#81
trans-1,4-Dichloro-2-butene
Concen: 85.817 ug/l
RT: 12.477 min Scan# 1748
Delta R.T. 0.104 min
Lab File: VY009652.D
Acq: 22 Jul 2022 12:13

Tgt Ion: 75 Resp: 45026
Ion Ratio Lower Upper
75 100
53 0.9 85.3 127.9#
89 0.1 37.0 55.4#

