

Data Path : Z:\VOASRV\HPCHEM1\MSVOA Y\DATA\VY072320\
 Data File : VY003326.D
 Acq On : 23 Jul 2020 19:10
 Operator : SY/MD
 Sample : L3382-13
 Misc : 7.33G/5ML/MSVOA Y/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 CTR-005

Quant Time: Jul 24 06:27:11 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_Y\METHODS\82Y071020S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 10 13:18:03 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.80	168	441090	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.69	114	677764	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.49	117	631514	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.42	152	305246	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.15	65	220544	59.24	ug/l	0.00
Spiked Amount 50.000			Recovery	=	118.48%	
35) Dibromofluoromethane	7.72	113	214764	55.06	ug/l	0.00
Spiked Amount 50.000			Recovery	=	110.12%	
50) Toluene-d8	10.18	98	817799	56.40	ug/l	0.00
Spiked Amount 50.000			Recovery	=	112.80%	
62) 4-Bromofluorobenzene	12.48	95	265270	50.64	ug/l	0.00
Spiked Amount 50.000			Recovery	=	101.28%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA Y\DATA\VY072320\
Data File : VY003326.D
Acq On : 23 Jul 2020 19:10
Operator : SY/MD
Sample : L3382-13
Misc : 7.33G/5ML/MSVOA Y/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
CTR-005

Quant Time: Jul 24 06:27:11 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_Y\METHODS\82Y071020S.M
Quant Title : SW846 8260
QLast Update : Fri Jul 10 13:18:03 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.80 min Scan# 994

Delta R.T. 0.00 min

Lab File: VY003326.D

Acq: 23 Jul 2020 19:10

Instrument :

MSVOA_Y

ClientSampleId :


CTR-005

Tot Ion:168 Resp: 441090

Ion Ratio Lower Upper

168 100

99 48.4 37.3 55.9



Abundance Ion 167.90 (167.60 to 168.60): VY003326.D (-945) (-)

Ion 98.90 (98.60 to 99.60): VY003326.D (-945) (-)

7.80

200000



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 59.239 ug/l

RT: 8.15 min Scan# 1052

Delta R.T. 0.01 min

Lab File: VY003326.D


Acq: 23 Jul 2020 19:10

Tgt Ion: 65 Resp: 220544

Ion Ratio Lower Upper

65 100

67 52.6 0.0 105.2



Abundance Ion 64.90 (64.60 to 65.60): VY003326.D (-1002) (-)

Ion 66.90 (66.60 to 67.60): VY003326.D (-1002) (-)

8.15

120000

100000

80000


60000


40000

20000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.69 min Scan# 1141
 Delta R.T. 0.00 min
 Lab File: VY003326.D
 Acq: 23 Jul 2020 19:10




Instrument :
 MSVOA_Y
 ClientSampleId :
 CTR-005


Tot Ion:114 Resp: 677764
 Ion Ratio Lower Upper
 114 100
 63 19.3 0.0 41.2
 88 15.1 0.0 30.2



#35
 Dibromofluoromethane
 Concen: 55.062 ug/l
 RT: 7.72 min Scan# 982
 Delta R.T. 0.00 min
 Lab File: VY003326.D
 Acq: 23 Jul 2020 19:10

Tgt Ion:113 Resp: 214764
 Ion Ratio Lower Upper
 113 100
 111 103.0 82.1 123.1
 192 22.8 18.8 28.2





#50

Toluene-d8

Concen: 56.396 ug/l

RT: 10.18 min Scan# 1385

Delta R.T. 0.00 min

Lab File: VY003326.D

Acq: 23 Jul 2020 19:10

Instrument :

MSVOA_Y

ClientSampleId :


CTR-005

Tot Ion: 98 Resp: 817799




Ion Ratio Lower Upper

98 100

100 63.0 50.7 76.1



Abundance Ion 98.00 (97.70 to 98.70): VY003159.D (-1376) (-)



#62

4-Bromofluorobenzene

Concen: 50.637 ug/l

RT: 12.48 min Scan# 1762

Delta R.T. 0.00 min

Lab File: VY003326.D

Acq: 23 Jul 2020 19:10


Tgt Ion: 95 Resp: 265270

Ion Ratio Lower Upper



95 100


174 97.0 0.0 190.6

176 92.8 0.0 186.4



Abundance Ion 94.90 (94.60 to 95.60): VY003159.D (-1754) (-)









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.49 min Scan# 1600
Delta R.T. 0.00 min
Lab File: VY003326.D
Acq: 23 Jul 2020 19:10

Instrument :
MSVOA_Y
ClientSampleId :
CTR-005

Tot Ion:117 Resp: 631514
Ion Ratio Lower Upper
117 100
82 51.3 42.0 63.0
119 32.1 25.5 38.3




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VY0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.42 min Scan# 1917
Delta R.T. 0.00 min
Lab File: VY003326.D
Acq: 23 Jul 2020 19:10

Tgt Ion:152 Resp: 305246
Ion Ratio Lower Upper
152 100
115 54.7 26.9 80.7
150 156.4 0.0 338.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

