

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY072423\
 Data File : VY014783.D
 Acq On : 24 Jul 2023 19:28
 Operator : SY/MD
 Sample : 03724-01
 Misc : 5.02g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 185465

Quant Time: Jul 25 01:32:44 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071323S.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 14 02:09:50 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.789	168	179177	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.685	114	314073	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.489	117	299883	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	142987	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.136	65	112845	55.268	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	110.540%
35) Dibromofluoromethane	7.716	113	98191	49.112	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	98.220%
50) Toluene-d8	10.179	98	369258	50.096	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	100.200%
62) 4-Bromofluorobenzene	12.477	95	138537	49.016	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	98.040%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY072423\
Data File : VY014783.D
Acq On : 24 Jul 2023 19:28
Operator : SY/MD
Sample : 03724-01
Misc : 5.02g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
185465

Quant Time: Jul 25 01:32:44 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071323S.M
Quant Title : SW846 8260
QLast Update : Fri Jul 14 02:09:50 2023
Response via : Initial Calibration

