

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY072822\
 Data File : VY009755.D
 Acq On : 28 Jul 2022 16:48
 Operator : KP/MD
 Sample : N3948-01
 Misc : 5.36g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 MHA

Quant Time: Jul 29 02:57:25 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y072622S.M
 Quant Title : SW846 8260
 QLast Update : Wed Jul 27 04:24:58 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.783	168	160638	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.685	114	278543	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.490	117	272151	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.422	152	133872	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.130	65	67337	64.472	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	128.940%
35) Dibromofluoromethane	7.710	113	63199	41.718	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	83.440%
50) Toluene-d8	10.173	98	228094	51.856	ug/l	0.00
Spiked Amount	50.000	Range	78 - 125	Recovery	=	103.720%
62) 4-Bromofluorobenzene	12.477	95	70837	35.264	ug/l	0.00
Spiked Amount	50.000	Range	50 - 146	Recovery	=	70.520%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY072822\
Data File : VY009755.D
Acq On : 28 Jul 2022 16:48
Operator : KP/MD
Sample : N3948-01
Misc : 5.36g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
MHA

Quant Time: Jul 29 02:57:25 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y072622S.M
Quant Title : SW846 8260
QLast Update : Wed Jul 27 04:24:58 2022
Response via : Initial Calibration

